

Zoning Board of Adjustment Agenda Kenosha County Center, Conference Room A March 21, 2024

Notice is hereby given that a meeting will be held by the Zoning Board of Adjustment Committee on **Thursday, March 21, 2024 at 6:00 p.m.** at the Kenosha County Center Conference Room A, 19600 75th Street, Bristol, Wisconsin on the following requests:

# 1. SALLY J. GRIFFIN REV. TRUST - VARIANCE APPLICATION - TOWN OF WHEATLAND

SALLY J. GRIFFIN REV. TRUST, 2712 N. Magnolia, Chicago, IL 60614 (Owner), Robert C. Griffin, 7655 Lily Lake Road, Burlington WI 53105 (Agent), requesting a variance (Section V. B. 12.28-7: Non-conforming structures which encroach upon the yard requirements of this ordinance, but which met vard requirements of the applicable zoning ordinance at the time of construction, may be structurally enlarged or expanded if the existing structure is located at a minimum of at least fifty (50) percent of the minimum setback requirement of all yard setback requirements and further provided that the alteration does not create a greater degree of encroachment on yard, height, parking, loading, or access requirements, Section IV. C. 12.21-4(g)3: that there shall be a side yard of not less than 10 feet in width on each side of all structures and Section III. L. 12.18.10(b)2 that for a lateral expansion of a non-conforming principal structure in the shoreyard located between 25 and 75 feet from the ordinary high-water mark and which is less than 35 feet in height removal of all nonconforming accessory structures located in the shore setback area is required) to construct a residential addition to be located 0 feet from the right-of-way of Lily Lake Rd. and to be located 5 feet from the side (south) property line and to allow the existing appx. 200 sq. ft. of deck, appx. 275 sq. ft. of patio and existing retaining walls within the 75-foot shoreyard to remain on Tax Key Parcel #95-4-119-111-3140, Town of Wheatland.

Documents:

SUBMITTED APPLICATION.PDF EXHIBIT MAP.PDF

# 2. FRANCESCO M. ROVELLA & NATALIE C. ROVELLA - VARIANCE APPLICATION -TOWN OF PARIS

FRANCESCO M. ROVELLA & NATALIE C. ROVELLA 16700 7th St., Union Grove, WI 53182 (Owner), Francesco Rovella, 3535 13th Pl., Kensha, WI 53144 (Agent), requesting a variance (Section V. B. 12.28-7: that non-conforming structures which encroach upon the yard requirements of this ordinance, but which met yard requirements of the

applicable zoning ordinance at the time of construction, may be structurally enlarged or expanded if the existing structure is located at a minimum of at least fifty (50) percent of the minimum setback requirement of all yard setback requirements and further provided that the alteration does not create a greater degree of encroachment on yard, height, parking, loading, or access requirements) to construct a residential addition onto an existing single-family residence that is located 63.12 feet from the right-of-way of a County Trunk Highway so that the addition will be located 57 feet from the right-of-way of CTH "A" (7th Street) on Tax Key 45-4-221-033-0200, Town of Paris.

Documents:

# SUBMITTED APPLICATION.PDF EXHIBIT MAP.PDF

# 3. STANLEY & BERNICE JEZIOR JT. TENANCY TRUST - TEMPORARY USE PERMIT APPLICATION - TOWN OF SOMERS

STANLEY & BERNICE JEZIOR JT. TENANCY TRUST, 8826 North Shermer Road, Morton Grove, IL 60053-2071 (Owner), Joe Smith, 7150 18th Street, Kenosha, WI 53144 (Agent), requesting approval of a temporary use (Section III. S. 12.18.7-4: which states that It shall be unlawful to proceed with the operation, construction, installation, enlargement or alteration of a temporary use, as defined in this ordinance, without first obtaining approval from the Kenosha County Board of Adjustments) to use a 20' x 24' temporary (seasonal) fruit, vegetable, and Christmas tree stand with two 20' x 30' polyhoop greenhouses, one 20' x 60' poly-hoop greenhouse, a 40' x 40' shade structure and signage in the B-3 Highway Business Dist. on Tax Parcel #80-4-222-344-0320, Town of Somers.

Documents:

SUBMITTED APPLICATION.PDF EXHIBIT MAP.PDF

# 4. DELIMAT PROPERTIES 1 LLC - TEMPORARY USE PERMIT APPLICATION - TOWN OF WHEATLAND

DELIMAT PROPERTIES 1 LLC,34231 High Dr., East Troy WI 53120 (Owner), DeAnna Delimat, 34231 High Dr., East Troy, WI 53120 (Agent), requesting approval of a temporary use (Section III. S. 12.18.7-4: which states that it shall be unlawful to proceed with the operation, construction, installation, enlargement or alteration of a temporary use, as defined in this ordinance, without first obtaining approval from the Kenosha County Board of Adjustments) to temporarily locate (1) 10' x 10' sales tent and (2) 8' x 40' steel storage containers to operate a temporary fireworks sales stand in the B-3 Highway Business Dist. on Tax Parcel #95-4-119-013-0320 and 95-4-119-013-0330, Town of Wheatland.

Documents:

SUBMITTED APPLICATION.PDF EXHIBIT MAP.PDF

# 5. BEDROCK LC LLC - TEMPORARY USE PERMIT APPLICATION - TOWN OF WHEATLAND

BEDROCK LC LLC, 33703 59th St., Burlington, WI 53105 (Owner), DeAnna Delimat, 34231 High Dr., East Troy, WI 53120 (Agent), requesting approval of a temporary use (Section III. S. 12.18.7-4: which states that it shall be unlawful to proceed with the operation, construction, installation, enlargement or alteration of a temporary use, as defined in this ordinance, without first obtaining approval from the Kenosha County Board of Adjustments) to temporarily use an existing parking lot for the placement of (1) 30' x 60' sales tent, (1) 8' x 40' steel storage container and (2) banners to operate a temporary fireworks sales stand in the B-4 Planned Business Dist. on Tax Parcel #95-4-219-353-0230, Town of Wheatland.

Documents:

SUBMITTED APPLICATION.PDF EXHIBIT MAP.PDF

# 6. JANET M. & DAVID E. BANAS - VARIANCE APPLICATION - TOWN OF RANDALL

JANET M. & DAVID E. BANAS, 40723 93<sup>rd</sup> St., Genoa City, WI 53128 (Owner), David Banas, 40723 93<sup>rd</sup> St., Genoa City, WI 53128 (Agent), requesting a variance (Section IV. C. 12.21-5(g)1: that all structures shall be located at least 30 feet from the right-of-way of all other roads, Section IV. C. 12.21-5(g)2: that all structures shall be located not less than 75 feet from the ordinary high water mark of any navigable water, Section IV. C. 12.20-2 (f)4: that all residential dwellings shall have a roof pitch not less than 5/12 and Section III. Q. 12.18.5-5 that patios within the shoreyard shall not exceed 200 square feet in area to construct a single-family residence to be located 5 feet from the right-of-way of 93<sup>rd</sup> Street and to be located 37 feet from the ordinary high water mark of Benedict Lake and to have a 4/12 roof pitch on said residence and to construct an appx. 991 sq. ft. patio within the shoreyard on Tax Key Parcel #60-4-119-192-1200, Town of Randall.

Documents:

SUBMITTED APPLICATION.PDF EXHIBIT MAP.PDF

- 7. CITIZENS COMMENTS
- 8. OTHER BUSINESS ALLOWED BY LAW
- 9. APPROVAL OF MINUTES
- 10. ADJOURNMENT

# NOTICE TO PETITIONERS

The petitioners: Sally J. Griffing Rev. Trust, Francesco M. Rovella & Natalie C. Rovella and Stanley & Bernice Jezior Jt. Tenancy Trust, Delimat Properties 1 LLC, Bedrock LC, LLC & Janet M. & David E. Banas shall be present at the hearing on Wednesday, March 20, 2024 at 6:00 p.m. at the Kenosha County Center, Conference Room A, 19600 75th Street, Bristol, Wisconsin. You should also meet with your Town Planning Commission and/or Town Board before the date of this hearing. Petitioners in the Town of Somers will meet with the Town Board of Appeals.

# NOTICE TO TOWNS

The Towns of Wheatland, Paris, Somers & Randall are requested to be represented at the hearing on Wednesday, March 20, 2024 at 6:00 p.m. at the Kenosha County Center, Conference Room A, 19600 75th Street, Bristol, Wisconsin. You are requested to either attend or send in your recommendation to the Board.



# COUNTY OF KENOSHA

# Department of Planning and Development



Owner: Robert & Sally Griffin

Mailing Address: 7655 Lilly Lake Rd, Burlington, WI 53105

RECEIVED	
DEC 28 2023	
Kom	

Kenosha County Planning and Development

Phone Number(s): 7738201002 (Robert)

To the Kenosha County Board of Adjustment:

Please take notice that the undersigned was refused a Zoning Permit by the Kenosha County Department of Planning and Development for lands described below for the reason that the application failed to comply with the Kenosha County General Zoning and Shoreland/Floodplain Zoning Ordinance. The owner or assigned agent herewith appeals said refusal and seeks a variance.

Parcel Number: <u>95-4-119-111-3140</u>	Zoning District	.: <mark>R-4</mark>	
Property Address:7655 Lilly Lake Rd.	Shoreland: Ye	S	
Subdivision: SUMMERHAVEN	Lot(s): <u>34</u>	Block: N/A	
Current Use: RESIDENTIAL			
Proposal: RESIDENTIAL (NO CHANGE)			

REQUIRED BY ORDINANCE	VARIANCE REQUESTED
Section: V. B. 12.28-7 Non-conforming structures which are located less than fifty (50) - percent of the minimum setback requirement from one or more of their yard setback requirements may be structurally enlarged or expanded so long as all four sides of the enlargement or expansion are located at least 50% of the minimum setback requirement.	0' Streetyard Setback
Section: III. L. 12.18-10(b)2 - located between 35 and 75 feet from the ordinary high-water mark and which is less than 35 feet in height removal of all nonconforming accessory structures located in the shore setback area is required.	Keep Existing Decks, Patio & Retaining Walls
Section: IV. C. 12.21-4 (g)3 - All buildings shall be located at least 10 feet from any side property line.	5' side yard setback

An Area Variance is authorization by the Kenosha County Board of Adjustments to vary one or more of the dimensional or physical requirements of the applicable zoning law, code or ordinance in connection with some proposed construction.

The burden will be on you as property owner to provide information upon which the board may base its decision. At the hearing, any party may appear in person or may be represented by an agent or attorney. You or your agent must convince the zoning board to make a ruling in your favor. The board must make its decision based only on the evidence submitted to it at the time of the hearing. Unless you or your agent is present, the board may not have sufficient evidence to rule in your favor and must then deny your application.

- (1) Describe alternatives to your proposal such as other locations, designs and construction techniques. Attach a site map showing alternatives you considered in each category below:
  - (A) Alternatives you considered that comply with existing standards. If you find such an alternative, you can move forward with this option with a regular permit. If you reject compliant alternatives, provide the reasons you rejected them.

(B) Alternatives you considered that require a lesser variance. If you reject such alternatives, provide the reasons you rejected them.

(2) Will there be an unnecessary hardship to the property owner to strictly comply with the ordinance?

Unnecessary hardship exists when compliance would unreasonably prevent the owner from using the property for a permitted purpose (leaving the property owner without any use that is permitted for the property) or would render conformity with such restrictions unnecessarily burdensome.

An applicant may not claim unnecessary hardship because of conditions which are self-imposed or created by a prior owner (for example, excavating a pond on a vacant lot and then arguing that there is no suitable location for a home <u>or</u> claiming that they need more outbuilding space than that permitted to store personal belongings). Courts have also determined that economic or financial hardship does not justify a variance. When determining whether unnecessary hardship exists, the property as a whole is considered rather than a portion of the parcel. The property owner bears the burden of proving unnecessary hardship.

(3)	) Do	unique physica	I characteristics of	of your	property	prevent	compliance	with the	ordinance?	lf yes,
	plea	ase explain.								

Unique physical limitations of the property such as steep slopes or wetlands that are not generally shared by other properties must prevent compliance with the ordinance requirements. The circumstances of an applicant (growing family, need for a larger garage, etc.) are not a factor in deciding variances. Nearby ordinance violations, prior variances or lack of objections from neighbors do not provide a basis for granting a variance.

(4) What would be the effect on this property, the community or neighborhood and the public interest if the variance was granted? How can these impacts be mitigated.

These interests are listed as objectives in the purpose statement of an ordinance and may include: drainage, visual impact, and fire safety and building code requirements.

The undersigned hereby attests that the above stated information is true and accurate and further gives permission to Planning & Development staff and Board of Adjustment members to view the premises, in relation to the Appeal request made herein, during reasonable daylight hours.

Owners Signature:	
Agent:	Signature:
Agents Address:	
Phone Number(s):	



# **COUNTY OF KENOSHA**

Department of Planning & Development

19600 75<sup>th</sup> Street, Suite 185-3 Bristol, WI 53104-9772 Phone: (262) 857-1895 Fax: (262) 857-1920

# **ZONING PERMIT APPLICATION**

\* If you would rather apply for your zoning permit online, pay fees online and obtain issued permit documentation online without having to travel to and from this office to submit hardcopy documentation and physical payment, you can do so by visiting the Planning & Development Online Portal at the web address shown below, clicking on "Setup an Account" and creating a new public user account. Once your account is created you can login in under said credentials and apply for your zoning permit. If you submit via the portal, you do not need to complete/submit this application.

https://permitting.kenoshacounty.org/eTrakit/.

- 1. What is the Property Address (must include house number) or Tax Key Parcel Number?
- 2. Who owns the subject property (property owner)?
  - Property Owner Name:
  - Property Owner Mailing Address:
  - Property Owner Phone Number:
  - Property Owner Email Address:
- 3. Who is applying for and will be signing for this permit (applicant)?
  - Applicant Name:
  - Applicant Mailing Address:
  - Applicant Phone Number:
  - Applicant Email Address:
- 4. Who is constructing the proposed structures (contractor)?
  - Contractor Name:
  - Contractor Mailing Address:
  - Contractor Phone Number:
  - Contractor Email Address:

# 5. What is it you are proposing to construct? You can apply for up to four separate structures on this permit application.

STRUCTURE DESCRIPTION	TYPE OF CONSTRUCTION	SIZE (FENCE) (L' @ H')	SIZE (BLDG.) (L' x W')	AREA (sq. feet)	HEIGHT (feet)	# OF STORIES

6. If you are proposing to construct a principal building such as a new residence or new commercial/industrial building, an addition thereto, or a detached accessory building greater than 150 sq. ft. in area, it is required that a <u>professional surveyor</u> be hired to complete a foundation survey of the property after the foundation is installed for the permitted building and submit said survey document to this office in order to prove that the proposed building has been constructed in the correct location and meets setback requirements.

This section is not applicable for sheds equal to or less than 150 sq. ft. in area or other accessory structures such as decks, fences and pools.

I anticipate that a foundation survey will be submitted to this office no later than (insert date).

We understand this deadline needs to be flexible due to reasons such as weather, construction delays, etc., however a due date later than 18 months from the date of permit issuance will not be accepted. If a foundation survey is not received by the anticipated due date, the property owner will receive an automated letter notifying them of past due status. If a mutually agreed revised due date is not set, and a foundation survey is not submitted, violation and enforcement will proceed.

7. Does your project involve the placement of any fill material on the subject property such as dirt, gravel, landscape timbers, rock, shoreline protection material, etc...?

If so, what type of material and how much?

- 8. If your property is served by a private onsite wastewater treatment system (POWTS) note that pursuant to Comm 83.25(2)(c), Wisconsin Administrative Code a County shall not issue a zoning permit for the addition to a structure that will modify the design wastewater flow or contaminant load or both to an existing (POWTS) unless the owner of the property:
  - 1. Possess a sanitary permit to either modify the existing POWTS or construct a POWTS to accommodate the modification in wastewater flow or contaminant load or both: or
  - 2. Provides documentation to verify that the existing POWTS is sufficient to accommodate the modification in wastewater flow or contaminant load or both.
  - 3. For the purpose of this ordinance, a modification in wastewater flow or contaminant load or both shall be defined as:
    - a. Commercial Facilities, public building and places of employment when there is a proposed change in occupancy of the structure; or the proposed modification affects either type or number of plumbing appliances, fixtures or devices discharging to the system.
    - b. Dwellings that have an increase or decrease in the number of bedrooms and/or additions, interior modifications, renovations or remodeling or any combination thereof that enlarges or impacts a dwelling's building area and/or floor area by 25% or greater. For purposes of this ordinance and this provision only, a modification in wastewater flow or contaminant load or both may result in; a change in roofline, the conversion of storage area to building area or floor area, re-wiring, re-insulating, re-constructing a foundation, enclosing open porches, decks or patios, replacing drywall, plaster or paneling, removal or construction of interior walls. A modification in wastewater flow or contaminant load or both does not result in the construction of open decks, patios or porches, garages, re-roofing, painting, wiring, re-siding, window replacement or the replacement of equipment or appliances.

If you have questions regarding this requirement, please contact the County Sanitarian at this office at 262-857-1910.

A bedroom is defined as a room used to sleep in, containing a closet for storage of clothing and a doorway with a door for privacy.

- 9. If your project requires improvements or alterations (such as the installation of a driveway apron) within a state highway right-ofway, then you must contact the <u>Wisconsin Department of Transpiration</u> (WISDOT) regarding allowances and permitting requirements for said improvements.
- 10. If your project requires improvements or alterations (such as the installation of a driveway apron) within a county trunk highway right-of-way, then you must contact the <u>Kenosha County Division of Highways</u> regarding allowances and permitting requirements for said improvements.
- 11. If your project requires improvements or alterations (such as the installation of a driveway apron) within a local town/village/city road right-of-way, then you must contact the <u>local municipality</u> regarding allowances and permitting requirements for said improvements.

IF ISSUED, THIS ZONING PERMIT IS ISSUED SUBJECT TO:

- 1. ANY FEDERAL, STATE OR LOCAL RESTRICTIONS AND/OR DEED RESTRICTIONS.
- 2. EACH APPLICANT FOR A ZONING PERMIT IS CHARGED WITH KNOWLEDGE OF THE MUNICIPAL ZONING ORDINANCE. COPIES OF THE TEXT OF THIS OR PORTIONS THEREOF AND COPIES OF THE OFFICIAL ZONING MAPS ARE AVAILABLE FOR SALE, COPYING OR INSPECTION UPON REQUEST. ANY STATEMENT MADE, SITE PLAN SUBMITTED, ASSURANCE GIVEN OR PERMIT ERRONEOUSLY ISSUED CONTRARY TO THIS ORDINANCE IS NULL AND VOID.
- 3. THIS PERMIT SHALL EXPIRE EIGHTEEN (18) MONTHS FROM DATE OF ISSUANCE.
- 4. ANY ADDITIONAL CONDITIONS WRITTEN BY THE ZONING ADMINISTRATOR ISSUING THE ZONING PERMIT.

NOTICE: YOU ARE RESPONSIBLE FOR COMPLYING WITH STATE AND FEDERAL LAWS CONCERNING CONSTRUCTION NEAR OR ON WETLANDS, LAKES, AND STREAMS. WETLANDS THAT ARE NOT ASSOCIATED WITH OPEN WATER CAN BE DIFFICULT TO IDENTIFY. FAILURE TO COMPLY MAY RESULT IN REMOVAL OR MODIFICATION OF CONSTRUCTION THAT VIOLATES THE LAW OR OTHER PENALTIES OR COSTS. FOR MORE INFORMATION, VISIT THE DEPARTMENT OF NATURAL RESOURCES WETLANDS IDENTIFICATION WEB PAGE http://dnr.wi.gov/topic/wetlands/locating.html OR CONTACT A DEPARTMENT OF NATURAL RESOURCES SERVICE CENTER (262) 884-2300. AMBIT LAND SURVEYING 8120-312th Avenue Wheatland, WI. 53105-8934 Licensed Professionals in both Illinois & Wisconsin

# PLAT OF SURVEY


OF

# PHONE: 262–537–4874 FAX: 262–537–4221

EMAIL: ambitpls@gmail.com

Lot 34 of LILY LAKE SUBDIVISION, a subdivision of part of the Northeast and Southeast Quarter of Section 11, Township 1 North, Range 19 East of the 4th Principal Meridian, lying and being in the Town of Wheatland, Kenosha County, Wisconsin.

PARCEL IDENTIFICATION NO.: 95-4-119-111-3140



NOTE: Revised Dec. 15, 2005 PROPOSED ADDITION ADDED TO PLAT DECEMBER 19, 2023.

PROJECT BENCHMARK:Concrete Monument with Brass Cap at the the center of Section 11-1-19. ELEVATION = 773.88 feet, N.G.V.D. 1929

SITE BENCHMARK: BenchTie nail in west face of utility pole # E66-131156. ELEVATION = 785.29 feet, N.G.V.D. 1929

# Fieldwork completed on and date of certification: December 12, 2005

I hereby certify that I have surveyed the above described property and the above plat is a true representation thereof and shows the size and location of the property, its exterior boundaries, the location and dimensions of all visible structures thereon, boundary fences, apparent easements and roadways and visible encroachments, if any.

This survey is made for the exclusive use of the present owners of the property, and also those who purchase, mortgage or guarantee the title thereto within ONE YEAR from the date hereof.

Dated at Wheatland, Wisconsin this **<u>19th</u>** day of <u>**December**</u> 2023.

and a. Bolendon


Mark A. Bolender Wisconsin Professional Land Surveyor - 1784




 SCALE:
 1 inch = 30 feet

 ORDERED BY:
 B. Griffin

 JOB NO.:
 2 3 1 6 2





'HOMESITE' LOT AREA: 9,385.47 SF (TRAINGLE ONLY) BUILDABLE 'ENVELOPE' AREA: 7,524.97 SF BUILDING FOOTPRINT: 1,775.33 SF (AT SECOND LEVEL) ENCLOSED BUILDING AREA: 2,118 SF

UNDERGROUND ELECTRICAL	
UNDERGROUND WATER	
UNDERGROUND GAS	
UNDERGROUND DATA/TELEPHONE	

# IRON PIPE FOUND

ON LINE TO SW & 0.26' SW'ly OF CORNER ANOTHER PIPE IS 5.4' W'ly

client: Robert & Sally Griffin 2712 N Magnolia Ave, Chicago, IL 60614

architectural designer: Patrick Griffin 2712 N Magnolia Ave, Chicago, IL 60614

structural engineer:


civil engineer:

consultant:

project name: **Griffin Residence** 7655 Lilly Lake Rd. Burlington, WI 53105 project number:

PG-2023-001

seal & signature:



status: **Not For Construction** issuance:

**Rennovation Drawings V5** sheet number: 6 of 35

sheet revisions: No Doto Dee orinti

NO.	Date	Description	


key plan:

# sheet title: **Rennovated Site** Plan

drawn by: scale: size: date:

Patrick G 1/8" = 1'-0" 24 in × 36 in 12/19/2023 12:52:03 PM Do not scale. Check all dimensions on site.





1 Existing - L01 - Basement Room Plan 1/8" = 1'-0"

NAME	NUMBER	AREA	PERIMETER	NOTES
OUTDOOR CLOSET	107	19 SF	18' - 4"	(BELOW OR ABOVE OTHER)
COVERED PATIO	108	386 SF	105' - 6"	(BELOW OR ABOVE OTHER)
UPPER WOOD DECK	215	100 SF	42' - 0"	(BELOW OR ABOVE OTHER)
(BELOW OR ABOVE OTHER): 3	·	506 SF		
EXPOSED PATIO	109	393 SF	162' - 9"	IMPERVIOUS SURFACE
LOWER WOOD DECK	110	159 SF	50' - 3"	IMPERVIOUS SURFACE
STAIRS & CONCRETE TERRACE	111	157 SF	73' - 11"	IMPERVIOUS SURFACE
ENTRY PATIO	216	148 SF	66' - 5"	IMPERVIOUS SURFACE
IMPERVIOUS SURFACE: 4		857 SF		
GRASS TERRACE	112	747 SF	158' - 0"	PURVEOUS SURFACE
PURVEOUS SURFACE: 1	I I	747 SF		
GRAND TOTAL: 8		2109 SF		

# LOT SURFACE COVERAGE

'HOMESITE' LOT AREA: 9,385.47 SF (TRAINGLE ONLY) BUILDABLE 'ENVELOPE' ÁREA: 7,524.97 SF

MAX. UMITIGATED IMPERVIOUS SURFACE AREA: (9,385.47x0.30) = 2,815.5 SF MAX. MITIGATED IMPERVIOUS SURFACE AREA: (9,384.47x0.40) = 3754.1 SF

EXISTING BUILDING FOOTPRINT: **1,775.33 SF (AT SECOND LEVEL)** EXISTING IMPERVIOUS SURFACE AREA: **857 SF (OUTSIDE OF BUILDING FOOTPRINT)** EXISTING RETAINING WALL SURFACE AREA: **270 SF** 

# **ROOM SCHEDULE**

NAME	NUMBER	AREA	PERIMETER	NOTES
BASEMENT	101	393 SF	125' - 10"	
STORAGE	102	160 SF	54' - 1"	
MECHANICAL	103	43 SF	29' - 10"	
BATHROOM	104	62 SF	39' - 9"	
CLOSET	105	14 SF	18' - 3"	
CLOSET	106	4 SF	8' - 7"	
L01 - Basement: 6		677 SF		
GREAT ROOM	201	485 SF	94' - 7"	
KITCHEN	202	147 SF	51' - 4"	
BATHROOM	202	47 SF	31' - 0"	
SUNROOM	204	291 SF	79' - 9"	
DINING AREA	205	106 SF	41' - 5"	
LANDING	206	26 SF	21' - 11"	
CLOSET	207	7 SF	10' - 8"	
BEDROOM B	208	Not Enclosed	Not Enclosed	
CLOSET	209	15 SF	17' - 2"	
BEDROOM C	210	126 SF	49' - 2"	
CLOSET	211	15 SF	22' - 5"	
MASTER BEDROOM	212	130 SF	49' - 11"	
MASTER BATHROOM	213	76 SF	37' - 0"	
CLOSET	214	8 SF	11' - 5"	
L02 - Main Floor: 14		1478 SF	I	
BALCONY / LOFT	301	163 SF	51' - 2"	
1 03 - Upper Floor: 1	<u> </u>	163 SF		

L03 - Upper Floor: 1 GRAND TOTAL: 21

# $3 \frac{\text{Existing - L03 - Balcony Room Plan}}{1/8" = 1'-0"}$




architectural designer: Patrick Griffin 2712 N Magnolia Ave, Chicago, IL 60614

structural engineer:

civil engineer:

consultant:




163 SF

2319 SF


project name: Griffin Residence 7655 Lilly Lake Rd. Burlington, WI 53105 project number: PG-2023-001 seal & signature: status: Not For Construction issuance: Rennovation Drawings V5 sheet number: 7 of 35 sheet revisions: Description No. Date

key plan:




lrawn by:	Patrick G
cale:	1/8" = 1'-0"
ize:	24 in × 36 in
late:	12/19/2023 12:52:07 PM
)o not scale.	Check all dimensions on site.





1 Proposed - L01 - Basement Room Plan 1/8" = 1'-0"



# EXTERIOR AREA SCHEDULE (RENOVATED)

NAME	NUMBER	AREA	PERIMETER	NOTES
COVERED PATIO	108	386 SF	105' - 6"	(BELOW OR ABOVE OTHER)
UPPER WOOD DECK	215	74 SF	39' - 8"	(BELOW OR ABOVE OTHER)
(BELOW OR ABOVE OTHER): 2		459 SF		
EXPOSED PATIO	109	393 SF	162' - 9"	IMPERVIOUS SURFACE
LOWER WOOD DECK	110	124 SF	45' - 0"	IMPERVIOUS SURFACE
STAIRS & CONCRETE TERRACE	111	157 SF	73' - 11"	IMPERVIOUS SURFACE
ENTRY PATIO	216	148 SF	66' - 5"	IMPERVIOUS SURFACE
IMPERVIOUS SURFACE: 4		822 SF		
GRASS TERRACE	112	747 SF	158' - 0"	PURVEOUS SURFACE
DRIVEWAY	230	314 SF	70' - 8"	PURVEOUS SURFACE
PURVEOUS SURFACE: 2		1061 SF		·
GRAND TOTAL: 8		2343 SF		

# LOT SURFACE COVERAGE

'HOMESITE' LOT AREA: 9,385.47 SF (TRAINGLE ONLY) BUILDABLE 'ENVELOPE' AREA: 7,524.97 SF

MAX. UMITIGATED IMPERVIOUS SURFACE AREA: (9,385.47x0.30) = 2,815.5 SF MAX. MITIGATED IMPERVIOUS SURFACE AREA: (9,384.47x0.40) = 3754.1 SF

RENOVATED BUILDING FOOTPRINT: 2371.25 SF (AT SECOND LEVEL) RENOVATED IMPERVIOUS SURFACE AREA: 849 SF (OUTSIDE OF BUILDING FOOTPRINT) EXISTING RETAINING WALL SURFACE AREA: 270 SF

**GRAND TOTAL IMPERVIOUS SURFACES: 3485 SF** 

WATER MITIGATION REQUIREMENT: 670

	l l		/	
NAME	NUMBER	AREA	PERIMETER	NOTES
BASEMENT	101	476 SF	144' - 9"	
MECHANICAL	103	43 SF	29' - 10"	
BATHROOM	104	62 SF	39' - 9"	
CLOSET	105	14 SF	18' - 3"	
CLOSET	106	4 SF	8' - 7"	
WORK ROOM	121	83 SF	36' - 10"	NEW
STORAGE	122	76 SF	34' - 10"	NEW
L01 - Basement: 7		759 SF		
GREAT ROOM	201	486 SF	95' - 0"	
KITCHEN	202	147 SF	51' - 4"	
BATHROOM	203	47 SF	31' - 0"	
SUNROOM	204	291 SF	79' - 9"	
DINING AREA	205	106 SF	41' - 5"	
LANDING	206	26 SF	21' - 11"	
CLOSET	207	7 SF	10' - 8"	
BEDROOM B	208	179 SF	56' - 7"	
UPPER WOOD DECK	215	74 SF	39' - 8"	(BELOW OR ABOVE OTHER)
MASTER BEDROOM	221	205 SF	63' - 2"	NEW
MASTER BATHROOM	222	74 SF	36' - 5"	NEW
CLOSET	223	40 SF	25' - 5"	RENOVATION
FOYER	224	125 SF	49' - 1"	RENOVATION
ATTACHED GARAGE	228	352 SF	75' - 1"	NEW
CLOSET	229	15 SF	16' - 2"	NEW
L02 - Main Floor: 15		2174 SF		
BALCONY / LOFT	301	43 SF	30' - 3"	
BEDROOM E	302	74 SF	34' - 6"	NEW
BEDROOM F	303	73 SF	34' - 5"	NEW
CLOSET E	304	13 SF	19' - 2"	NEW
CLOSET F	305	13 SF	18' - 5"	NEW
L03 - Upper Floor: 5		216 SF		
		0440.05		

LU3 - Upper Floor: 5 GRAND TOTAL: 27

# **ROOM SCHEDULE (RENOVATED)**


3149 SF

<b>Patr</b> 2712	ectural des ick Grift 2 N Mag	f <b>in</b> nolia A	ve,	
	ago, IL (			
struct	ural engine	eer:		
civil e	ngineer:			
consu	ltant:			
<b>Griff</b> 7655 Burlir	et name: <b>in Resi</b> Lilly Lak ngton, Wi	e Rd.		
Griff 7655 Burlir projec PG-2	<b>in Resi</b> e Lilly Lak	e Rd.   53105 <b>1</b>		· · · · · · · · · · · · · · · · · · ·
Griff 7655 Burlir projec PG-2	in Residud Lilly Lak Ington, Wi Int number: 2023-00	e Rd.   53105 <b>1</b>		
Griff 7655 Burlin projec PG-2 seal 8	in Resid Lilly Lak Ington, Wi t number: 2023-00	e Rd.   53105 <b>1</b>		
Griff 7655 Burlir projec PG-2 seal 8 seal 8	Tin Resid Lilly Lak Ington, Wi et number: 2023-00 signature signature	e Rd. 53105		
Griff 7655 Burlir projec PG-2 seal 8 seal 8 status Not issuar Ren sheet	in Resid Lilly Lak Ington, Wi et number: 2023-00 signature signature For Cor nce: novatio number:	e Rd. 53105 1	ion	/5
Griff 7655 Burlin projec PG-2 seal 8 status Not issuar Ren sheet 8 of 3	in Resid Lilly Lak Ington, Wi et number: 2023-00 signature signature For Cor nce: novatio number: 35 revisions:	e Rd. 53105 1	ion vings \	
Griff 7655 Burlin projec PG-2 seal 8 seal 8 status Not issuar Ren sheet 8 of 3 sheet	in Resid Lilly Lak Ington, Wi et number: 2023-00 signature signature For Cor nce: novatio number: 35 revisions:	e Rd. 53105 1 struct	ion vings \	
Griff 7655 Burlin projec PG-2 seal 8 seal 8 status Not issuar Ren sheet 8 of 3 sheet	in Resid Lilly Lak Ington, Wi et number: 2023-00 signature signature For Cor nce: novatio number: 35 revisions:	e Rd. 53105 1 struct	ion vings \	
Griff 7655 Burlin projec PG-2 seal 8 status Not issuar Ren sheet 8 of 3 sheet	in Resid Lilly Lak Ington, Wi et number: 2023-00 signature signature For Cor nce: novatio number: 35 revisions:	e Rd. 53105 1 struct	ion vings \	
Griff 7655 Burlin projec PG-2 seal 8 status Not issuar Ren sheet 8 of 3 sheet	in Resid Lilly Lak Ington, Wi et number: 2023-00 signature signature For Cor nce: novatio number: 35 revisions:	e Rd. 53105 1 struct	ion vings \	

# sheet title: **Rennovated Area** Calculations

drawn by:	Patrick G
scale:	1/8" = 1'-0"
size:	24 in × 36 in
date:	12/19/2023 12:52:09 PM
Do not scale.	Check all dimensions on site.






<b>Patr</b> i 2712	ectural designer: <b>ick Griffin</b> 2 N Magnolia Ave, ago, IL 60614	
	ural engineer:	
civil ei	ngineer:	
consu	Itant:	
projec	t name:	
	in Residence Lilly Lake Rd.	
Burlir projec	ngton, WI 53105 et number: 2023-001	
Burlir projec PG-2	t number:	×
Burlir projec PG-2	et number: 2023-001	
Burlir projec PG-2	et number: 2023-001	
Burlir projec PG-2 seal & status Not I issuar Reni	et number: 2023-001	V5
Burlir projec PG-2 seal & status Not I issuar Reni sheet 9 of 3	et number: 2023-001 a signature: : : For Construction nce: novation Drawings number: 35	V5
Burlir projec PG-2 seal & status Not I issuar Reni sheet 9 of 3 sheet	et number: 2023-001 a signature: : : : For Construction nce: novation Drawings number:	
Burlir projec PG-2 seal & status Not I issuar Reni sheet 9 of 3 sheet	et number: 2023-001 a signature: : For Construction nce: novation Drawings number: 35 revisions:	
Burlir projec PG-2 seal & status Not I issuar Reni sheet 9 of 3 sheet	et number: 2023-001 a signature: : For Construction nce: novation Drawings number: 35 revisions:	
Burlir projec PG-2 seal & status Not I issuar Reni sheet 9 of 3 sheet	et number: 2023-001 a signature: : For Construction nce: novation Drawings number: 35 revisions:	

# sheet title: Level 1 Demolition Floor Plan

drawn	by:
scale:	
size:	
date:	
Donot	

Patrick G 1/4" = 1'-0" 24 in × 36 in 12/19/2023 12:52:11 PM Do not scale. Check all dimensions on site.






chitectural de <b>atrick Gri</b> f 712 N Mag hicago, IL	f <b>fin</b> gnolia Ave,
ructural engir	neer:
vil engineer:	
onsultant:	
oject name:	
655 Lilly Lab 1955 Lilly Lab 1990 Willington, W	ke Rd. /I 53105
oject number G-2023-00	
	)1
G-2023-00	)1
G-2023-00	)1
G-2023-00 eal & signatur atus: ot For Co suance:	01 e: nstruction on Drawings V:
G-2023-00 eal & signatur atus: ot For Co suance: ennovation neet number: 0 of 35 neet revisions	01 e: nstruction on Drawings V:
G-2023-00 eal & signatur atus: ot For Co suance: ennovation neet number: 0 of 35 neet revisions	91 e: nstruction on Drawings V:
G-2023-00 eal & signatur atus: ot For Co suance: ennovations contect number: 0 of 35 neet revisions No. Date	91 e: nstruction on Drawings V:
G-2023-00 eal & signatur atus: ot For Co suance: ennovations contect number: 0 of 35 neet revisions No. Date	on Drawings V:

# sheet title: Level 1 Renovated Floor Plan

drawn by: scale: size: date:

Patrick G 1/4" = 1'-0" 24 in × 36 in 12/19/2023 12:52:13 PM Do not scale. Check all dimensions on site.






architectural <b>Patrick G</b>			
2712 N M Chicago,			
structural er	gineer:		
civil enginee	r:		
consultant:			
project nam			
<b>Griffin R</b> 7655 Lilly I	esidenc	e	
Burlington,	WI 5310	)5	
PG-2023-			
seal & signa	ture:		
and the second se	****		
``````````````````````````````````````			1

	status: Not For Construction	
	issuance: Rennovation Drawings V	Ę
1	sheet number:	

1 of	35	
noot	revisions.	

sheet r	evisions:	
No.	Date	Description

drawn	by
scale:	
size:	
date:	




Patric 2712 N	tural designer: <b>k Griffin</b> I Magnolia Av go, IL 60614	/e,
structura	al engineer:	
civil eng	ineer:	
consulta	nt:	
7655 Li Burling project r	<b>Residence</b> Illy Lake Rd. ton, WI 53105	
seal & s	ignature:	and the second sec
/		
		and the second second
status: Not Fo	or Construct	ion
Not Fo	vation Draw	
Not Fo issuance Renno sheet nu 12 of 3 sheet re	e: ovation Draw imber: 5	ings V5
Not Fo issuance Renno sheet nu 12 of 3 sheet re	e: <b>ovation Draw</b> imber: 5 visions:	ings V5
Not Fo issuance Renno sheet nu 12 of 3 sheet re	e: <b>ovation Draw</b> imber: 5 visions:	ings V5


# sheet title: Level 2 Renovated Floor Plan


drawn by: scale: size: date:


Patrick G 1/4" = 1'-0" 24 in × 36 in 12/19/2023 12:52:17 PM Do not scale. Check all dimensions on site.











# **GENERAL NOTES**

# CODES, STANDARDS, AND PROCEDURES

1. ALL CONSTRUCTION SHALL CONFORM AND COMPLY WITH ALL APPLICABLE CODES, LAWS, ORDINANCES, RULES AND REGULATIONS, LAWFUL ORDERS, ACCESSIBILITY CODES AND STANDARDS OF ANY FEDERAL, STATE OR LOCAL AUTHORITY BEARING ON LINE PERFORMANCE OF THE WORK.

2. ALL REFERENCES TO CODES, SPECIFICATIONS, AND STANDARDS REFERRED TO IN THE SPECIFICATIONS AND/OR DRAWINGS SHALL MEAN THE LATEST EDITION, AMENDMENT OR REVISION ADOPTED BY THE JURISDICTION IN WHICH THE PROJECT IS LOCATED, AT THE TIME OF ISSUANCE OF THE LATEST DATE OF THE CONTRACT DOCUMENTS.

3. ALL WORK SHALL COMPLY WITH THE REQUIREMENTS, POLICIES, AND PROCEDURES OF THE OWNER.

4. DRAWINGS AND SPECIFICATIONS ARE TO BE ISSUED TO THE SUBCONTRACTORS IN COMPLETE SETS SO THAT THE FULL EXTENT OF WORK IS SHOWN AND COORDINATION OF WORK IS MADE POSSIBLE.

5. SUBCONTRACTORS FOR EACH TRADE ARE ADVISED THAT INFORMATION PERTINENT TO THEIR WORK MAY OCCUR IN OTHER PORTIONS OF THE CONTRACT DOCUMENTS. REFER TO CIVIL, STRUCTURAL, MECHANICAL, ELECTRICAL, PLUMBING AND ANY OTHER TRADE'S DRAWINGS FOR ADDITIONAL GENERAL NOTES, ABBREVIATIONS AND SYMBOLS, ALL NOTES ARE TO BE REVIEWED AND APPLIED TO RELATED BUILDING COMPONENTS. NOTES APPEAR ON VARIOUS SHEETS FOR DIFFERENT SYSTEMS AND MATERIALS. SHEETS ARE TO BE REVIEWED AND NOTES ON ANY ONE SHEET ARE TO BE APPLIED ON RELATED DRAWINGS AND DETAILS.

6. THE STRUCTURAL, MECHANICAL, ELECTRICAL AND PLUMBING DRAWINGS ARE OF EQUAL IMPORTANCE WITH THE ARCHITECTURAL DRAWINGS IN DEFINING THE WORK OF THE CONTRACT DOCUMENTS. THE CONTRACTOR SHALL COORDINATE PLACEMENT OF ALL COMPONENTS WITH ARCHITECTURAL. MECHANICAL, ELECTRICAL, PLUMBING, AND FIRE PROTECTION TRADES. WHERE DISCREPANCIES EXIST BETWEEN DRAWINGS AND INSTALLATION CONSULT THE ARCHITECT BEFORE PROCEEDING WITH THE WORK. ANY WORK INSTALLED IN CONFLICT WITH THE ARCHITECTURAL DRAWINGS SHALL BE CORRECTED BY THE CONTRACTOR AT HIS EXPENSE AND AT NO ADDITIONAL COST TO THE OWNER.

7. THE DRAWINGS ISSUED HEREWITH ARE SCOPE DOCUMENTS AND AS SUCH DO NOT NECESSARILY SHOW OR DESCRIBE ALL OF THE WORK REQUIRED FOR FULL COMPLETION OF THE WORK, NOR DO THEY SHOW ALL OF THE CONDITIONS WHICH MAY BE ENCOUNTERED IN THE COURSE OF THE COMPLETION OF THE WORK

8. DETAILS SHOWN ARE INTENDED TO BE INDICATIVE OF THE PROFILES AND TYPES OF DETAILING REQUIRED FOR THE WORK. DETAILS NOT SHOWN ARE SIMILAR IN CHARACTER TO THOSE DETAILED. THE CONTRACTOR IS TO PROVIDE ALL DETAILS REQUIRED FOR CONSTRUCTION IN SUBMITTALS PROVIDED TO THE DESIGN TEAM. THE CONTRACTOR IS TO SUBMIT RFIS FOR ANY CLARIFICATIONS REQUIRED TO DEVELOP THE ADDITIONAL REQUIRED DETAILS.

9. ALL WORK SHALL BE OF THE HIGHEST QUALITY FOLLOWING THE CONTRACT DOCUMENTS, PROJECT SPECIFICATIONS, MANUFACTURERS SPECIFICATIONS AND RECOMMENDATIONS, AND THE BEST ACCEPTED TRADE PRACTICES AND STANDARDS.

10. PROVIDE ALL SHOP DRAWINGS, CATALOG CUTS, SAMPLES, ETC. FOR THE NECESSARY WORK REQUIRED AND FOR ARCHITECT'S REVIEW PRIOR TO COMMENCEMENT OF THE WORK.

11. EACH CONTRACTOR SHALL KEEP ACCURATE RECORDS OF ALL WORK WHICH DIFFERS FROM CONTRACT DOCUMENTS SO THAT ACCURATE RECORD DRAWINGS AND SPECIFICATIONS CAN BE KEPT AND PROVIDED TO THE OWNER AT PROJECT CLOSEOUT.

12. EACH CONTRACTOR SHALL VISIT THE PROJECT SITE AND BE KNOWLEDGEABLE OF CONDITIONS THEREON AND SHALL INVESTIGATE AND BE RESPONSIBLE FOR ALL CONDITIONS OF THE PROJECT. THE CONTRACTOR SHALL NOTIFY THE OWNER OF ANY CONDITIONS THAT REQUIRE MODIFICATION BEFORE PROCEEDING WITH THE WORK.

**13**. FAILURE TO EXAMINE THE SITE AND DETERMINE EXISTING CONDITIONS OR NATURE OF NEW CONSTRUCTION, OR NATURE AND EXTENT OF WORK TO BE PERFORMED BY OTHER TRADES WILL NOT BE CONSIDERED A BASIS FOR GRANTING OF ADDITIONAL COMPENSATION OR EXTENDING THE CONSTRUCTION SCHEDULE.

14. THE CONTRACTOR SHALL INVESTIGATE, VERIFY AND BE RESPONSIBLE FOR ALL REQUIREMENTS OF THE PROJECT AND SHALL NOTIFY THE ARCHITECT OF ANY CONDITIONS CONTRARY TO THE CONSTRUCTION DOCUMENTS THAT REQUIRE MODIFICATION BEFORE PROCEEDING WITH THE WORK.

15. THE CONTRACTOR SHALL PROTECT ALL EXISTING SITE ELEMENTS AND ADJACENT AREAS FROM DAMAGE AND DISRUPTION DUE TO THE CONSTRUCTION OPERATIONS, AND REPAIR OR REPLACE ANY ELEMENTS DAMAGED DURING THE PROJECT.

16. ANY UTILITY SHUT-OFFS AS REQUIRED BY THE CONTRACTOR FOR COMPLETION OF THEIR WORK SUCH AS ELECTRICAL, GAS, WATER, SEWER, ETC. MUST BE SCHEDULED WITH THE OWNER PRIOR TO COMMENCING WORK

17. THE CONTRACTOR SHALL SECURE AND PAY FOR REQUIRED PERMITS AND ALL OTHER FEES. LICENSES AND INSPECTIONS NECESSARY FOR THE PROPER EXECUTION AND COMPLETION OF THE WORK.

18. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL INSPECTIONS AND APPROVALS REQUIRED DURING THE COURSE OF THE WORK.

19. THE CONTRACTOR SHALL BE RESPONSIBLE FOR DAILY CLEANING AND REMOVAL OF ALL DEBRIS, DUST AND EQUIPMENT RELATED TO THE WORK AND FOR THOROUGH CLEAN-UP OF ALL AREAS OF WORK UPON COMPLETION OF THE WORK.

20. MAINTAIN AREAS OF WORK SECURE AND LOCKABLE DURING CONSTRUCTION, COORDINATE CONSTRUCTION OPERATIONS WITH OWNERS SECURITY REQUIREMENTS.

21. WHETHER OR NOT SPECIFICALLY INDICATED, ALL GLAZING SHALL BE SAFETY GLAZED WHEN WITHIN 18" OF THE FLOOR OR WITHIN 3'-0" HORIZONTAL DISTANCE FROM ANY DOOR. A CERTIFICATE MUST ACCOMPANY ALL GLAZING PRODUCTS STATING THAT THE PRODUCTS CONFORM WITH APPLICABLE CONSUMER PRODUCT SAFETY STANDARDS.

22. THE CONTRACTOR SHALL HAVE SOLE RESPONSIBILITY FOR DETERMINING THE MEANS. METHODS. SEQUENCES AND SAFETY PROCEDURES USED IN PERFORMING THE WORK. THE ARCHITECT/ENGINEER DOES NOT HAVE THE RIGHT TO STOP THE WORK. SHOULD THE ARCHITECT/ENGINEER VISIT THE SITE, IT IS IN THE CAPACITY AS ARCHITECT/ENGINEER AND NOT IN THE CAPACITY OF A CONTRACTOR.

# **INSTALLATION, GENERAL**

1. PROVIDE EXPANSION AND/OR CONTROL JOINTS IN ACCORDANCE WITH SPECIFIED OR DRAWN REQUIREMENTS. IN THE ABSENCE OF SPECIFIED OR DRAWN REQUIREMENTS, PROVIDE JOINTS IN ACCORDANCE WITH ACCEPTED INDUSTRY STANDARDS. LOCATIONS SHALL BE REVIEWED AND ACCEPTED BY THE ARCHITECT PRIOR TO INSTALLATION.

2. ALL JOINTS OF ANY ELEMENT OF CONSTRUCTION WHICH IS REQUIRED TO HAVE A FIRE RESISTIVE RATING SHALL BE INSTALLED PER MANUFACTURER'S TESTED ASSEMBLIES AND SHALL PREVENT PASSAGE OF SMOKE AND FLAME.

3. ALL WOOD BLOCKING AND FRAMING USED IN WALL, FLOOR, AND CEILING CONSTRUCTION SHALL BE FIRE RETARDANT TREATED. COMBUSTIBLE MATERIALS MAY NOT BE USED IN ANY ASSEMBLY WITH REQUIRED FIRE RESISTANCE OF 2 HR OR MORE.

FIRE EXTINGUISHER TYPES 'FE-1': CLEAN AGENT WITH RATING NOT LESS THAN 2A10BC 4. ALL OPENINGS IN FIRE-RATED FLOORS AND FIRE-RATED WALLS INCLUDING SPACES BETWEEN DUCTS. FIRE EXTINGUISHER TYPES 'FE-2': WET CHEMICAL K TYPE OF CAPACITY 2A:K. PIPES, CONDUIT, ETC., SHALL BE CLOSED OFF BY TESTED AND APPROVED FIRE-RATED ASSEMBLIES TO FIRE EXTINGUISHER CABINET TYPE 'C1': RECESSED PAINTED CABINET MAINTAIN FIRE RATING CONTINUITY OF RATED FLOOR OR WALL CONSTRUCTION, EXCEPT WHEN FIRE EXTINGUISHER CABINET TYPE 'C1r': RATED RECESSED PAINTED CABINET COMPLETELY ENCLOSED WITHIN FIRE-RATED CONSTRUCTION. ALL OPENINGS AND PENETRATIONS SHALL FIRE EXTINGUISHER CABINET TYPE 'C2': NON-RATED SEMI RECESSED PAINTED CABINET BE SEALED TO PREVENT PASSAGE OF SMOKE AND FLAMES WITH THE TESTED AND APPROVED FIRE-FIRE EXTINGUISHER CABINET TYPE 'C2r': FIRE-RATED SEMI RECESSED PAINTED CABINET RATED ASSEMBLIES FIRE EXTINGUISHER CABINET TYPE 'C3': SURFACE MOUNTED PAINTED CABINET FIRE EXTINGUISHER CABINET TYPE 'C4': WALL BRACKET MOUNTED FIRE EXTINGUISHER 5. OMIT MANUFACTURER'S NAMES, LABELS AND DESIGNATIONS FROM EXPOSED FACES ON ALL ACCESSORIES, GLAZING, FIXTURES, ETC., EXCEPT WHERE REQUIRED TO REMAIN PER CODE 2. PROVIDE EXIT SIGNS WITH MINIMUM 6 INCH HIGH LETTERS, OR AS REQUIRED BY LOCAL CODE, AT REQUIRED EXITS AS SHOWN IN THE DRAWINGS. INSTALL ADDITIONAL EXIT SIGNS AS REQUIRED BY LOCAL OFFICIALS. 6. UNLESS NOTED OTHERWISE, ALL FASTENERS AND FASTENING DEVICES ARE TO BE CONCEALED AT ALL 3. PROVIDE EMERGENCY LIGHTING OF MINIMUM 1 FOOT CANDLE. OR AS REQUIRED BY LOCAL CODE, AT EXTERIOR AREAS AND IN ALL INTERIOR FINISHED SPACES. EACH FLOOR LEVEL. 7. ALL EXTERIOR HANDRAILS, FERROUS METAL WORK, AND STRUCTURAL STEEL AND THEIR ASSEMBLIES USED ON EXTERIOR OR IN OTHER NONCONDITIONED SPACES SHALL BE HOT-DIPPED GALVANIZED, AND 4. MAINTAIN CLEAR EXIT PATHWAYS AT LEAST 44 INCHES WIDE IN ALL PUBLIC AREAS PAINTED WHERE INDICATED IN THE DRAWINGS AND SPECIFICATIONS. 5. ALL EXIT DOORS SHALL BE OPERABLE FROM THE INSIDE WITHOUT THE USE OF A KEY OR ANY SPECIAL 8. ALL DISSIMILAR METALS SHALL BE EFFECTIVELY ISOLATED FROM EACH OTHER IN ORDER TO AVOID KNOWLEDGE OR EFFORT. SPECIAL LOCKING DEVICES SHALL BE OF AN APPROVED TYPE. ALL DOORS GALVANIC ACTION. SEE SPECIFICATIONS FOR REQUIREMENTS. SHALL HAVE APPROVED LEVER HARDWARE OR PANIC BARS. 9. FINISH FLOOR ELEVATIONS ARE TO THE TOP OF CONCRETE UNLESS NOTED OTHERWISE 6. DOORS OPENING INTO REQUIRED 1-HOUR FIRE RESISTIVE EXIT PASSAGEWAYS SHALL BE PROTECTED WITH A SMOKE OR DRAFT STOP ASSEMBLY HAVING A 20 MIN. RATING AND SHALL BE SELF CLOSING WITH 10. ALL EXTERIOR JOINTS AROUND WINDOW AND DOOR FRAMES, BETWEEN WALLS AND FOUNDATION. POSITIVE LATCHING. BETWEEN WALLS AND ROOF, BETWEEN WALL PANELS AND AT PENETRATIONS, ETC., THROUGH THE 7. EXIT DOORS SHALL SWING IN THE DIRECTION OF TRAVEL WHEN SERVING 50 OR MORE PERSONS OR IN EXTERIOR ENVELOPE SHALL BE SEALED, CAULKED OR WEATHER-STRIPPED WITH TWO LINES OF DEFENSE ANY HAZARDOUS USE AREA. 8. INTERIOR FLOOR, WALL AND CEILING FINISHES THROUGHOUT THE AREA OF WORK SHALL MEET CLASS I **DIMENSIONS** LIMITATIONS FOR FLAME SPREAD (0-25) AND SMOKE DENSITY DEVELOPED (150). 1. DO NOT SCALE THE DRAWINGS; WRITTEN DIMENSIONS SHALL GOVERN. LARGE SCALE DRAWINGS SHALL GOVERN OVER SMALL SCALE, (E.G. 1 1/2" SCALE DETAILS SHALL GOVERN OVER 1/4" SCALE DETAILS). 9. PROVIDE REQUIRED SMOKE OR FIRE DAMPERS WHERE AIR DUCTS PENETRATE FIRE RATED WALLS, WHERE A DISCREPANCY MAY EXIST BETWEEN DRAWINGS AND SPECIFICATIONS, THE MORE RESTRICTIVE FLOORS OR CEILINGS. 10. ALL FIRE RESISTIVE RATED DOORS SHALL HAVE THE APPROPRIATE UL OR OTHER RATING AGENCY

REQUIREMENTS.

TO PREVENT AIR AND WATER INFILTRATION

OR EXPENSIVE REQUIREMENTS SHALL GOVERN.

2. THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS ON SITE, AND SHALL NOTIFY THE ARCHITECT IN WRITING OF ANY DISCREPANCIES, OMISSIONS AND/OR CONFLICTS BEFORE PROCEEDING WITH THE WORK.

3. ALL PARTITIONS ARE DIMENSIONED TO THE FACE OF GYPSUM BOARD PARTITION. UNLESS NOTED OTHERWISE. WHERE SPECIFIC DIMENSIONS, DETAILS AND/OR DESIGN INTENT CANNOT BE DETERMINED. NOTIFY THE ARCHITECT IN WRITING BEFORE PROCEEDING WITH ANY WORK IN QUESTION.

4. DOOR OPENINGS ARE DIMENSIONED TO THE HINGE SIDE JAMB OF OPENING. DOOR OPENINGS THAT ARE NOT DIMENSIONALLY LOCATED ARE TO BE POSITIONED WITH ONE JAMB CASING TRIM 6" FROM ADJACENT WALL OR COLUMN AS SHOWN ON THE PLANS AND /OR DETAILS.

# **COORDINATION**

1. REFER TO THE SPECIFICATIONS AND CIVIL, LANDSCAPING, ARCHITECTURAL, STRUCTURAL, MECHANICAL, ELECTRICAL, PLUMBING, FIRE PROTECTION, AND ADDITIONAL CONSULTANT'S DRAWINGS FOR FULL COORDINATION OF WORK.

2. REFER TO SITE SURVEY FOR SITE INFORMATION. SITE SURVEY MAY BE INCLUDED WITH THE DOCUMENTS FOR "INFORMATION ONLY", AND CONTRACTOR SHALL VERIFY ALL INFORMATION SHOWN

3. THE CONTRACTOR SHALL FURNISH, COORDINATE AND INSTALL ALL CONCEALED BLOCKING, STIFFENERS, BRACING, PLATES AND SUPPORTING BRACKETS REQUIRED FOR THE INSTALLATION OF HANDRAILS, GRAB BARS, WINDOW TREATMENTS, WALL PANELS, CASEWORK, WALL MOUNTED EQUIPMENT OR ACCESSORIES AND OR SUSPENDED MECHANICAL, ELECTRICAL OR OTHER EQUIPMENT WHETHER SHOWN IN THE DRAWINGS OR NOT. THIS SHALL ALSO APPLY TO OWNER FURNISHED, CONTRACTOR INSTALLED ITEMS.

4. THE CONTRACTOR SHALL COORDINATE AND VERIFY THE EXACT SIZE AND LOCATION OF ALL FLOOR PENETRATIONS AND OPENINGS IN WALLS AND CEILINGS INDICATED WITHIN EACH OF THE RESPECTIVE MECHANICAL. ELECTRICAL. PLUMBING AND FIRE PROTECTION DRAWINGS. ALL PARTITIONS SHALL BE ADEQUATELY BRACED AND OPENINGS REINFORCED. SUBMIT COORDINATED DRAWINGS OF ALL PENETRATIONS FOR REVIEW.

5. GENERAL CONTRACTOR TO COORDINATE ELECTRICAL DEVICES, ELECTRICAL CONDUIT, ELECTRICAL BUSSING, CABLE TRAYS, DUCTWORK AND MECHANICAL SYSTEMS WITH ALL LIGHTING FIXTURES, RETURN AND SUPPLY DIFFUSERS, SMOKE DETECTORS, ALARM/SECURITY DEVICES AND SPRINKLER HEAD LOCATIONS AS INDICATED ON THE CONTRACT DOCUMENTS. THE CONTRACTOR SHALL IDENTIFY ANY VARIATIONS OR CONFLICTS WITH THE LAYOUT INDICATED, CEILING HEIGHT, OR CLEAR SPACE ALLOWED FOR THESE ITEMS AS INDICATED IN THE CONTRACT DOCUMENTS. THE CONTRACTOR WILL NOTIFY THE ARCHITECT OF THESE CONFLICTS/VARIATIONS FOR REVIEW, COMMENT AND APPROVAL PRIOR TO SHOP DRAWING SUBMITTALS AND INSTALLATION.

6. THE CONTRACTOR IS TO PROVIDE AND COORDINATE LOCATIONS OF ACCESS PANELS AS REQUIRED BY CODE AND FOR THE LOCATION OF MEP/FP EQUIPMENT AND DEVICES NEEDING ACCESS FOR ROUTINE INSPECTION AND MAINTENANCE. ALL ACCESS PANELS SHALL BE FLUSH WITH WALL OR CEILING SURFACE, WITH CONCEALED FASTENERS. THE CONTRACTOR SHALL SUBMIT COORDINATED DRAWINGS INDICATING THE LOCATION OF ACCESS PANELS IN THE CEILING AND WALLS FOR REVIEW BY THE ARCHITECT PRIOR TO INSTALLATION

7. THE CONTRACTOR SHALL NOTIFY THE ARCHITECT IN ADVANCE OF ANY MEP/FP DEVICES REQUIRED AS PART OF THE SPECIFIED SYSTEM WHICH ARE TO BE MOUNTED IN FINISHED SPACES AND ARE NOT LOCATED ON THE ARCHITECTURAL DRAWINGS. THE ARCHITECT WILL DETERMINE THE MOUNTING LOCATION, HEIGHT, AND DETAIL FOR ATTACHMENT.

8. ALL CONDUIT, CABLE TRAY, ELECTRICAL BUSWAY, PIPING, DUCTWORK, AND MECHANICAL SYSTEMS SHALL BE INSTALLED WITHIN OR TIGHT TO THE UNDERSIDE OF STRUCTURE WHERE FEASIBLE. WHERE "FLYWAYS" ARE INDICATED IN THE CONTRACT DOCUMENTS, THESE ITEMS MUST REMAIN IN THE "FLYWAY" SPACE PROVIDED.

9. REFER TO MEP/FP DRAWINGS FOR EXTENT OF CONCRETE EQUIPMENT PADS. THE CONTRACTOR SHALL COORDINATE THE SIZE AND LOCATION OF THE CONCRETE PADS WITH THE EQUIPMENT INSTALLER.

10. DETAILS NOT SHOWN IN THE DRAWINGS ARE SIMILAR IN CHARACTER TO THOSE DETAILS THAT ARE SHOWN. WHERE SPECIFIC DIMENSIONS, DETAILS OR DESIGN INTENT CANNOT BE DETERMINED, CONSULT THE ARCHITECT BEFORE PROCEEDING WITH THE WORK.

11. WALL TYPE INDICATIONS ON A WALL SHALL MEAN THE ENTIRE LENGTH OF THE WALL IS TO MATCH THE WALL TYPE INDICATED.

# RENOVATION DRAWINGS

FIRE PROTECTION

1. PROVIDE UL RATED PORTABLE CLEAN AGENT FIRE EXTINGUISHER WITH A RATING OF NOT LESS THAN 2A10BC, OR AS INDICATED IN SPECIFICATION SECTION 104416, WITHIN 75 FEET TRAVEL DISTANCE, OR AS REQUIRED BY FIRE EXTINGUISHER TYPE USED. TO ALL PORTIONS OF THE BUILDING ON EACH FLOOR. AND ADDITIONAL EXTINGUISHERS AS REQUIRED BY LOCAL OFFICIALS. PROVIDE WET CHEMICAL K TYPE FIRE EXTINGUISHERS OF CAPACITY 2A:K, WITHIN 30 FEET TRAVEL DISTANCE, FOR COMMERCIAL KITCHEN AREAS WHERE THERE IS A POTENTIAL FOR FIRES INVOLVING COMBUSTIBLE COOKING MEDIA. REFER TO SPECIFICATIONS FOR SPECIAL REQUIREMENTS AT COLOCATION AND ELECTRICAL ROOM SPACES. FIRE EXTINGUISHER VENDOR TO SUBMIT A LAYOUT FOR REVIEW BY ARCHITECT THAT INCLUDES THE LOCATION OF ALL FIRE EXTINGUISHERS TO BE INSTALLED WITH AN INDICATION OF THE RECESSED OR SEMI-RECESSED FIRE EXTINGUISHER CABINETS TO BE PROVIDED.

LABEL ACCEPTABLE TO GOVERNMENT AUTHORITIES AFFIXED TO BOTH DOOR AND FRAME. DO NOT PAINT OVER LABELS.

11. PROVIDE FIRE SAFING TO SEPARATE WALL CAVITIES FROM HORIZONTAL PLENUM AREAS AND BETWEEN FLOORS TO CLOSE OPENINGS. FIRE RATING OF SAFING TO EQUAL FIRE RATING OF SEPARATION OR FLOOR ASSEMBLY.

12. ALL RECESSED CABINETS, PANELS AND BOXES LOCATED IN FIRE-RATED WALLS SHALL BE INSTALLED TO MAINTAIN FIRE-RATED CONSTRUCTION.

13. PROVIDE TACTILE EXIT SIGNS AT STAIRWAYS, EXIT PASSAGEWAYS, EXIT DISCHARGE DOORS, AREAS OF REFUGE, ACCESSIBLE ENTRANCES AND ACCESSIBLE TOILET ROOMS, LOCATE WALL MOUNTED TACTILE SIGNS PER LOCAL CODES.

14. TWO-WAY COMMUNICATION SYSTEMS AND ALL ASSOCIATED SIGNAGE SHALL BE PROVIDED AT ALL AREAS DESIGNATED AS AREAS OF REFUGE.

# LEGAL NOTICE

1 THESE CONSTRUCTION DOCUMENTS-PLANS, SPECIFICATIONS, ADDENDA, CLARIFICATIONS AND THE LIKE, MAY ONLY BE USED WITH THE WRITTEN AUTHORIZATION OF THE ARCHITECT OF RECORD

2 UNAUTHORIZED USE AND/OR ALTERATION, BY ANY PERSON, IN ANY WAY, OF ANY ITEM CONTAINED ON OR IN THESE CONSTRUCTION DOCUMENTS-PLANS, SPECIFICATION ADDENDA CLARIFICATIONS AND THE LIKE UNLESS ACTING UNDER THE SPECIFIC WRITTEN DIRECTION OF THE LICENSED PERSON(S) WHOSE PROFESSIONAL SEAL(S) ARE AFFIXED HERETO, IS PROHIBITED.

3 ALL IDEAS, DESIGNS, ARRANGEMENTS, PLANS AND SPECIFICATIONS, ADDENDA, CLALIFICATION, AND THE LIKE, INDICATED AND/OR REPRESENTED BY THESE CONSTRUCTION DOCUMENTS, ARE OWNED EXCLUSIVELY BY THE ARCHITECT OF RECORD.

4 THESE WERE CREATED, AND DEVELOPED FOR THE EXCLUSIVE AND SPECIFIC USE ON, AND IN CONNECTION WITH, THIS PROJECT. NONE OF SUCH IDEAS, DESIGNS, ARRANGEMENTS, PLANS AND SPECIFICA.TION, ADDENDA, AND THE LIKE, AND SIMILAR RELATED DOCUMENTS, SHALL BE USED AND/OR REPRODUCED FOR ANY OTHER PURPOSE WHATSOEVER, WITHOUT THE EXPRESSED WRITIEN PERMISSION OF THE ARCHITECT OF RECORD.

# **Griffin Residence**

Proposed Alterations to Existing Single Family Residence 7655 Lilly Lake Road, Burlington, WI 53105

# DRAWING LIST

<ul> <li>A-000.02 ABBREVIATIONS &amp; SYMBOLS</li> <li>A-001.01 LOCATION AND SITE INFORMATION</li> <li>A-001.02 ENLARGED SITE PLAN</li> <li>A-001.03 DEMOLITION SITE PLAN</li> <li>A-001.04 RENOVATED SITE PLAN</li> <li>A-002.01 EXISTING AREA CALCULATIONS</li> <li>A-002.02 RENOVATED AREA CALCULATIONS</li> <li>A-002.01 LEVEL 1 DEMOLITION PLAN</li> <li>A-102.00 LEVEL 2 DEMOLTION PLAN</li> <li>A-102.01 LEVEL 2 FLOOR PLAN</li> <li>A-103.00 LEVEL 3 DEMOLTION PLAN</li> <li>A-103.01 LEVEL 3 FLOOR PLAN</li> <li>A-104.00 ROOF PLAN</li> <li>A-104.00 ROOF PLAN</li> <li>A-111.00 LEVEL 1 REFLECTED CEILING PLA</li> <li>A-113.00 LEVEL 2 REFLECTED CEILING PLA</li> <li>A-113.00 LEVEL 3 REFLECTED CEILING PLA</li> <li>A-201.00 NORTH &amp; SOUTH EXTERIOR ELEV/A</li> <li>A-202.00 EAST &amp; WEST EXTERIOR ELEV/ATION</li> <li>A-301.00 LONGITUDINAL BUILDING SECTION</li> <li>A-303.00 LONGITUDINAL BUILDING SECTION</li> <li>A-304.00 TRANSVERSE BUILDING SECTION</li> <li>A-305.00 TRANSVERSE BUILDING SECTION</li> </ul>		
S-101.00LEVEL 1 FRAMING PLANS-102.00LEVEL 2 FRAMING PLANS-103.00LEVEL 3 FRAMING PLAN	A-000.02 A-001.01 A-001.02 A-001.03 A-001.04 A-002.01 A-002.02 A-101.00 A-101.01 A-102.00 A-102.01 A-103.00 A-103.01 A-103.00 A-111.00 A-111.00 A-112.00 A-113.00 A-201.00 A-202.00 A-301.00 A-305.00 A-305.00 A-305.00 A-306.00 A-501.00 A-501.00	LOCATION AND SITE INFORMATION ENLARGED SITE PLAN DEMOLITION SITE PLAN RENOVATED SITE PLAN EXISTING AREA CALCULATIONS RENOVATED AREA CALCULATIONS LEVEL 1 DEMOLITION PLAN LEVEL 1 FLOOR PLAN LEVEL 2 DEMOLTION PLAN LEVEL 2 FLOOR PLAN LEVEL 3 FLOOR PLAN LEVEL 3 FLOOR PLAN LEVEL 3 FLOOR PLAN ROOF PLAN LEVEL 1 REFLECTED CEILING PLAN LEVEL 1 REFLECTED CEILING PLAN LEVEL 3 REFLECTED CEILING PLAN NORTH & SOUTH EXTERIOR ELEVATION LONGITUDINAL BUILDING SECTION LONGITUDINAL BUILDING SECTION TRANSVERSE BUILDING SECTION TRANSVERSE BUILDING SECTION SENLARGED PLANS & DETAILS WALL SECTIONS ASSORTED DETAIL DRAWINGS
	S-101.00 S-102.00 S-103.00	LEVEL 1 FRAMING PLAN LEVEL 2 FRAMING PLAN LEVEL 3 FRAMING PLAN



ATIONS ONS N 1 N 2 N 3



**Robert & Sally Griffin** 2712 N Magnolia Ave, Chicago, IL 60614

architectural designer Patrick Griffin 2712 N Magnolia Ave, Chicago, IL 60614

structural engineer:

civil engineer:

consultant:

project name: Griffin Residence 7655 Lilly Lake Rd Burlington, WI 53105

project number: PG-2023-001

seal & signature:

status: Not For Construction issuance: **Renovation Drawings V5** sheet number: 1 of 35 sheet revisions:

No.	Date	Description		

key plan:

# sheet title: **General Project** Information


drawn by: scale: size: date:

Patrick G As indicated 24 in × 36 in 12/19/2023 12:51:17 PM Do not scale. Check all dimensions on site.



# **RENOVATION DRAWINGS ABBREVIATIONS**

# SYMBOLS LEGEND



EXISTING DOOR TO BE REMOVED:

EXISTING WALL TO BE REMOVED

\_\_\_\_\_

CODES, STANDARDS, AND PROCEDURES

FHMS

FHR

FLEX

FPRF

FRP

FT

FTF

FTG

FURN

FURR

FUT

GA

GB

GALV

GEN

GF

GMT

GND

GPL

GR

GRD

GRT

GWB

HDWD HDW

GT

HB

HC

ΗM

HO

HP

HR

HT

ΗW

ID

HYD

INCAND

INCL

INSUL

INTERM

INT EL

INT

ISC

ISSC

JAN

JC

KD

KO KIT

KS

LAM

LAUN

LAV

LB(S) LF

LH

LKR

LP

LT

LTWT

LVT

M MACH

MAINT

MATL

MAS

MAX

MCB

MECH

MEMB

MEZZ

MFL

MFR

MH

MIN

MM

MO

MOV MP

MPC

MPF

MPP

MTD

MTG

MTL

MUL

NOM

NTS

OA

OC

OD OFD

OFF

OF/CI

PA

PAV PC

PCA

PCI

PCS

PF PLT

Ν NIC NO

MISC

MB

HVAC

HORIZ

FLUOR

FIN

FL

FLAT HEAD MACHINE SCREW

FIBER REINFORCED WALL PANEL

FIRE HOSE RACK

FLUORESCENT

FIREPROOF

FOOT (FEET)

FOOTING

FURNISH

FURRING

FUTURE

GAUGE

GLASS BLOCK

GALVANIZED

GENERAL GLASS FILM

GLAZING

GROUND

GROUT

GRADE

GLASS MOSAIC TILE

**GYPSUM PLASTER** 

GREASE TRAP

HOLLOW CORE

HOLLOW METAL

HARDWOOD

HARDWARE

HOLD OPEN

HORIZONTAL

HIGH POINT

HOUR

HEIGHT

HYDRANT

INCH(ES)

INSULATION

INTERIOR

JANITOR

JOINT

KITCHEN

LAMINATED

LAUNDRY

POUND(S)

LOCKER

LIGHT

METER

MACHINE

MASONRY

MAXIMUM

MATERIAL

MINIMUM

MOUNTED

MOUNTING

METAL

MULLION

NORTH

NUMBER

NOMINAL

OVERALL

OFFICE

PAVING

PLATE

MASONRY OPENING

LAVATORY

GLASS TILE

HOSE BIB

FACE TO FACE

FINISH

FLOOR

FLEXIBLE

		ACOUS	ACOUSTICAL
A ⊕	LED RECESSED LIGHT	ACCOUS ACP ACT	ACOUSTICAL PANEL TILE ACOUSTICAL CEILING TILE
$\Lambda \bullet$		AWP	ACOUSTICAL WALL PANEL ADHESIVE
A1⊕	LED RECESSED ADJUSTABLE LIGHT	ADJ AF	ADJUSTABLE ACCESS FLOOR
		AFF ALUM	ABOVE FINISHED FLOOR ALUMINUM
A2⊕	LED RECESSED LIGHT	ALT	ALTERNATE
B⊕	LED RECESSED WET LOCATION LIGHT	ANOD ANCH	ANODIZED ANCHOR
ΒΨ	LED RECESSED WET LOCATION LIGHT	ANNUNC AP	ANNUNCIATOR ACCESS PANEL
<b>C</b> ⊕	LED RECESSED WALL WASH LIGHT	APPROX ARCH	APPROXIMATE ARCHITECTURAL
		ASPH ASST	ASPHALT ASSISTANT
D	LED SURFACE MOUNTED LIGHT (FBO)	ASSY AUTO	ASSEMBLY AUTOMATIC
<b>-</b>		AWF	ALUMINUM WALL FRAMING
E	LED SURFACE MOUNTED PICTURE LIGHT (FBO)	B/ BB	BOTTOM OF BASEBOARD
F :::::::::	LED STRIP LIGHT	BD BITUM	BOARD BITUMINOUS
		BLDG BLK	BUILDING BLOCK
G [[]]]	LED COVE LIGHT	BLKG BM	BLOCKING BEAM
G1:		BMK BMR	BENCHMARK BIO-METRIC READER
G1	LED WET LOCATION COVE LIGHT	BOT BR	BOTTOM BRICK
н	PENDANT LIGHT (FBO)	BRG BSMT	BEARING BASEMENT
		BTB BUR	BACK-TO-BACK BUILT-UP ROOFING
J (ws)	WALL SCONCE (FBO)	САВ	CABINET
К 🔶	LED TRACK LIGHT	CAB CB CG	CATCH BASIN CORNER GUARD
IN Y		CIRC CL	CIRCULATION
L ⊕	LED RECESSED PUCK LIGHT	CLR CLG	CLEAR CEILING
		CLO	CLOSET
X ws	EXTERIOR WALL SCONCE	CM CMT	CENTIMETER CERAMIC MOSAIC TILE
0	SPRINKLER HEAD	CMU CO	CONCRETE MASONRY UNIT CLEAN OUT
	SPRINKLER HEAD	COL CONC	COLUMN CONCRETE
	CEILING LOUVER VENT	CONF CONN	CONFERENCE CONNECTION
		CONSTR CONT	CONSTRUCTION CONTINUOUS
	CEILING SLOT VENT	CONTR COORD.	CONTRACTOR COORDINATE
S1	MANUAL ROLLER SHADE	CORR CPT	CORRIDOR CARPET
01		CJ CT	CONTROL JOINT CERAMIC TILE
S2	MOTORIZED ROLLER SHADE	CTR CTSK	CENTER COUNTERSUNK
00		CCTV CU	CLOSED CIRCUIT TELEVISION CUBIC
S3	MANUAL ROMAN SHADE	CW	COLD WATER
S4	MOTORIZED ROMAN SHADE	DBL DEG	DOUBLE DEGREE
		DEM DEPT	DEMOLISH DEPARTMENT
S5	MANUAL CURTAINS	DIA DIAG	DIAMETER DIAGONAL
00		DIFF DIM	DIFFUSER DIMENSION
S6	MOTORIZED CURTAINS	DISP DIV	DISPENSER DIVISION
\$	SINGLE SWITCH	DN DO	DOWN DOOR OPENING
		DP DR	DAMPPROOFING DOOR
\$⊳	DIMMER SWITCH	DS DST	DOWNSPOUT DIMENSIONAL STONE TILE
\$₂	TWO-WAY DIMMER SWITCH	DTL DW	DETAIL DISTILLED WATER
ΦD		DWG	DRAWING
\$F	FAN SWITCH	E EA	EAST EACH
Ц		EL ELAS	ELEVATION ELASTOMERIC
$\mathbf{\Phi}$	HALF SWITCHED DUPLEX	ELEC ELEV	ELECTRICAL ELEVATOR
ф	DUPLEX OUTLET	EMER ENCL	EMERGENCY ENCLOSURE
GFI		ENGR ENT	ENGINEER ENTRANCE
$\Phi$	GFI DUPLEX OUTLET	EJ EO	EXPANSION JOINT ELECTRICAL OUTLET
#		EPNL EQ	ELECTRICAL PANEL EQUAL
∯ <sub>E</sub>	EXISTING DUPLEX OUTLET	EQUIP EWC	EQUIPMENT ELECTRIC WATER COOLER
	EXISTING GFI DUPLEX OUTLET	EXC EXH	EXCAVATION EXHAUST
		EXIST EXP	EXISTING EXPANSION
Ŧ	TELEPHONE JACK (RJ11)	EJ EXPO	EXPANSION JOINT EXPOSED
¥	CABLE / DATA JACK (RG6)	EXT	EXTERIOR
'		F F/	FABRIC FACE OF
		FA FBR	FIRE ALARM FACE BRICK
		FC FCP	FOOT CONTROL FIBER CEMENT PANEL
0	NEW OR EXISTING FIXTURE TO REMAIN	FD	FLOOR DRAIN

RP

EXISTING FIXTURE TO BE REPLACED

FDN

FE

FE-CA

FEC-CA

FHC

FEC

FOUNDATION

FIRE EXTINGUISHER

FEC-CLEAN AGENT

FIRE HOSE CABINET

FIRE EXTINGUISHER CABINET

FE-CLEAN AGENT

EXISTING FIXTURE TO BE REMOVED

<b>Patri</b> 2712	ectural de <b>ck Grif</b> N Mag ago, IL	<b>fin</b> Inolia			
structu	ıral engin	eer:			
civil er	ngineer:				
consul	tant:				
nning	homo				
Griffi 7655 Burlin project	t name: in Resi Lilly Lak gton, W t number 2 <b>023-00</b>	ke Rd. /I 5310			
Griffi 7655 Burlin project PG-2	<b>in Resi</b> Lilly Lak gton, W	ke Rd. /I 5310 : 9 <b>1</b>		· · · · · · · · · · · · · · · · · · ·	
Griffi 7655 Burlin project PG-2	in Resi Lilly Lak gton, W t number 2023-00	ke Rd. /I 5310 : 9 <b>1</b>			
Griffi 7655 Burlin project PG-2	in Resi Lilly Lak gton, W t number 2023-00	ke Rd. /I 5310 : 9 <b>1</b>			
Griffi 7655 Burlin project PG-2 seal &	in Resi Lilly Lak gton, W t number 023-00 signature	ke Rd. /  5310 : <b>)1</b> e:			
Griffi 7655 Burlin project PG-2 seal & seal & status: Not F issuan Renr sheet i	in Resi Lilly Lak gton, W t number: 023-00 signature signature For Con ce: novatio	ke Rd. /  5310 : 01 e: nstru	o5 ction	s V5	
Griffi 7655 Burlin project PG-2 seal & seal & status: Not F issuan Renr sheet 1 2 of 3 sheet 1	in Resi Lilly Lak gton, W t number: 023-00 signature signature For Con ce: novatio	ke Rd. /  5310 : 01 e: nstru on Dra	o5 ction		
Griffi 7655 Burlin project PG-2 seal & seal & status: Not F issuan Renr sheet 1 2 of 3 sheet 1	in Resi Lilly Lak gton, W t number 2023-00 signature signature For Con ce: novatio number: 5	ke Rd. /  5310 : 01 e: nstru on Dra	o5 ction		
Griffi 7655 Burlin project PG-2 seal & seal & status: Not F issuan Renr sheet 1 2 of 3 sheet 1	in Resi Lilly Lak gton, W t number 2023-00 signature signature For Con ce: novatio number: 5	ke Rd. /  5310 : 01 e: nstru on Dra	o5 ction		
Griffi 7655 Burlin project PG-2 seal & seal & status: Not F issuan Renr sheet 1 2 of 3 sheet 1	in Resi Lilly Lak gton, W t number 2023-00 signature signature For Con ce: novatio number: 5	ke Rd. /  5310 : 01 e: nstru on Dra	o5 ction		

# sheet title: **Abbreviations &** Symbols

drawn	by:
scale:	
size:	
date:	

Patrick G 12" = 1'-0" 24 in × 36 in 12/19/2023 12:51:19 PM Do not scale. Check all dimensions on site.



PLASTIC LAMINATE PL PLAS PLASTER PLBG PLUMBING PLYWOOD PLWD PNT PAINT PANEL PNL POL POLISHED PAIR PR PROPERTY PROP POUNDS PER SQUARE FOOT PSF POUNDS PER SQUARE INCH PSI PT PORCELAIN TILE PTD PAINTED PTN PARTITION PTS PNEUMATIC TUBE STATION QT QUARRY TILE QTY QUANTITY RISER RECEPTION RECEP REINFORCING REINF RIGHT-OF-WAY R/W RAD RADIUS RUBBER BASE RB RCP REFLECTED CEILING PLAN ROOF DRAIN RD **RIGHT HAND** RH REC/ RECESSED REF REFERENCE REFR REFRIGERATOR REQD REQUIRED RESIL RESILIENT REVISION REV RFG ROOFING RM ROOM ROUGH OPENING RO RUBBER RISER RR RS **RESINOUS FLOOR** RUBBER TILE RT RUBBER TRANSITION EDGE RTE RTT RUBBER TREAD RUNNING TRIM RTW SOUTH SOUND ATTENUATION BLANKET SAB SAFB SOUND ATTENUATION FIRE BLANKET SANITARY SAN SC SOLID CORE SCHEDULE SCHED SOAP DISPENSER SD SE SEALANT SECT SECTION SECURITY SQUARE FOOT (FEET) SGT STRUCTURAL GLAZED TILE SHR SHOWER SHT SHEET SIM SIMILAR STANDPIPE SP SPEC SPECIFICATION SPKR SPEAKER SPRINK SPRINKLER SQ SQUARE SSK SERVICE SINK STAINLESS STEEL SS STONE ST STA STC STATION SOUND TRANSMISSION CLASS STD STANDARD STEEL STL STOR STORAGE STW STANDING TRIM STRUC STRUCTURAL SUSP SUSPENDED SHEET VINYL SV SWBO SWITCHBOARD SYM SYMMETRICAL TREAD TOP OF T&B TOP & BOTTOM T&G **TONGUE & GROOVE** TD TRENCH DRAIN TELEPHONE TEL TEMP TEMPERED TER TFT TERRAZZO TERRAZZO FLOOR TILE THK TLT THICK TOILET TOPOGRAPHY TOPO TOILET PARTITION ΤP TELEVISION ΤV TYP TYPICAL TERRAZZO FLOOR ΤZ UNEXC UNEXCAVATED UNF UNFINISHED UNO UNLESS NOTED OTHERWISE UR UTIL URINAL UTILITY VB VINYL BASE VCT VINYL COMPOSITION TILE VENT VENTILATION VERTICAL VERT VEST VIF VESTIBULE VERIFY IN FIELD VLP VENEERED LAMINATE PANEL VOL VOLUME VINYL TILE VT VWC VINYL WALL COVERING WEST WITH W/ W/O WITHOUT WATER CLOSET WC WOOD WD WOOD FLOOR WF WIDE FLANGE WFG WATER HEATER WН WROUGHT IRON WI WIN WINDOW WLC WALL COVERING WALK OFF MAT WOM WM WIRE MESH

WP WPFG WSC WS WΤ WWF

YD

WALL PROTECTION WINDOW COVERING WELDED WIRE FABRIC

WATERPROOFING WAINSCOT WEIGHT

YARD

HEATING, VENTILATING, AND AIR CONDITIONING HOT WATER

INSIDE DIAMETER INCANDESCENT INCLUDE(D)

INTERMEDIATE INVERT ELEVATION INTERIOR STONE COUNTER INTERIOR SOLID SURFACE COUNTER SECUR

JANITOR CLOSET KNOCK DOWN

KNOCK OUT KNEE SPACE

LINEAR FOOT LEFT HAND

LOW POINT LIGHTWEIGHT LUXURY VINYL COMPOSITE TILE

MAINTENANCE

METAL BASE METAL CORNER BEAD MECHANICAL

MEMBRANE MEZZANINE METAL FLASHING MANUFACTURER

MANHOLE MISCELLANEOUS MILLIMETER

MOVEABLE INSULATED METAL PANEL COMPOSITE METAL PANEL METAL PANEL FORMED METAL PANEL PLATE


NOT IN CONTRACT


NOT TO SCALE


ON CENTER OUTSIDE DIAMETER OVERFLOW DRAIN

OWNER FURNISHED/ CONTRACTOR INSTALLED PUBLIC ACCESS

PRE-CAST ARCHITECTURAL PRE-CAST INSULATED PRE-CAST PRE-CAST STRUCTURAL PANEL FABRIC









712 N Magnolia Ave, hicago, IL 60614	
chitectural designer: atrick Griffin 712 N Magnolia Ave, hicago, IL 60614	

sheet	revisions:		
No.	Date	Description	
koval			

drawn by:	Patrick G			
scale:	As indicated			
size:	24 in × 36 in			
date:	12/19/2023 12:51:57 PM			
Do not scale. Check all dimensions on site.				





BUILDING FOOTPRINT: 1,775.33 SF (AT SECOND LEVEL) ENCLOSED BUILDING AREA: 2,118 SF UNDERGROUND UTILITY LEGEND UNDERGROUND UTILITY LEGEND UNDERGROUND WATER UNDERGROUND WATER UNDERGROUND DATA/TELEPHONE Civil engineer: Consultant:	<ul> <li>LOT COVERAGE SUMMARY</li> <li>'HOMESITE' LOT AREA: 9,385.47 SF (TRAINGLE ONLY) BUILDABLE 'ENVELOPE' AREA: 7,524.97 SF</li> </ul>	client: <b>Robert &amp; Sally Griffin</b> 2712 N Magnolia Ave, Chicago, IL 60614
UNDERGROUND UTILITY LEGEND         UNDERGROUND ELECTRICAL         UNDERGROUND WATER         UNDERGROUND WATER         UNDERGROUND GAS         UNDERGROUND DATA/TELEPHONE	BUILDING FOOTPRINT: 1,775.33 SF (AT SECOND LEVEL)	Patrick Griffin 2712 N Magnolia Ave,
UNDERGROUND ELECTRICAL UNDERGROUND WATER Civil engineer: UNDERGROUND GAS UNDERGROUND DATA/TELEPHONE		structural engineer:
UNDERGROUND WATER civil engineer: UNDERGROUND GAS UNDERGROUND DATA/TELEPHONE	UNDERGROUND UTILITY LEGEND	
UNDERGROUND GAS	UNDERGROUND ELECTRICAL	
UNDERGROUND DATA/TELEPHONE		civil engineer:
	UNDERGROUND GAS	
consultant:	UNDERGROUND DATA/TELEPHONE	
		consultant:

# IRON PIPE FOUND

ON LINE TO SW & 0.26' SW'ly OF CORNER ANOTHER PIPE IS 5.4' W'ly

# sheet title: **Demolition Site** Plan

drawn by: scale: size: date:

project name:

project number:

PG-2023-001

seal & signature:

status:

issuance:

5 of 35

key plan:

sheet number:

sheet revisions:

**Not For Construction** 

**Rennovation Drawings V5** 


No. Date Description

**Griffin Residence** 

7655 Lilly Lake Rd. Burlington, WI 53105

Patrick G 1/8" = 1'-0" 24 in × 36 in 12/19/2023 12:52:01 PM Do not scale. Check all dimensions on site.





'HOMESITE' LOT AREA: 9,385.47 SF (TRAINGLE ONLY) BUILDABLE 'ENVELOPE' AREA: 7,524.97 SF BUILDING FOOTPRINT: 1,775.33 SF (AT SECOND LEVEL) ENCLOSED BUILDING AREA: 2,118 SF

 UNDERGROUND ELECTRICAL
 UNDERGROUND WATER
 UNDERGROUND GAS
 UNDERGROUND DATA/TELEPHONE

# IRON PIPE FOUND

ON LINE TO SW & 0.26' SW'ly OF CORNER ANOTHER PIPE IS 5.4' W'ly

client: **Robert & Sally Griffin** 2712 N Magnolia Ave, Chicago, IL 60614

architectural designer: Patrick Griffin 2712 N Magnolia Ave, Chicago, IL 60614

structural engineer:


civil engineer:

consultant:

project name: **Griffin Residence** 7655 Lilly Lake Rd. Burlington, WI 53105 project number:

PG-2023-001

seal & signature:



status: Not For Construction issuance:

**Rennovation Drawings V5** sheet number: 6 of 35

sheet revisions:

No.	Date	Description	


key plan:

# sheet title: **Rennovated Site** Plan

drawn by: scale: size: date:

Patrick G 1/8" = 1'-0" 24 in × 36 in 12/19/2023 12:52:03 PM Do not scale. Check all dimensions on site.





1 Existing - L01 - Basement Room Plan 1/8" = 1'-0"

NAME	NUMBER	AREA	PERIMETER	NOTES
OUTDOOR CLOSET	107	19 SF	18' - 4"	(BELOW OR ABOVE OTHER)
COVERED PATIO	108	386 SF	105' - 6"	(BELOW OR ABOVE OTHER)
UPPER WOOD DECK	215	100 SF	42' - 0"	(BELOW OR ABOVE OTHER)
(BELOW OR ABOVE OTHER): 3		506 SF		-
EXPOSED PATIO	109	393 SF	162' - 9"	IMPERVIOUS SURFACE
LOWER WOOD DECK	110	159 SF	50' - 3"	IMPERVIOUS SURFACE
STAIRS & CONCRETE TERRACE	111	157 SF	73' - 11"	IMPERVIOUS SURFACE
ENTRY PATIO	216	148 SF	66' - 5"	IMPERVIOUS SURFACE
IMPERVIOUS SURFACE: 4		857 SF		
GRASS TERRACE	112	747 SF	158' - 0"	PURVEOUS SURFACE
PURVEOUS SURFACE: 1		747 SF		
GRAND TOTAL: 8		2109 SF		

# LOT SURFACE COVERAGE

'HOMESITE' LOT AREA: 9,385.47 SF (TRAINGLE ONLY) BUILDABLE 'ENVELOPE' ÁREA: 7,524.97 SF

MAX. UMITIGATED IMPERVIOUS SURFACE AREA: (9,385.47x0.30) = 2,815.5 SF MAX. MITIGATED IMPERVIOUS SURFACE AREA: (9,384.47x0.40) = 3754.1 SF

EXISTING BUILDING FOOTPRINT: 1,775.33 SF (AT SECOND LEVEL) EXISTING IMPERVIOUS SURFACE AREA: 857 SF (OUTSIDE OF BUILDING FOOTPRINT) EXISTING RETAINING WALL SURFACE AREA: 270 SF

# **ROOM SCHEDULE**

GRAND TOTAL: 21

NAME	NUMBER	AREA	PERIMETER	NOTES
BASEMENT	101	393 SF	125' - 10"	
STORAGE	102	160 SF	54' - 1"	
MECHANICAL	103	43 SF	29' - 10"	
BATHROOM	104	62 SF	39' - 9"	
CLOSET	105	14 SF	18' - 3"	
CLOSET	106	4 SF	8' - 7"	
L01 - Basement: 6		677 SF		
GREAT ROOM	201	485 SF	94' - 7"	
KITCHEN	202	147 SF	51' - 4"	
BATHROOM	203	47 SF	31' - 0"	
SUNROOM	204	291 SF	79' - 9"	
DINING AREA	205	106 SF	41' - 5"	
LANDING	206	26 SF	21' - 11"	
CLOSET	207	7 SF	10' - 8"	
BEDROOM B	208	Not Enclosed	Not Enclosed	
CLOSET	209	15 SF	17' - 2"	
BEDROOM C	210	126 SF	49' - 2"	
CLOSET	211	15 SF	22' - 5"	
MASTER BEDROOM	212	130 SF	49' - 11"	
MASTER BATHROOM	213	76 SF	37' - 0"	
CLOSET	214	8 SF	11' - 5"	
L02 - Main Floor: 14		1478 SF		
BALCONY / LOFT	301	163 SF	51' - 2"	
L03 - Upper Floor: 1		163 SF		




architectural designer: Patrick Griffin 2712 N Magnolia Ave, Chicago, IL 60614

structural engineer:

civil engineer:


consultant:



2319 SF


project name: **Griffin Residence** 7655 Lilly Lake Rd. Burlington, WI 53105 project number: PG-2023-001 seal & signature: status: Not For Construction issuance: **Rennovation Drawings V5** sheet number: 7 of 35 sheet revisions: No. Date Description

key plan:




drawn by:	Patrick G
scale:	1/8" = 1'-0"
size:	24 in × 36 in
date:	12/19/2023 12:52:07 PM
Do not scale.	Check all dimensions on site.





1 Proposed - L01 - Basement Room Plan 1/8" = 1'-0"



# EXTERIOR AREA SCHEDULE (RENOVATED)

NAME	NUMBER	AREA	PERIMETER	NOTES
COVERED PATIO	108	386 SF	105' - 6"	(BELOW OR ABOVE OTHER)
UPPER WOOD DECK	215	74 SF	39' - 8"	(BELOW OR ABOVE OTHER)
(BELOW OR ABOVE OTHER): 2		459 SF		
EXPOSED PATIO	109	393 SF	162' - 9"	IMPERVIOUS SURFACE
LOWER WOOD DECK	110	124 SF	45' - 0"	IMPERVIOUS SURFACE
STAIRS & CONCRETE TERRACE	111	157 SF	73' - 11"	IMPERVIOUS SURFACE
ENTRY PATIO	216	148 SF	66' - 5"	IMPERVIOUS SURFACE
IMPERVIOUS SURFACE: 4		822 SF		
GRASS TERRACE	112	747 SF	158' - 0"	PURVEOUS SURFACE
DRIVEWAY	230	314 SF	70' - 8"	PURVEOUS SURFACE
PURVEOUS SURFACE: 2		1061 SF		·
GRAND TOTAL: 8		2343 SF		

# LOT SURFACE COVERAGE

'HOMESITE' LOT AREA: 9,385.47 SF (TRAINGLE ONLY) BUILDABLE 'ENVELOPE' AREA: 7,524.97 SF

MAX. UMITIGATED IMPERVIOUS SURFACE AREA: (9,385.47x0.30) = 2,815.5 SF MAX. MITIGATED IMPERVIOUS SURFACE AREA: (9,384.47x0.40) = 3754.1 SF

RENOVATED BUILDING FOOTPRINT: 2371.25 SF (AT SECOND LEVEL) RENOVATED IMPERVIOUS SURFACE AREA: 849 SF (OUTSIDE OF BUILDING FOOTPRINT) EXISTING RETAINING WALL SURFACE AREA: 270 SF

**GRAND TOTAL IMPERVIOUS SURFACES: 3485 SF** 

WATER MITIGATION REQUIREMENT: 670

	l l			
NAME	NUMBER	AREA	PERIMETER	NOTES
BASEMENT	101	476 SF	144' - 9"	
MECHANICAL	103	43 SF	29' - 10"	
BATHROOM	104	62 SF	39' - 9"	
CLOSET	105	14 SF	18' - 3"	
CLOSET	106	4 SF	8' - 7"	
WORK ROOM	121	83 SF	36' - 10"	NEW
STORAGE	122	76 SF	34' - 10"	NEW
L01 - Basement: 7		759 SF		
GREAT ROOM	201	486 SF	95' - 0"	
KITCHEN	202	147 SF	51' - 4"	
BATHROOM	203	47 SF	31' - 0"	
SUNROOM	204	291 SF	79' - 9"	
DINING AREA	205	106 SF	41' - 5"	
LANDING	206	26 SF	21' - 11"	
CLOSET	207	7 SF	10' - 8"	
BEDROOM B	208	179 SF	56' - 7"	
UPPER WOOD DECK	215	74 SF	39' - 8"	(BELOW OR ABOVE OTHER)
MASTER BEDROOM	221	205 SF	63' - 2"	NEW
MASTER BATHROOM	222	74 SF	36' - 5"	NEW
CLOSET	223	40 SF	25' - 5"	RENOVATION
FOYER	224	125 SF	49' - 1"	RENOVATION
ATTACHED GARAGE	228	352 SF	75' - 1"	NEW
CLOSET	229	15 SF	16' - 2"	NEW
L02 - Main Floor: 15	· · · · ·	2174 SF		
BALCONY / LOFT	301	43 SF	30' - 3"	
BEDROOM E	302	74 SF	34' - 6"	NEW
BEDROOM F	303	73 SF	34' - 5"	NEW
CLOSET E	304	13 SF	19' - 2"	NEW
CLOSET F	305	13 SF	18' - 5"	NEW
L03 - Upper Floor: 5		216 SF		

LUS - Upper Fluor. GRAND TOTAL: 27

# **ROOM SCHEDULE (RENOVATED)**


3149 SF

<b>Patr</b> 2712	ectural de i <b>ck Gri</b> 2 N Mag ago, IL	<b>ffin</b> gnolia	Ave,		
struct	ural engir	neer:			
civil e	ngineer:				
consu	ltant:				
	t name: <b>in Res</b>	idenc	e		
Griff 7655 Burlir projec		ke Rd. /I 531(			
Griff 7655 Burlir projec PG-2	<b>in Res</b> Lilly Lal ngton, W	ke Rd. /I 531( 7 <b>)1</b>		· · · · · · · · · · · · · · · · · · ·	
Griff 7655 Burlir projec PG-2	in Res Lilly La Ington, W It number 2023-00	ke Rd. /I 531( 7 <b>)1</b>			
Griff 7655 Burlir projec PG-2	in Res Lilly La Ington, W It number 2023-00	ke Rd. /I 531( 7 <b>)1</b>			
Griff 7655 Burlir projec PG-2	in Res Lilly La Ington, W It number 2023-00	ke Rd. /I 531( 7 <b>)1</b>			
Griff 7655 Burlir projec PG-2	in Res Lilly La Ington, W It number 2023-00	ke Rd. /I 531( 7 <b>D1</b>	05		
Griff 7655 Burlir PG-2 seal 8	in Res Lilly La Ington, W t number 2023-00	ke Rd. /I 531( 	05		
Griff 7655 Burlir projec PG-2 seal 8 seal 8	in Res Lilly Lal Ington, W t number 2023-00 signatur	ke Rd. /I 531( D1 re: nstru	05 Iction		
Griff 7655 Burlir projec PG-2 seal 8 seal 8 status Not issuar Reni sheet	in Res Lilly Lal Ington, W t number 2023-00 signatur signatur : For Conce: novation number:	ke Rd. /I 531( D1 re: nstru	05 Iction		
Griff 7655 Burlir projec PG-2 seal 8 status Not issuar Ren sheet 8 of 3 sheet	in Res Lilly Lal Ington, W t number 2023-00 signatur signatur : For Conce: novation number:	ke Rd. /I 531( D1 re: nstru on Dra	D5	js V5	
Griff 7655 Burlir projec PG-2 seal 8 seal 8 status Not issuar Ren sheet 8 of 3 sheet	in Res Lilly Lal Ington, W t number 2023-00 signatur signatur : For Conce: novation number: 35 revisions	ke Rd. /I 531( D1 re: nstru on Dra	D5	js V5	
Griff 7655 Burlir projec PG-2 seal 8 seal 8 status Not issuar Ren sheet 8 of 3 sheet	in Res Lilly Lal Ington, W t number 2023-00 signatur signatur : For Conce: novation number: 35 revisions	ke Rd. /I 531( D1 re: nstru on Dra	D5	js V5	
Griff 7655 Burlir projec PG-2 seal 8 seal 8 status Not issuar Ren sheet 8 of 3 sheet	in Res Lilly Lal Ington, W t number 2023-00 signatur signatur : For Conce: novation number: 35 revisions	ke Rd. /I 531( D1 re: nstru on Dra	D5	js V5	
Griff 7655 Burlir projec PG-2 seal 8 status Not issuar Ren sheet 8 of 3 sheet	in Res Lilly Lal Ington, W t number 2023-00 signatur signatur : For Conce: novation number: 35 revisions	ke Rd. /I 531( D1 re: nstru on Dra	D5	js V5	
Griff 7655 Burlir projec PG-2 seal 8 status Not issuar Ren sheet 8 of 3 sheet	in Res Lilly Lal Ington, W t number 2023-00 signatur signatur : For Conce: novation number: 35 revisions	ke Rd. /I 531( D1 re: nstru on Dra	D5	js V5	

# sheet title: **Rennovated Area** Calculations

drawn by:	Patrick G
scale:	1/8" = 1'-0"
size:	24 in × 36 in
date:	12/19/2023 12:52:09 PM
Do not scale.	Check all dimensions on site.






<b>Patri</b> 2712	ctural designer: <b>ck Griffin</b> N Magnolia ago, IL 60614	
	Iral engineer:	
civil er	igineer:	
consul	tant:	
	Lilly Lake Rd. gton, WI 5310	5
PG-2	t number: 023-001 signature:	
PG-2	023-001	
PG-2 seal &	023-001 signature:	
PG-2 seal & status Not I	023-001 signature: For Construction ce:	
PG-2 seal & status Not I issuan Renr sheet	023-001 signature: For Construction ce: novation Dra	
PG-2 seal & status Not I issuan Renr sheet 9 of 3	023-001 signature: For Construction ce: novation Dra number: 5	
PG-2 seal & status Not I issuan Renr sheet 9 of 3 sheet	023-001 signature: For Construction ce: novation Dra	wings V5
PG-2 seal & status Not I issuan Renr sheet 9 of 3 sheet	023-001 signature: For Construction ce: novation Dra number: 5 revisions:	wings V5
PG-2 seal & status Not I issuan Renr sheet 9 of 3 sheet	023-001 signature: For Construction ce: novation Dra number: 5 revisions:	wings V5
PG-2 seal & status Not I issuan Renr sheet 9 of 3 sheet	023-001 signature: For Construction ce: novation Dra number: 5 revisions:	wings V5
PG-2 seal & status Not I issuan Renr sheet 9 of 3 sheet	023-001 signature: For Construction ce: novation Dra number: 5 revisions:	wings V5
PG-2 seal & status Not I issuan Renr sheet 9 of 3 sheet	023-001 signature: For Construction ce: novation Dra number: 5 revisions:	wings V5

# sheet title: Level 1 Demolition Floor Plan

drawn	by:
scale:	
size:	
date:	
Donot	~ ~

Patrick G 1/4" = 1'-0" 24 in × 36 in 12/19/2023 12:52:11 PM Do not scale. Check all dimensions on site.






<b>Patri</b> 2712	ctural designer: <b>ck Griffin</b> N Magnolia <i>I</i> ago, IL 60614	
structu	ral engineer:	
civil er	igineer:	
consul	tant:	
Griffi 7655 Burlin project	name: In Residence Lilly Lake Rd. gton, WI 53108 number: 023-001	
seal &	signature:	****
	· · · · · · · · · · · · · · · · · · ·	
status:		
Not F	For Construc	tion
	novation Drav	wings V <b>t</b>
	30	
sheet 1 10 of sheet 1	evisions: Date Des	scription
sheet 1 10 of sheet 1	revisions:	scription
sheet 1 10 of sheet 1	revisions:	scription
sheet 10 of sheet No.	revisions:	
sheet 10 of sheet No.	evisions: Date Des	
sheet 10 of sheet No.	revisions: Date Des	

# sheet title: Level 1 Renovated Floor Plan

drawn by: scale: size: date:


Patrick G 1/4" = 1'-0" 24 in × 36 in 12/19/2023 12:52:13 PM Do not scale. Check all dimensions on site.





architectural designer: <b>Patrick Griffin</b> 2712 N Magnolia / Chicago, IL 60614	
structural engineer:	
civil engineer:	
consultant:	
project name: <b>Griffin Residence</b> 7655 Lilly Lake Rd. Burlington, WI 53109 project number:	
PG-2023-001 seal & signature:	~~.
status: Not For Construc	tion
Rennovation Dra sheet number:	wings V5
11 of 35	
sheet revisions:	scription
No. Date De	scription

drawn by:
scale:
size:
date:
Do pot oo




architectural d <b>Patrick Gr</b> 2712 N Ma Chicago, IL	<b>iffin</b> Ignolia Ave,
structural eng	ineer:
civil engineer:	
consultant:	
project name: Griffin Res 7655 Lilly La Burlington, V project numbe PG-2023-0	sidence ake Rd. WI 53105 er: 0 <b>01</b>
<b>Griffin Res</b> 7655 Lilly La Burlington, V project numbe	sidence ake Rd. WI 53105 er: 0 <b>01</b>
Griffin Res 7655 Lilly La Burlington, N project numbe PG-2023-0	sidence ake Rd. WI 53105 er: 0 <b>01</b>
Griffin Res 7655 Lilly La Burlington, N project numbe PG-2023-0	sidence ake Rd. WI 53105 er: 0 <b>01</b>
Griffin Res 7655 Lilly La Burlington, N project numbe PG-2023-0 seal & signatu	sidence ake Rd. WI 53105 er: 0 <b>01</b>
Griffin Res 7655 Lilly La Burlington, M project numbe PG-2023-0 seal & signatu seal & signatu status: Not For Co issuance: Rennovati sheet number	sidence ake Rd. WI 53105 er: 001 ure: onstruction onstruction
Griffin Res 7655 Lilly La Burlington, M project numbe PG-2023-0 seal & signatu status: Not For Co ssuance: Rennovati	sidence ake Rd. WI 53105 er: 001 ure: onstruction on Drawings V5
Griffin Res 7655 Lilly La Burlington, M project number PG-2023-0 seal & signatu status: Not For Co ssuance: Rennovati sheet number 12 of 35 sheet revision	sidence ake Rd. WI 53105 er: 001 ure: onstruction on Drawings V5
Griffin Res 7655 Lilly La Burlington, M project number PG-2023-0 seal & signatu status: Not For Co ssuance: Rennovati sheet number 12 of 35 sheet revision	sidence ake Rd. WI 53105 er: 001 ure: onstruction onstruction on Drawings V5
Griffin Res 7655 Lilly La Burlington, M project number PG-2023-0 seal & signatu status: Not For Co ssuance: Rennovati sheet number 12 of 35 sheet revision	sidence ake Rd. WI 53105 er: 001 ure: onstruction onstruction on Drawings V5


# sheet title: Level 2 Renovated Floor Plan


drawn by: scale: size: date:


Patrick G 1/4" = 1'-0" 24 in × 36 in 12/19/2023 12:52:17 PM Do not scale. Check all dimensions on site.
















1 L01 - Basement 1/4" = 1'-0"


	<sup>client:</sup> <b>Robert &amp; Sally Griffin</b> 2712 N Magnolia Ave, Chicago, IL 60614
<b>G</b>	architectural designer: <b>Patrick Griffin</b> 2712 N Magnolia Ave, Chicago, IL 60614
	structural engineer:
	civil engineer:
	consultant:
<b>B</b>	project name: <b>Griffin Residence</b> 7655 Lilly Lake Rd.
	Burlington, WI 53105 project number: <b>PG-2023-001</b>
	seal & signature:
	status: Not For Construction issuance:
– – – – – <b>D</b>	Rennovation Drawings V5 sheet number: 17 of 35
	sheet revisions: No. Date Description
– – – – – <b>– – – E</b>	
	key plan:
— — — — — — — <b>(F</b> )	
	sheet title:
	Level 1 Reflected Ceiling Plan
	drawn by: Patrick G scale: 1/4" = 1'-0"
	size: 24 in × 36 in date: 12/19/2023 12:52:25 P Do not scale. Check all dimensions on site.
	sheet number:
	A-111.00









1 <u>Existing - North</u> 1/8" = 1'-0"



	client: <b>Robert &amp; Sally Griffin</b> 2712 N Magnolia Ave, Chicago, IL 60614 architectural designer:
	<b>Patrick Griffin</b> 2712 N Magnolia Ave, Chicago, IL 60614
	structural engineer:
<u>T/O Roof</u> 26' - 9"	civil engineer:
L03 - Upper Floor 18' - 0"	consultant:
L02 - Main Floor 9' - 5"	
L01.9 - Upper Deck 8' - 11" L01.2 - Lower Deck 1' - 9" L01.1 - Patio	
<u>L01.1</u> - Patio 0' - 0" <u>L01 - Basement</u> -0' - 6"	
$-0^{\circ} - 6^{\circ}$	
	project name: <b>Griffin Residence</b> 7655 Lilly Lake Rd. Burlington, WI 53105 project number: <b>PG-2023-001</b>
	seal & signature:
<u>T/O Roof</u> 26' - 9"	status: <b>Not For Construction</b> issuance: <b>Rennovation Drawings V5</b> sheet number: 20 of 35
1.03 - Upper Floor	sheet revisions: No. Date Description
<u>L03 - Upper Floor</u> 18' - 0"	
L02 - Main Floor 9' - 5" 1 01 9 - Upper Deck	
L01.9 - Upper Deck 8' - 11" L01.2 - Lower Deck 1' - 9"	
	key plan:
L01 - Basement -0' - 6"	
	sheet title: <b>North &amp; South</b> <b>Exterior Elevations</b> drawn by: Patrick G scale: 1/8" = 1'-0" size: 24 in × 36 in
	date: 12/19/2023 12:53:06 PM Do not scale. Check all dimensions on site. sheet number: <b>A-201.00</b>



1 Existing - East 1/8" = 1'-0"



2 Existing - West 1/8" = 1'-0"

client: **Robert & Sally Griffin** 2712 N Magnolia Ave, Chicago, IL 60614

architectural designer: Patrick Griffin 2712 N Magnolia Ave, Chicago, IL 60614

structural engineer:

civil engineer:

consultant:

project name: Griffin Residence 7655 Lilly Lake Rd. Burlington, WI 53105

project number: PG-2023-001

seal & signature:

status:

Not For Construction

issuance:

**Rennovation Drawings V5** sheet number: 21 of 35

sheet revisions: No. Date Description


key plan:


sheet title: East & West **Exterior Elevations** 

scale: size: date:

drawn by: Patrick G 1/8" = 1'-0" 24 in × 36 in 12/19/2023 12:53:39 PM Do not scale. Check all dimensions on site.



<u>T/O Roof</u> 26' - 9"



1 Existing - Longitudinal Section 1 - Chimney 1/4" = 1'-0"

client:
<b>Robert &amp; Sally Griffin</b>
2712 N Magnolia Ave,
Chicago, IL 60614

architectural designer:
Patrick Griffin
2712 N Magnolia Ave
Chicago, IL 60614

structural engineer:

civil engineer:

consultant:

project name: **Griffin Residence** 7655 Lilly Lake Rd. Burlington, WI 53105

project number: **PG-2023-001** 

seal & signature:

status: Not For Construction issuance:

Rennovation Drawings V5 sheet number: 22 of 35

	00		
sheet r	evisions:		
No.	Date	Description	

key plan:


sheet title:

## Longitudinal **Building Section 1**

scale: size: date:

drawn by: Patrick G 1/4" = 1'-0" 24 in × 36 in 12/19/2023 12:53:42 PM Do not scale. Check all dimensions on site.






Robert & Sall 2712 N Magno Chicago, IL 60	olia Ave,
architectural desig <b>Patrick Griffir</b> 2712 N Magno Chicago, IL 60	<b>n</b> blia Ave,
structural enginee	-
civil engineer:	
consultant:	
Griffin Reside 7655 Lilly Lake I Burlington, WI 5 project number: PG-2023-001	Rd.
seal & signature:	
and the second second	
status: <b>Not For Cons</b>	truction
issuance:	Drawings V5
sheet number:	
sheet number: 23 of 35	Description
sheet number: <b>23 of 35</b> sheet revisions:	Description
sheet number: <b>23 of 35</b> sheet revisions:	Description
sheet number: <b>23 of 35</b> sheet revisions:	Description



size: date:

drawn by: Patrick G scale: 1/4" = 1'-0" 24 in × 36 in 12/19/2023 12:53:44 PM Do not scale. Check all dimensions on site.






Architectural desig Patrick Griffin 2712 N Magno Chicago, IL 60	lia Ave,
tructural engineer	:
sivil engineer:	
consultant:	
project name: <b>Griffin Reside</b> 7655 Lilly Lake I Burlington, WI 5	Rd.
<b>Griffin Reside</b> 7655 Lilly Lake I	Rd.
Griffin Reside 7655 Lilly Lake I Burlington, WI 5 project number:	Rd.
Griffin Reside 7655 Lilly Lake I Burlington, WI 5 project number: PG-2023-001	Rd.
Griffin Reside 7655 Lilly Lake I Burlington, WI 5 project number: PG-2023-001	Rd.
Griffin Reside 7655 Lilly Lake I Burlington, WI 5 project number: PG-2023-001	Rd.
Griffin Reside 7655 Lilly Lake I Burlington, WI 5 project number: PG-2023-001	Rd.
Griffin Reside 7655 Lilly Lake I Burlington, WI 5 project number: PG-2023-001	Rd. 3105
Griffin Reside 7655 Lilly Lake I Burlington, WI 5 project number: PG-2023-001 seal & signature:	Rd. 3105
Griffin Reside 7655 Lilly Lake I Burlington, WI 5 project number: PG-2023-001 seal & signature: seal & signature: Not For Const ssuance:	Rd. 3105
Griffin Reside 7655 Lilly Lake I Burlington, WI 5 project number: PG-2023-001 seal & signature: status: Not For Const ssuance: Rennovation	Rd. 3105
Griffin Reside 7655 Lilly Lake R Burlington, WI 5 project number: PG-2023-001 seal & signature: seal & signature: Not For Const ssuance: Rennovation sheet number: 24 of 35	Rd. 3105 truction Drawings V5
Griffin Reside 7655 Lilly Lake I Burlington, WI 5 project number: PG-2023-001 seal & signature: seal & signature: Not For Const ssuance: Rennovation sheet number: 24 of 35 sheet revisions:	Rd. 3105 truction Drawings V5
Griffin Reside 7655 Lilly Lake I Burlington, WI 5 project number: PG-2023-001 seal & signature: seal & signature: Not For Const ssuance: Rennovation sheet number: 24 of 35 sheet revisions:	Rd. 3105 truction Drawings V5
Griffin Reside 7655 Lilly Lake I Burlington, WI 5 project number: PG-2023-001 seal & signature: seal & signature: Not For Const ssuance: Rennovation sheet number: 24 of 35 sheet revisions:	Rd. 3105 truction Drawings V5
Griffin Reside 7655 Lilly Lake I Burlington, WI 5 project number: PG-2023-001 seal & signature: seal & signature: Not For Const ssuance: Rennovation sheet number: 24 of 35 sheet revisions:	Rd. 3105 truction Drawings V5
Griffin Reside 7655 Lilly Lake R Burlington, WI 5 project number: PG-2023-001 seal & signature: status: Not For Const ssuance: Rennovation sheet number: 24 of 35 sheet revisions: No. Date	Rd. 3105 truction Drawings V5



drawn by:
scale:
size:
date:
Do not scal

Patrick G 1/4" = 1'-0" 24 in × 36 in 12/19/2023 12:53:46 PM Do not scale. Check all dimensions on site.






Existing - Transverse Section 1 - Through 1 Landing 1/4" = 1'-0"

	<sup>client:</sup> <b>Robert &amp; Sally Griffin</b> 2712 N Magnolia Ave, Chicago, IL 60614
	architectural designer: <b>Patrick Griffin</b> 2712 N Magnolia Ave, Chicago, IL 60614
	structural engineer:
	civil engineer:
	consultant:
<u>T/O Roof</u> 26' - 9"	
20 - 9"	
	project name: <b>Griffin Residence</b>
<u>Upper Floor</u> 18' - 0"	7655 Lilly Lake Rd. Burlington, WI 53105 project number:
	PG-2023-001 seal & signature:
<u>- Main Floor</u> 9' - 5" <u>Upper Deck</u> 8' - 11"	
<u>.5 - Landing</u> 5' - 8" <u>Lower Deck</u> 1' - 9"	status:
1' - 9" <u>01.1 - Patio</u> 0' - 0"	Not For Construction issuance: Rennovation Drawings V5
- Basement -0' - 6"	sheet number: 25 of 35
L00 - Slab -3' - 0" nal Footing -4' - 8"	sheet revisions: No. Date Description
<u>00 - Terrace</u> -9' - 0"	

# sheet title: Transverse Building Section 1

drawn by: scale: size: date:	Patrick G 1/4" = 1'-0" 24 in × 36 in 12/19/2023 12:53:49 PM
date:	12/19/2023 12.55.49 PM
Do not scale.	Check all dimensions on site.





	<sup>client:</sup> <b>Robert &amp; Sally Griffin</b> 2712 N Magnolia Ave, Chicago, IL 60614
	architectural designer: <b>Patrick Griffin</b> 2712 N Magnolia Ave, Chicago, IL 60614
	structural engineer:
G	civil engineer:
	consultant:
<u>T/O Roof</u> 26' - 9"	
L03 - Upper Floor	project name: <b>Griffin Residence</b> 7655 Lilly Lake Rd. Burlington, WI 53105
L03 - Upper Floor 18' - 0"	project number: PG-2023-001
	seal & signature:
<u>L02 - Main Floor</u> 9' - 5"	
L01.9 - Upper Deck 8' - 11" L01.5 - Landing 5' - 8"	
L01.2 - Lower Deck 1' - 9"	status: Not For Construction
L01.1 - Patio 0' - 0" L01 - Basement -0' - 6"	issuance: <b>Rennovation Drawings V5</b> sheet number:
-0' - 6" 	26 of 35 sheet revisions: No. Date Description
<u>T/O Original Footing</u> 	
L00 <u>-</u> Terrace -9' - 0"	
	key plan:

## sheet title: Transverse Building Section 2

drawn by:	Patrick G
scale:	1/4" = 1'-0"
size:	24 in × 36 in
date:	12/19/2023 12:53:51 PM
Do not scale	. Check all dimensions on site.






Existing - Transverse Section 2 - Showing <u>Mantle Copy 1</u> <u>1/4" = 1'-0"</u>


<sup>client:</sup> <b>Robert &amp; Sally Griffin</b> 2712 N Magnolia Ave, Chicago, IL 60614
architectural designer: <b>Patrick Griffin</b> 2712 N Magnolia Ave, Chicago, IL 60614
structural engineer:
civil engineer:
consultant:
project name: <b>Griffin Residence</b> 7655 Lilly Lake Rd. Burlington, WI 53105 project number: <b>PG-2023-001</b>
seal & signature:
status: Not For Construction
issuance: <b>Rennovation Drawings V5</b> sheet number: 27 of 35
sheet revisions: No. Date Description
key plan:
sheet title:


## Transverse Building Section 3

drawn by: scale: size:	Patrick G 1/4" = 1'-0" 24 in × 36 in
date:	12/19/2023 12:53:54 PN
Do not scale.	Check all dimensions on site.










2 Wall Section - HSS Cantilever 1/2" = 1'-0"

 $\underbrace{1}_{1/2"} = 1'-0"$ 

4 Wall Section - Great-Room Beam & Roof B 1/2" = 1'-0"



client: **Robert & Sally Griffin** 2712 N Magnolia Ave, Chicago, IL 60614

architectural designer: Patrick Griffin 2712 N Magnolia Ave, Chicago, IL 60614

structural engineer:

civil engineer:

consultant:

project name: **Griffin Residence** 7655 Lilly Lake Rd. Burlington, WI 53105

project number: PG-2023-001

seal & signature:

\_\_\_\_\_

status: Not For Construction

issuance: Rennovation Drawings V5 sheet number: 30 of 35

sheet revisions: No. Date Description

key plan:

sheet title:

### **Assorted Detail** Drawings

drawn by: Patrick G scale: 24 in × 36 in size: 12/19/2023 12:53:57 PM date: Do not scale. Check all dimensions on site.



## **DOOR SCHEDULE (RENOVATED)**

MARK	USE	ТҮРЕ	WIDTH	HEIGHT	FRAME TYPE	DOOR HARDWARE	NOTES
121A	Interior Door	Single Flush 36"x80"	3' - 0"	6' - 8"			
122A	Interior Door	Single Flush 36"x80"	3' - 0"	6' - 8"			
L01 - Ba	asement: 2	·	I		-		
221B	Interior Door	Single Flush 36"x80"	3' - 0"	6' - 8"			
222	Interior Door	Single Flush 36"x80"	3' - 0"	6' - 8"			
228	Exterior Door	Overhead Rolling: 192'x80"	16' - 0"	7' - 0"			
323B	Interior Door	Single Flush 36"x80"	3' - 0"	6' - 8"			
323C	Interior Door	Dual Sliding: 60"x80"	5' - 0"	7' - 0"			
323D	Interior Door	Single Flush 36"x80"	3' - 0"	6' - 8"			
323E			4' - 6"	7' - 0"			
L02 - M	ain Floor: 7						
323F			2' - 8"	7' - 0"			
323G			2' - 8"	7' - 0"			
323H	Interior Door	Dual Sliding: 60"x80"	5' - 0"	7' - 0"			
3231	Interior Door	Dual Sliding: 60"x80"	5' - 0"	7' - 0"			

L03 - Upper Floor: 4

## WINDOW SCHEDULE (RENOVATED)

MARK	TAG	SIZE	TYPE	WIDTH	HEIGHT	Thermal Resistance (R)	Heat Transfer Coefficient (U)	Solar Heat Gain Coefficient	Visual Light Transmittance	Comments
221A	10	36" x 48"	CASEMENT WINDOW	3' - 0"	4' - 0"	1.5394 (h·ft²·°F)/BTU	0.6496 BTU/(h·ft².°F)	0.78	0.9	
221B	10	36" x 48"	CASEMENT WINDOW	3' - 0"	4' - 0"	1.5394 (h·ft²·°F)/BTU	0.6496 BTU/(h·ft².°F)	0.78	0.9	
221C	10	36" x 48"	CASEMENT WINDOW	3' - 0"	4' - 0"	1.5394 (h·ft²·°F)/BTU	0.6496 BTU/(h·ft².°F)	0.78	0.9	
221D	10	36" x 48"	CASEMENT WINDOW	3' - 0"	4' - 0"	1.5394 (h·ft²·°F)/BTU	0.6496 BTU/(h·ft <sup>2.</sup> °F)	0.78	0.9	
222A	10	36" x 48"	CASEMENT WINDOW	3' - 0"	4' - 0"	1.5394 (h·ft²·°F)/BTU	0.6496 BTU/(h·ft <sup>2.</sup> °F)	0.78	0.9	
228A	10	36" x 48"	CASEMENT WINDOW	3' - 0"	4' - 0"	1.5394 (h·ft²·°F)/BTU	0.6496 BTU/(h·ft <sup>2.</sup> °F)	0.78	0.9	
228B	10	36" x 48"	CASEMENT WINDOW	3' - 0"	4' - 0"	1.5394 (h·ft²·°F)/BTU	0.6496 BTU/(h·ft².°F)	0.78	0.9	
228C	10	36" x 48"	CASEMENT WINDOW	3' - 0"	4' - 0"	1.5394 (h·ft²·°F)/BTU	0.6496 BTU/(h·ft <sup>2.</sup> °F)	0.78	0.9	
228D	10	36" x 48"	CASEMENT WINDOW	3' - 0"	4' - 0"	1.5394 (h·ft <sup>2.</sup> °F)/BTU	0.6496 BTU/(h·ft <sup>2.</sup> °F)	0.78	0.9	
	· · · ·						•		•	

L02 - Main Floor: 9

## WALL SCHEDULE (RENOVATED)

BASE LEVEL	MARK	TAG	DESCRIPTION	STRUCTURAL	FINISH 1	CORE	FINISH 2	THICKNESS	HEIGHT	LENGTH
T/O Original Footing		03	Concrete Foundation Wall	Bearing	N/A	10.5" Concrete with Rebar	Dampproofing, 2" Rigid Insulation	10.5"	13' - 3 1/4"	6' - 9 7/8"
T/O Original Footing		03	Concrete Foundation Wall	Bearing	N/A	10.5" Concrete with Rebar	Dampproofing, 2" Rigid Insulation	10.5"	13' - 3 1/4"	7' - 0 3/4"
T/O Original Footing		03	Concrete Foundation Wall	Bearing	N/A	10.5" Concrete with Rebar	Dampproofing, 2" Rigid Insulation	10.5"	13' - 3 1/4"	29' - 2 3/4"
T/O Original Footing: 3										
L01 - Basement		09	Interior Partition	Non-bearing	5/8" Gypsum Board	4" Wood Stud	5/8" Gypsum Board	4 7/8"	0' - 6"	9' - 5 1/4"
L01 - Basement		09	Interior Partition	Non-bearing	5/8" Gypsum Board	4" Wood Stud	5/8" Gypsum Board	4 7/8"	0' - 6"	9' - 3"
L01 - Basement: 2										
T/O West Footing		03	Concrete Foundation Wall	Bearing	N/A	10.5" Concrete with Rebar	Dampproofing, 2" Rigid Insulation	10.5"	6' - 7 1/4"	18' - 9 3/8"
T/O West Footing		03	Concrete Foundation Wall	Bearing	N/A	10.5" Concrete with Rebar	Dampproofing, 2" Rigid Insulation	10.5"	6' - 1 1/4"	20' - 0"
T/O West Footing		03	Concrete Foundation Wall	Bearing	N/A	10.5" Concrete with Rebar	Dampproofing, 2" Rigid Insulation	10.5"	6' - 7 1/4"	18' - 9 3/8"
T/O West Footing: 3										
L02 - Main Floor				Non-bearing					9' - 7"	3' - 4 5/8"
L02 - Main Floor				Non-bearing					9' - 7"	5' - 7 5/8"
L02 - Main Floor		06	Exterior Wall	Bearing	5/8" Gypsum Board	6" Wood Stud / Insulation	3/4" Plywood, Vapor Barrier, Cement-Board Siding	8 1/8"	9' - 7"	16' - 9"
L02 - Main Floor		06	Exterior Wall	Non-bearing	5/8" Gypsum Board	6" Wood Stud / Insulation	3/4" Plywood, Vapor Barrier, Cement-Board Siding	8 1/8"	9' - 7"	29' - 6 3/4"
L02 - Main Floor		06	Exterior Wall	Non-bearing	5/8" Gypsum Board	6" Wood Stud / Insulation	3/4" Plywood, Vapor Barrier, Cement-Board Siding	8 1/8"	9' - 7"	20' - 3 3/8"
L02 - Main Floor		06	Exterior Wall	Non-bearing	5/8" Gypsum Board	6" Wood Stud / Insulation	3/4" Plywood, Vapor Barrier, Cement-Board Siding	8 1/8"	9' - 7"	18' - 7"
L02 - Main Floor		06	Exterior Wall	Non-bearing	5/8" Gypsum Board	6" Wood Stud / Insulation	3/4" Plywood, Vapor Barrier, Cement-Board Siding	8 1/8"	9' - 7"	18' - 7 1/2"
L02 - Main Floor		06	Exterior Wall	Non-bearing	5/8" Gypsum Board	6" Wood Stud / Insulation	3/4" Plywood, Vapor Barrier, Cement-Board Siding	8 1/8"	9' - 7"	7' - 0"
L02 - Main Floor		06	Exteriror Wall (No Siding)	Bearing	5/8" Gypsum Board	6" Wood Stud / Insulation	N/A	6 7/8"	8' - 7"	20' - 3 3/8"
L02 - Main Floor		06	Exteriror Wall (No Siding)	Non-bearing	5/8" Gypsum Board	6" Wood Stud / Insulation	N/A	6 7/8"	9' - 7"	10' - 1 5/8"
L02 - Main Floor		06	Exteriror Wall (No Siding)	Non-bearing	5/8" Gypsum Board	6" Wood Stud / Insulation	N/A	6 7/8"	8' - 7"	19' - 5 3/8"
L02 - Main Floor		09	Interior Partition	Non-bearing	5/8" Gypsum Board	4" Wood Stud	5/8" Gypsum Board	4 7/8"	8' - 7"	6' - 8 1/4"
L02 - Main Floor		09	Interior Partition	Non-bearing	5/8" Gypsum Board	4" Wood Stud	5/8" Gypsum Board	4 7/8"	8' - 7"	16' - 9"
L02 - Main Floor: 13			· · ·	I						
L03 - Upper Floor				Non-bearing					8' - 0"	11' - 9 7/8"
L03 - Upper Floor				Non-bearing					8' - 0"	8' - 4 3/4"
L03 - Upper Floor				Non-bearing					8' - 0"	12' - 2 5/8"
L03 - Upper Floor				Non-bearing					7' - 7 1/4"	8' - 0 3/8"
L03 - Upper Floor				Non-bearing					8' - 0"	8' - 0 3/8"
L03 - Upper Floor				Non-bearing					9' - 0"	3' - 0"
L03 - Upper Floor				Non-bearing					9' - 0"	2' - 11 5/8"
L03 - Upper Floor		06	Exterior Wall	Non-bearing	5/8" Gypsum Board	6" Wood Stud / Insulation	3/4" Plywood, Vapor Barrier, Cement-Board Siding	8 1/8"	7' - 5 3/8"	18' - 9 1/4"
L03 - Upper Floor		06	Exterior Wall	Non-bearing	5/8" Gypsum Board	6" Wood Stud / Insulation	3/4" Plywood, Vapor Barrier, Cement-Board Siding	8 1/8"	7' - 4 3/4"	18' - 9 1/4"
L03 - Upper Floor: 9								. I		

# **RENOVATION DRAWINGS**

client: **Robert & Sally Griffin** 2712 N Magnolia Ave, Chicago, IL 60614

architectural designer: Patrick Griffin 2712 N Magnolia Ave, Chicago, IL 60614

structural engineer:

civil engineer:

consultant:

project name: Griffin Residence 7655 Lilly Lake Rd. Burlington, WI 53105

project number: PG-2023-001

seal & signature:

status: Not For Construction

**Rennovation Drawings V5** sheet number: 31 of 35

sheet revisions:

issuance:


No.	Date	Description	
kev pla	an:		

sheet title: Wall, Door, & Window Schedules drawn by: Patrick G scale:


size: date:

24 in × 36 in 12/19/2023 12:53:58 PM Do not scale. Check all dimensions on site.






	client: <b>Robert &amp; Sally Griffin</b> 2712 N Magnolia Ave, Chicago, IL 60614 architectural designer: <b>Patrick Griffin</b> 2712 N Magnolia Ave
G	2712 N Magnolia Ave, Chicago, IL 60614
	structural engineer:
	civil engineer:
	consultant:
A	
– 20" X 24" BEARING FOOTING	
	project name:
	<b>Griffin Residence</b> 7655 Lilly Lake Rd. Burlington, WI 53105
	Burlington, WI 53105 project number: <b>PG-2023-001</b>
<ul> <li>10.5" FOUNDATION</li> <li>CONCRETE WALL W/</li> <li>STEEL DEINEORCEMENT, TYP</li> </ul>	seal & signature:
STEEL REINFORCEMENT, TYP.	
<b>C</b> )	
- 24"x24" BASE FOR	
CENTRAL STEEL POSTS	status:
	Not For Construction
— — — — — — — — — — — — — — — — — — —	Rennovation Drawings V5 sheet number:
	32 of 35
	sheet revisions: No. Date Description
HSS 3x3x1/4" ON 24" DIAMETER FOOTING	
48" DEEP, TYP.	
– – – – – – – – – <b>– (E</b> )	
	key plan:
	sheet title:
	Building
	Foundation Plan
	drawn by: Patrick G scale: 1/4" = 1'-0" size: 24 in × 36 in date: 12/19/2023 12:54:00 PM Do not scale. Check all dimensions on site.
	sheet number: <b>S-100_00</b>




1 <u>L01 - Basement</u> 1/4" = 1'-0"

		<sup>client:</sup> <b>Robert &amp; Sally Griffin</b> 2712 N Magnolia Ave, Chicago, IL 60614
	G	architectural designer: <b>Patrick Griffin</b> 2712 N Magnolia Ave, Chicago, IL 60614
		structural engineer:
		civil engineer:
		consultant:
- EXISTING 20" X 24" BEARING FOOTING		
		project name: <b>Griffin Residence</b> 7655 Lilly Lake Rd. Burlington, WI 53105
<ul> <li>EXISTING 10.5" FOUNDATION CONCRETE WALL W/</li> </ul>		project number: PG-2023-001
STEEL REINFORCEMENT, TYP.		seal & signature:
- EXISTING CENTRAL STEEL COLUMN		
3"Dx1/4"T ROUND POST		status: Not For Construction
		issuance: <b>Rennovation Drawings V5</b> sheet number: 33 of 35
EXISTING COLUMNS		sheet revisions: No. Date Description
HSS 3x3x1/4" ON 24" DIAMETER FOOTING 48" DEEP, TYP.	3	
	— (E)	
	F	key plan:
		sheet title:
		Level 1 Framing Plan
		drawn by: Patrick G scale: 1/4" = 1'-0"
		size: 24 in × 36 in date: 12/19/2023 12:54:02 PN Do not scale. Check all dimensions on site.
		sheet number: <b>S-101_00</b>
		JIVI.UU





9	8 RENOVATION DRAWINGS

1 <u>L03 - Upper Floor</u> 1/4" = 1'-0"



# IMPERVIOUS SURFACE CALCULATIONS





'HOMESITE' LOT AREA: 9,385.47 SF (TRAINGLE ONLY) BUILDABLE 'ENVELOPE' AREA: 7,524.97 SF BUILDING FOOTPRINT: 1,775.33 SF (AT SECOND LEVEL) ENCLOSED BUILDING AREA: 2,118 SF

 UNDERGROUND ELECTRICAL
 UNDERGROUND WATER
 UNDERGROUND GAS
 UNDERGROUND DATA/TELEPHONE

### IRON PIPE FOUND

ON LINE TO SW & 0.26' SW'Iy OF CORNER ANOTHER PIPE IS 5.4' W'Iy

**Robert & Sally Griffin** 2712 N Magnolia Ave, Chicago, IL 60614

architectural designer: Patrick Griffin 2712 N Magnolia Ave, Chicago, IL 60614

structural engineer:


civil engineer:

consultant:

project name: **Griffin Residence** 7655 Lilly Lake Rd. Burlington, WI 53105 project number:

PG-2023-001

seal & signature:



status: Not For Construction issuance:

**Rennovation Drawings V5** sheet number: 6 of 35

sheet revisions:

No.	Date	Description	


key plan:

### sheet title: **Rennovated Site** Plan

drawn by: scale: size: date:

Patrick G 1/8" = 1'-0" 24 in × 36 in 12/19/2023 12:52:03 PM Do not scale. Check all dimensions on site.





1 Existing - L01 - Basement Room Plan 1/8" = 1'-0"

NAME	NUMBER	AREA	PERIMETER	NOTES
OUTDOOR CLOSET	107	19 SF	18' - 4"	(BELOW OR ABOVE OTHER)
COVERED PATIO	108	386 SF	105' - 6"	(BELOW OR ABOVE OTHER)
UPPER WOOD DECK	215	100 SF	42' - 0"	(BELOW OR ABOVE OTHER)
(BELOW OR ABOVE OTHER): 3		506 SF		
EXPOSED PATIO	109	393 SF	162' - 9"	IMPERVIOUS SURFACE
LOWER WOOD DECK	110	159 SF	50' - 3"	IMPERVIOUS SURFACE
STAIRS & CONCRETE TERRACE	111	157 SF	73' - 11"	IMPERVIOUS SURFACE
ENTRY PATIO	216	148 SF	66' - 5"	IMPERVIOUS SURFACE
IMPERVIOUS SURFACE: 4		857 SF		
GRASS TERRACE	112	747 SF	158' - 0"	PURVEOUS SURFACE
PURVEOUS SURFACE: 1	1	747 SF		1
GRAND TOTAL: 8		2109 SF		

## LOT SURFACE COVERAGE

'HOMESITE' LOT AREA: 9,385.47 SF (TRAINGLE ONLY) BUILDABLE 'ENVELOPE' ÁREA: 7,524.97 SF

MAX. UMITIGATED IMPERVIOUS SURFACE AREA: (9,385.47x0.30) = 2,815.5 SF MAX. MITIGATED IMPERVIOUS SURFACE AREA: (9,384.47x0.40) = 3754.1 SF

EXISTING BUILDING FOOTPRINT: 1,775.33 SF (AT SECOND LEVEL) EXISTING IMPERVIOUS SURFACE AREA: 857 SF (OUTSIDE OF BUILDING FOOTPRINT) EXISTING RETAINING WALL SURFACE AREA: 270 SF

## **ROOM SCHEDULE**

NAME	NUMBER	AREA	PERIMETER	NOTES
BASEMENT	101	393 SF	125' - 10"	
STORAGE	102	160 SF	54' - 1"	
MECHANICAL	103	43 SF	29' - 10"	
BATHROOM	104	62 SF	39' - 9"	
CLOSET	105	14 SF	18' - 3"	
CLOSET	106	4 SF	8' - 7"	
L01 - Basement: 6		677 SF		
GREAT ROOM	201	485 SF	94' - 7"	
KITCHEN	202	147 SF	51' - 4"	
BATHROOM	203	47 SF	31' - 0"	
SUNROOM	204	291 SF	79' - 9"	
DINING AREA	205	106 SF	41' - 5"	
LANDING	206	26 SF	21' - 11"	
CLOSET	207	7 SF	10' - 8"	
BEDROOM B	208	Not Enclosed	Not Enclosed	
CLOSET	209	15 SF	17' - 2"	
BEDROOM C	210	126 SF	49' - 2"	
CLOSET	211	15 SF	22' - 5"	
MASTER BEDROOM	212	130 SF	49' - 11"	
MASTER BATHROOM	213	76 SF	37' - 0"	
CLOSET	214	8 SF	11' - 5"	
L02 - Main Floor: 14		1478 SF		
BALCONY / LOFT	301	163 SF	51' - 2"	
1 03 - Upper Floor: 1		163 SF		

L03 - Upper Floor: GRAND TOTAL: 21




architectural designer: Patrick Griffin 2712 N Magnolia Ave, Chicago, IL 60614

structural engineer:

civil engineer:

consultant:




3 Existing - L03 - Balcony Room Plan 1/8" = 1'-0"

163 SF

2319 SF


project name: **Griffin Residence** 7655 Lilly Lake Rd. Burlington, WI 53105 project number: PG-2023-001 seal & signature: status: **Not For Construction** issuance: **Rennovation Drawings V5** sheet number: 7 of 35 sheet revisions: No. Date Description

key plan:




drawn by:	Patrick G
scale:	1/8" = 1'-0"
size:	24 in × 36 in
date:	12/19/2023 12:52:07 PM
Do not scale.	Check all dimensions on site.





 $1 \frac{\text{Proposed - L01 - Basement Room Plan}}{1/8" = 1'-0"}$ 



## EXTERIOR AREA SCHEDULE (RENOVATED)

NAME	NUMBER	AREA	PERIMETER	NOTES
COVERED PATIO	108	386 SF	105' - 6"	(BELOW OR ABOVE OTHER)
UPPER WOOD DECK	215	74 SF	39' - 8"	(BELOW OR ABOVE OTHER)
(BELOW OR ABOVE OTHER): 2		459 SF		
EXPOSED PATIO	109	393 SF	162' - 9"	IMPERVIOUS SURFACE
LOWER WOOD DECK	110	124 SF	45' - 0"	IMPERVIOUS SURFACE
STAIRS & CONCRETE TERRACE	111	157 SF	73' - 11"	IMPERVIOUS SURFACE
ENTRY PATIO	216	148 SF	66' - 5"	IMPERVIOUS SURFACE
IMPERVIOUS SURFACE: 4		822 SF		
GRASS TERRACE	112	747 SF	158' - 0"	PURVEOUS SURFACE
DRIVEWAY	230	314 SF	70' - 8"	PURVEOUS SURFACE
PURVEOUS SURFACE: 2		1061 SF		
GRAND TOTAL: 8		2343 SF		

## LOT SURFACE COVERAGE

'HOMESITE' LOT AREA: 9,385.47 SF (TRAINGLE ONLY) BUILDABLE 'ENVELOPE' AREA: 7,524.97 SF

MAX. UMITIGATED IMPERVIOUS SURFACE AREA: (9,385.47x0.30) = 2,815.5 SF MAX. MITIGATED IMPERVIOUS SURFACE AREA: (9,384.47x0.40) = 3754.1 SF

RENOVATED BUILDING FOOTPRINT: 2371.25 SF (AT SECOND LEVEL) RENOVATED IMPERVIOUS SURFACE AREA: 849 SF (OUTSIDE OF BUILDING FOOTPRINT) EXISTING RETAINING WALL SURFACE AREA: 270 SF

**GRAND TOTAL IMPERVIOUS SURFACES: 3485 SF** 

WATER MITIGATION REQUIREMENT: 670

	l l			
NAME	NUMBER	AREA	PERIMETER	NOTES
BASEMENT	101	476 SF	144' - 9"	
MECHANICAL	103	43 SF	29' - 10"	
BATHROOM	104	62 SF	39' - 9"	
CLOSET	105	14 SF	18' - 3"	
CLOSET	106	4 SF	8' - 7"	
WORK ROOM	121	83 SF	36' - 10"	NEW
STORAGE	122	76 SF	34' - 10"	NEW
L01 - Basement: 7	· · ·	759 SF		
GREAT ROOM	201	486 SF	95' - 0"	
KITCHEN	202	147 SF	51' - 4"	
BATHROOM	203	47 SF	31' - 0"	
SUNROOM	204	291 SF	79' - 9"	
DINING AREA	205	106 SF	41' - 5"	
LANDING	206	26 SF	21' - 11"	
CLOSET	207	7 SF	10' - 8"	
BEDROOM B	208	179 SF	56' - 7"	
UPPER WOOD DECK	215	74 SF	39' - 8"	(BELOW OR ABOVE OTHER)
MASTER BEDROOM	221	205 SF	63' - 2"	NEW
MASTER BATHROOM	222	74 SF	36' - 5"	NEW
CLOSET	223	40 SF	25' - 5"	RENOVATION
FOYER	224	125 SF	49' - 1"	RENOVATION
ATTACHED GARAGE	228	352 SF	75' - 1"	NEW
CLOSET	229	15 SF	16' - 2"	NEW
L02 - Main Floor: 15		2174 SF		
BALCONY / LOFT	301	43 SF	30' - 3"	
BEDROOM E	302	74 SF	34' - 6"	NEW
BEDROOM F	303	73 SF	34' - 5"	NEW
CLOSET E	304	13 SF	19' - 2"	NEW
CLOSET F	305	13 SF	18' - 5"	NEW
L03 - Upper Floor: 5		216 SF		
		0440.05		

LU3 - Upper Floor: 5 GRAND TOTAL: 27

## **ROOM SCHEDULE (RENOVATED)**

3149 SF

<b>Patr</b> 2712	ectural de i <b>ck Gri</b> f 2 N Mag ago, IL	f <b>fin</b> gnolia	Ave,		
struct	ural engir	neer:			
civil e	ngineer:				
consu	ltant:				
	t name:	idono	•		
Griff 7655 Burlir projec	t name: <b>in Res</b> Lilly Lal ngton, W t number 2023-00	ke Rd. /I 5310			
Griff 7655 Burlir projec PG-2	in Res Lilly Lal ngton, W t number	ke Rd. /I 5310 9 <b>1</b>			
Griff 7655 Burlir projec PG-2	in Res Lilly Lal Igton, W t number 2023-00	ke Rd. /I 5310 9 <b>1</b>		**************************************	
Griff 7655 Burlir projec PG-2	in Res Lilly Lal Igton, W t number 2023-00	ke Rd. /I 5310 9 <b>1</b>			
Griff 7655 Burlir projec PG-2	in Res Lilly Lal Igton, W t number 2023-00	ke Rd. /I 5310 9 <b>1</b>			
Griff 7655 Burlir projec PG-2	in Res Lilly Lal Igton, W t number 2023-00	ke Rd. /I 5310 : <b>)1</b> e:	)5		
Griff 7655 Burlir projec PG-2 seal 8	in Res Lilly Lal Ington, W t number 2023-00 signatur	ke Rd. /I 5310 : <b>)1</b> e:	)5		
Griff 7655 Burlir projec PG-2 seal 8 seal 8	in Res Lilly Lal Ington, W t number 2023-00 signatur signatur : For Co nce:	ke Rd. /I 5310 : <b>D1</b> e: nstru	)5 ction		
Griff 7655 Burlir projec PG-2 seal 8 status Not issuar Reni	in Res Lilly Lal Ington, W t number 2023-00 signatur signatur : For Conce: novation number:	ke Rd. /I 5310 : <b>D1</b> e: nstru	)5 ction		
Griff 7655 Burlir projec PG-2 seal 8 status Not issuar Ren sheet 8 of 3 sheet	in Res Lilly Lal Ington, W t number 2023-00 signatur signatur : For Conce: novation number:	ke Rd. /  5310 : 01 e: nstru on Dra	otion	ıs V5	
Griff 7655 Burlir projec PG-2 seal 8 status Not issuar Ren sheet 8 of 3 sheet	in Res Lilly Lal Ington, W t number 2023-00 signatur signatur For Conce: novation number: 5 revisions	ke Rd. /  5310 : 01 e: nstru on Dra	otion	ıs V5	
Griff 7655 Burlir projec PG-2 seal 8 status Not issuar Ren sheet 8 of 3 sheet	in Res Lilly Lal Ington, W t number 2023-00 signatur signatur For Conce: novation number: 5 revisions	ke Rd. /  5310 : 01 e: nstru on Dra	otion	ıs V5	
Griff 7655 Burlir projec PG-2 seal 8 status Not issuar Ren sheet 8 of 3 sheet	in Res Lilly Lal Ington, W t number 2023-00 signatur signatur For Conce: novation number: 5 revisions	ke Rd. /  5310 : 01 e: nstru on Dra	otion	ıs V5	
Griff 7655 Burlir projec PG-2 seal 8 status Not issuar Ren sheet 8 of 3 sheet	in Res Lilly Lal Ington, W t number 2023-00 signatur signatur For Conce: novation number: 5 revisions	ke Rd. /  5310 : 01 e: nstru on Dra	otion	ıs V5	

### sheet title: **Rennovated Area** Calculations

drawn by:	Patrick G
scale:	1/8" = 1'-0"
size:	24 in × 36 in
date:	12/19/2023 12:52:09 PM
Do not scale.	Check all dimensions on site.



### ATTACH TO-SCALE SET OF CONSTRUCTION DRAWINGS

### **BOARD OF ADJUSTMENTS SCHEDULE FOR 2023 PUBLIC HEARINGS**

Third Thursday of each month at 6:00 p.m. Kenosha County Center, 19600 75th Street, Bristol, Wisconsin Conference Room A (unless published otherwise)

This schedule includes all areas under general zoning regulations in the following townships: BRIGHTON, PARIS, RANDALL, SOMERS, WHEATLAND

### HEARING DATES

JANUARY 19	Filing Date: Published:	December 19 Jan. 4 & Jan. 11	<u>JULY 20</u>	Filing Date: Published:	June 20 July 5 & July 12
FEBRUARY 16	Filing Date: Published	January 16 Feb. 1 & Feb. 8	AUGUST 17	Filing Date: Published:	July 17 Aug. 2 & Aug. 9
MARCH 16	Filing Date: Published:	February 16 March 1 & March 8	<u>SEPTEMBER 21</u>	Filing Date: Published:	August 21 Sept. 6 & Sept. 13
<u>APRIL 20</u>	Filing Date: Published:	March 20 April 5 & April 12	OCTOBER 19	Filing Date: Published:	September 19 Oct. 4 & Oct. 11
<u>MAY 18</u>	Filing Date: Published:	April 18 May 3 & May 10	NOVEMBER 16	Filing Date: Published:	October 16 Nov. 1 & Nov. 8
<u>JUNE 15</u>	Filing Date: Published:	May 15 May 31 & June 7	DECEMBER 21	Filing Date: Published:	November 21 Dec. 6 & Dec. 13

CHAPTER 12, KENOSHA COUNTY GENERAL ZONING AND SHORELAND/FLOODPLAIN ZONING ORDINANCE STATES:

12.06-4 LEGAL NOTICE REQUIREMENTS AND TIME LIMITS: Any petition or other matter requiring the publication of a legal notice must be submitted at least one month prior to the requested hearing date as scheduled by the Planning, Development & Extension Education Committee or Board of Adjustments. For purposes on this section, "one month prior to the requested hearing date" shall be defined to mean not later than 4:30 p.m. on the same calendar date of the month preceding the scheduled hearing, or the last day county offices are open prior to the aforementioned deadline. For purposes of the Open Meetings Law, the Planning and Development Administrator shall be delegated the responsibility of informing the county clerk of both scheduled open and closed meetings so that proper notices may be given.



### VARIANCE PROCEDURES BEFORE THE BOARD OF ADJUSTMENTS

□ 1. Contact the Department of Planning & Development and schedule a pre-application meeting. Bring the following for your pre-application meeting:

**D** Completed variance application.

- □ If you are in the process of purchasing the property and have yet to close, you need to provide a signed letter of agent status signed by the current property owner authorizing you to apply for the variance on their behalf.
- A to-scale survey of the property with the following information provided.
  - Size and location of all existing structures on the property and their distances from property lines (any street yard setback should be taken from the edge of the road right of way), environmental features such as an ordinary high water mark (lake or stream) or wetland, and any onsite septic tank and associated septic field (if applicable).
  - Location and dimensions of the proposed structure(s) and their resulting setback distances from property lines (any street yard setback should be taken from the edge of the road right of way), environmental features such as an ordinary high water mark (lake or stream) or wetland, and any onsite septic tank and associated septic field (if applicable).
- Construction plans
- A filing fee of \$550 (non-refundable) is required at the time of application submittal time to cover the costs agenda preparation, public hearing notification, site visits, etc....
- Submit the above information by the filing deadline (see Board of Adjustment Schedule handout) with the Department of Planning and Development. Once Planning & Development staff have confirmed the application is substantially completed, Planning & Development will provide you with a date-stamped copy of your variance application.
- **5.** Submit a copy of your date-stamped variance application to your local Township for placement on the agenda of the Town Planning Commission and/or the Town Board.
- G. Your first meeting will be with the Town Planning Commission, except for the Town of Wheatland. The Town of Somers has a Board of Appeals.

**NOTE:** You must attend, or the Commission/Board will not be able to act on your request.

**7.** Your second meeting will be with the Town Board.

**NOTE:** You must attend, or the Board will not be able to act on your request.

**8.** Your third meeting will be with the County Board of Adjustments.

**NOTE:** You must attend, or the Board of Adjustments will not be able to act on your request. At this meeting you will be asked to brief the Board on your request for a variance and state your reasons for hardship (see Public Hearing Variance Standards handout).

9. If the Board of Adjustments grants your variance request you may obtain your zoning permit from the Office of Planning and Development. The permit will be issued if all requirements from this office have been addressed, including sanitation and if you are the current owner of the property.

**Expiration**: Variances granted by the Board that require issuance of a zoning permit shall expire within one year of approval unless the zoning permit is issued. Zoning permits issued in accordance with Board of Adjustments approval are valid for 18 months and may not be renewed without Board of Adjustment approval. Variances are approved for specific sizes and dimensions. No additions shall be approved which affect the area for which the variance was granted unless approved by the Board of Adjustments.

No zoning permits issued for work approved by a variance shall be renewed unless "substantial construction" – the value of such work that has commenced equivalent to 25% of the projected cost of the project as noted on the application for the zoning permit, has commenced.

**Appeals**: Any person or persons jointly or severally, aggrieved by any decision of the Board of Adjustment, or any taxpayer, or any officer, department, board or bureau of the municipality, may present to a court of record a petition, duly verified, setting forth that such decision is illegal, in whole or in part, specifying the ground of illegality. Such petition shall be presented to the court within thirty days after the filing of the decision in the office of the Board.

Any work the property owner commences with the window for appeal is at their own risk.

**10.** If the Board of Adjustments denies your variance you have thirty (30) days to file an appeal with circuit court if you so choose.

### VARIANCE PROCEDURES & PUBLIC HEARING VARIANCE STANDARDS

### **IMPORTANT TELEPHONE NUMBERS**

Kenosha County Center	
Department of Planning & Development	
19600 - 75 <sup>th</sup> Street, Post Office Box 520	
Bristol, Wisconsin 53104-0520	
Division of County Development (including Sanitation & Land Conservation)	857-1895
Facsimile #	357-1920
Public Works Division of Highways	357-1870
Administration Building	
Division of Land Information	653-2622
Brighton, Town of	378-2218
Paris, Town of	359-3006
Randall, Town of	377-2165
Somers Town of	359-2822
Wheatland, Town of	537-4340
Wisconsin Department of Natural Resources - Sturtevant Office	384-2300
Wisconsin Department of Transportation - Waukesha Office	548-8722

### PUBLIC HEARING VARIANCE STANDARDS

YOUR PUBLIC HEARING WILL BE BASED ON THE FOLLOWING STANDARDS FROM THE KENOSHA COUNTY GENERAL ZONING AND SHORELAND/FLOODPLAIN ZONING ORDINANCE.

### CHAPTER 12.36-1 INTENT

It is the intent of this section of the Ordinance to recognize that under certain conditions and circumstances, it may be necessary to obtain a variance from the terms of this Ordinance so long as said variance will not be contrary to the public interest, and where, owing to special conditions, a literal enforcement of the provisions of the Ordinance will result in unnecessary hardship or practical difficulties and where the granting of such variance will uphold the spirit of this Ordinance and contribute to the justice of the particular case in question. Any variance granted under the terms of this ordinance shall, however, relate only to area requirements and not to use. Furthermore, it is the intent of this section to establish a Board of Adjustments for the purpose of reviewing applications for variances as well as reviewing orders and decisions made by the Office of Planning and Development.

### CHAPTER 12.36-13 STANDARDS AND GUIDELINES

- In determining whether a variance is to be granted, the following standards and guidelines must be met in view of the evidence presented and in making its decision, these standards and guidelines shall be addressed by the board of adjustment:
  - 1. The existence of special conditions or exceptional circumstances on the land in question.
  - 2. The experiencing of unnecessary hardships or practical difficulties on the land in question either presently or in the future.
  - 3. That these hardships or difficulties are the result of the aforementioned special conditions existing on the land and are not self-inflicted.
  - 4. That the existence of these special conditions will restrict the use of the land if the Ordinance is applied literally so as to render the land useless.
  - 5. That the limitation on the use of the land does not apply generally to other properties in the district.
  - 6. That limiting the use of the property does not afford compensating gains to the public health, safety and welfare.
  - 7. That the variance(s) requested are the minimum variance(s) needed to alleviate difficulties or hardships.
  - 8. That the use of the parcel in question presently does conform to the ordinance.

- 9. That granting the variance applied for will not affect the public health, safety, morals and welfare of the community and other properties in the area.
- 10. That with respect to those areas located within the floodland districts, a variance would not permit a change in the boundaries of the FPO Floodplain Overlay District; would not permit a lower degree of flood protection in the floodland districts than the floodplain elevation; would not allow any residential, commercial, institutional, or park basement or crawlway to be located below the 100-year recurrence interval flood elevation; would not allow a change or alteration of an historic structure, including its use, which would result in the structure losing its designation as an historic structure; further, that the variance for the proposed action would not require an amendment to the floodplain zoning ordinance; and furthermore, that the variance would not have the effect of granting or increasing a use property which is prohibited in the floodland districts or any action contrary to the provisions of Chapter NR 116 of the Wisconsin Administrative Code.
- 11. In addition to the criteria in subd. (10) above to qualify for a variance under FEMA regulations, the following criteria must be met:
  - a. The variance shall not cause any increase in the regional flood elevation;
  - b. Variances can only be granted for lots that are less than one-half acre and are contiguous to existing structures constructed below the RFE; and
  - c. Variances shall only be granted upon a showing of good and sufficient cause, shall be the minimum relief necessary, shall not cause increased risks to public safety or nuisances, shall not increase costs for rescue and relief efforts and shall not be contrary to the purpose of the ordinance.
- □ Variances may be granted for example for reasons of topography, environmental protection or where permitted by state statute but in no event may a variance be granted where the primary reason for obtaining a variance is to obtain a more profitable use of the property, personal inconvenience, construction errors, economic reasons, self-created hardships, or where the property is presently a non-conforming use. Furthermore, variances may not be granted for the purpose of altering the sanitary requirements of this ordinance except for existing structures.
- The Board of Adjustments in considering the propriety of granting a variance shall not consider the number of persons for or against the granting of a variance but shall base their decision solely upon the equities of the situation involved.
- □ Variances may be granted in the form of an area or distance variance, however, use variances shall be specifically prohibited under this Ordinance.
- ☑ When a floodplain variance is granted the Board shall notify the applicant in writing that it may increase risks to life and property and flood insurance premiums could increase up to \$25.00 per \$100.00 of coverage. A copy shall be maintained with the variance record.

A variance within any floodland district shall not:

- 1. Damage the rights or property values of other persons in the area;
- 2. Allow actions without the amendments to this ordinance or map(s) required in 12.60.040 Amendments; and
- 3. Allow any alteration of an historic structure, including its use, which would preclude its continued designation as an historic structure.

### **Statutory Standards**

- □ The applicant for a variance must clearly show the Board of Adjustments that three statutory standards that govern granting a variance will be met. These three standards require the existence of an unnecessary hardship, the presence of a unique property limitation, and the protection of the public interest.
- Unnecessary Hardship
  - A situation where, in the absence of a variance, an owner can make no feasible use of a property, or strict conformity is unnecessarily burdensome.
  - The hardship or difficulty must be peculiar to the zoning parcel in question and different from that of other parcels, not one which affects all parcels similarly.
- **U** Unique Property Limitation
  - Unique physical characteristics of the property must prevent the applicant from developing in compliance with the zoning ordinance.
- **D** Protection of the Public Interest
  - Granting of a variance must neither harm the public interest nor undermine the purposes of the ordinance. The public interest includes the interests of the public at large, not just that of nearby property owners.
  - Conditions may be attached to a variance to protect adjoining properties and to preserve the essential character of the neighborhood.
  - A variance should include only the minimum relief necessary to allow reasonable use of a property.

## **VARIANCE WORKSHEET**

YOUR THREE STATUTORY STANDARDS TO PROVE BEFORE THE BOARD OF ADJUSTMENTS. (BE READY TO DISCUSS AT THE MEETING)

### **UNNECESSARY HARDSHIP -**

The current property has no parking. As the primary structure is located, there is no space for a car between the house and the street. Given the current zoning, there is no conceivable way for an addition to be constructed that is in compliance with the municipal code as it is written; largely due to the shape and size of the property, which the code does not seem designed for.

Parking for an owner's vehicle is a permitted use for a residential property, and there is no way to achieve this within the current code. We believe this constitutes a hardship.

Additionally, there is a provision in the Shoreland Regulations for a lateral expansion to the structure; in order to achieve this, the side-yard setback requires a variance (reduction) to allow for the lateral expansion to occur.

This lateral expansion is to address concerns with a trench footing on the south side of the house, and allow for an expansion to the bedroom so it is accessible for those with access impairments.

### **UNIQUE PROPERTY LIMITATION -**

The shape of the property, size of the property, and the property's relationship to the road are very unique; which make compliance with setbacks that have been established since the primary structure was constructed in 1936 impossible.

The existing structure is within 2' of the street; a street which is excessively wide for the traffic it bares. Moreover, not all of the width of the street is plowed in the winter, frequently burrying cars and access to the house from residents.

We do not believe modifying this 2' setback to 0' will have any impact on the neighborhood, and instead will infact improve the use of the road and ability for pedestrians around the lake to stay away from cars.

Additionally, the combined slope of the site and street in the winter time is dangerous with snow and ice for walking. (Increasingly so as the owners age.)

### PROTECTION OF THE PUBLIC INTEREST -

All 'compliant' alternatives for a 900SF addition require a modification to three aspects of the site's zoning per Chapter 12, Section 32.040 of Kenosha's Municipal Code.

(G1) Street Setback: The current structure is within 2FT of the road, an addition will reduce this to 0FT.
(G2) Shore Setback: The current structure is within 75FT of the water, an addition will maintain this dist.
(G3) Sideyard Setback: The current structure adheres to the 10FT sideyard setback, we propose reducing this to 5' to allow space to create the addition.

12.09.100(b)2: The current site must maintain existing retaining walls, patio, & secondary structures; this is essential to protecting the dwelling from erosion and maintaining current drainage strategies - which includes dispering rain water from the patio into the hill, rather than allowing it to flow into the lake.

The effect on Drainage and Visual Impact would be marginal. Given that this is a private residence, there is very (if any) public interest in the land or project.

#### **KENOSHA COUNTY BOARD OF ADJUSTMENTS**



## VARIANCE SITE MAP


PETITIONER(S): Sally J. Griffin Rev. Trust (Owner) Robert C. Griffin (Agent)

LOCATION: NE 1/4 of Section 11 Town of Wheatland

#### TAX PARCEL(S):95-4-119-111-3140

#### **REQUEST:**

Requesting a variance (Section V. B. 12.28-7: Non-conforming structures which encroach upon the yard requirements of this ordinance, but which met yard requirements of the applicable zoning ordinance at the time of construction, may be structurally enlarged or expanded if the existing structure is located at a minimum of at least fifty (50) percent of the minimum setback requirement of all yard setback requirements and further provided that the alteration does not create a greater degree of encroachment on yard, height, parking, loading, or access requirements, Section IV. C. 12.21-4(g)3: that there shall be a side yard of not less than 10 feet in width on each side of all structures construct a residential addition to be located 0 feet from the right-of-way of Lily Lake Rd. and to be located 5 feet from the side (south) property line and to allow the existing appx. 200 sq. ft. of deck, appx. 275 sq. ft. of patio and retaining walls within the 75-foot shoreyard to remain





1 INCH = 80 FEET Griffin Rev. Trust Variance.mxd



RECEIVED JAN - 4 2024

Kenosha County Planning and Development

# COUN

**COUNTY OF KENOSHA** 

## Department of Planning and Development

# VARIANCE APPLICATION

Owner: Francesco M. & Natalie C. Rovella

Mailing Address: 16700 7th Street

Union Grove WI 53182

Phone Number(s): 262-818-1618

## To the Kenosha County Board of Adjustment:

Please take notice that the undersigned was refused a Zoning Permit by the Kenosha County Department of Planning and Development for lands described below for the reason that the application failed to comply with the Kenosha County General Zoning and Shoreland/Floodplain Zoning Ordinance. The owner or assigned agent herewith appeals said refusal and seeks a variance.

Parcel Number: 45-4-221-033-0200	Zoning District: A-1		
Property Address: 16700 7th St	Shoreland: No		
Subdivision:	Lot(s): -	Block: -	

Current Use: 1948-built single-family residence w/ multiple outbuildings

Proposal: To construct a residential addition onto the existing

single-family residence.

	REQUIRED BY ORDINANCE	VARIANCE REQUESTED
Section: V. B. 12.28-7	<ul> <li>Non-conforming structures which encroach upon the yard requirements of this ordinance, but which met yard requirements of the applicable zoning ordinance at the time of construction, may be</li> </ul>	Required structural setback from CTH right-of- way is 65 feet. Existing non-conforming structure
Section:	<ul> <li>structurally enlarged or expanded if the existing</li> <li>structure is located at a minimum of at least fifty</li> <li>(50) percent of the minimum setback requirement</li> </ul>	(residence) is 63.12 feet from right-of-way. Petitioner is proposing an
Section:	of all yard setback requirements and further provided that the alteration does not create a greater degree of encroachment on yard, height, parking, loading, or access requirements.	addition to structure that will make new highway setback <u>57</u> feet.

An Area Variance is authorization by the Kenosha County Board of Adjustments to vary one or more of the dimensional or physical requirements of the applicable zoning law, code or ordinance in connection with some proposed construction.

The burden will be on you as property owner to provide information upon which the board may base its decision. At the hearing, any party may appear in person or may be represented by an agent or attorney. You or your agent must convince the zoning board to make a ruling in your favor. The board must make its decision based only on the evidence submitted to it at the time of the hearing. Unless you or your agent is present, the board may not have sufficient evidence to rule in your favor and must then deny your application.

- (1) Describe alternatives to your proposal such as other locations, designs and construction techniques. Attach a site map showing alternatives you considered in each category below:
  - (A) Alternatives you considered that comply with existing standards. If you find such an alternative, you can move forward with this option with a regular permit. If you reject compliant alternatives, provide the reasons you rejected them.

WE ARE RESECTING ACTERNATIVES THAT COULD COMPLY WIEXISTING STANDARDS, DUE TO THE EXISTING HOME BEING NON-COMPLIANT SINCE CURRENT CODES HAVE BEEN POT IN PLACE. HOME IS BELIEVED TO HAVE BEEN BULLT IN 1948 AND HAS NOT CAUSED ANY ISSUES OR HARM TO THE COMMUNITY OR PLANNING IN THE AREA. (B) Alternatives you considered that require a lesser variance. If you reject such alternatives, provide the reasons you rejected them. WE RESECT ANY LESSER VARIANCE, BECAUSE THE VAST-

MAJORITY OF PROPOSED PROJECT IS BEYOND THE ORDINANCE SETBACK AND DESIRE TO KEEP THE FRONT ENTRY/ENT ON THE FRONT OF HOME.

(2) Will there be an unnecessary hardship to the property owner to strictly comply with the ordinance?

Unnecessary hardship exists when compliance would unreasonably prevent the owner from using the property for a permitted purpose (leaving the property owner without any use that is permitted for the property) or would render conformity with such restrictions unnecessarily burdensome.

An applicant may not claim unnecessary hardship because of conditions which are self-imposed or created by a prior owner (for example, excavating a pond on a vacant lot and then arguing that there is no suitable location for a home <u>or</u> claiming that they need more outbuilding space than that permitted to store personal belongings). Courts have also determined that economic or financial hardship does not justify a variance. When determining whether unnecessary hardship exists, the property as a whole is considered rather than a portion of the parcel. The property owner bears the burden of proving unnecessary hardship.

VARIANCE APPLICATION

WE BELIEUR IT UNREASONABLE SKICTLY BE VV. NOULD BECAUSE ST WOOLD REFUIRE COMPLY WITH THE ORDINANCE EXISTING HOME AND FOUNDATION FURTURER THE MOVEMENT OF PROPERTY LINE. NORTH TO THE OF

(3) Do unique physical characteristics of your property prevent compliance with the ordinance? If yes, please explain.

Unique physical limitations of the property such as steep slopes or wetlands that are not generally shared by other properties must prevent compliance with the ordinance requirements. The circumstances of an applicant (growing family, need for a larger garage, etc.) are not a factor in deciding variances. Nearby ordinance violations, prior variances or lack of objections from neighbors do not provide a basis for granting a variance.

THERE ARE NO UNIQUE PHYSICAL CHARACTERISTICS OF THIS PROPERTY OTHER THAN THE EXISTING HOME IS CURRENTLY NOT IN CONPURNCE.

(4) What would be the effect on this property, the community or neighborhood and the public interest if the variance was granted? How can these impacts be mitigated.

These interests are listed as objectives in the purpose statement of an ordinance and may include: drainage, visual impact, and fire safety and building code requirements.

THE EFFECT TO THE COMMUNITY, NEIGHBORHOOD, AND DENERAL PUBLIC INTEREST WOULD ONLY BE TO CONTINUE AND ENHANCE TYPICAL ARCHITECTURE OF AREA HOMES WITH COVERED FRONT PORCHAS AND FLEASING AESTHETICS. THE UARIANCE REQUESTED WOULD STILL MAINTAIN 87% OF THE MINIMUM SETBACK.

The undersigned hereby attests that the above stated information is true and accurate and further gives permission to Planning & Development staff and Board of Adjustment members to view the premises, in relation to the Appeal request made herein, during reasonable daylight hours.

Owners Signature:	un	
Agent: <u> </u>	Signature: _	N/A.
Agents Address: (041364) 3535 1371		
Phone Number(s): <u> </u>	<u></u>	



# **COUNTY OF KENOSHA**

Department of Planning & Development

19600 75<sup>th</sup> Street, Suite 185-3 Bristol, WI 53104-9772 Phone: (262) 857-1895 Fax: (262) 857-1920

## ZONING PERMIT APPLICATION

\* If you would rather apply for your zoning permit online, pay fees online and obtain issued permit documentation online without having to travel to and from this office to submit hardcopy documentation and physical payment, you can do so by visiting the Planning & Development Online Portal at the web address shown below, clicking on "Setup an Account" and creating a new public user account. Once your account is created you can login in under said credentials and apply for your zoning permit. If you submit via the portal, you do not need to complete/submit this application.

https://permitting.kenoshacounty.org/eTrakit/.

1. What is the Property Address (must include house number) or Tax Key Parcel Number?

45-4-221-033-0200

- 2. Who <u>owns</u> the subject property (property owner)?
  Property Owner Name: Francesco M. & Natalie C. Rovella
  Property Owner Mailing Address: Union Grove WI 53182
  Property Owner Phone Number: 262. 818. 1618
  Property Owner Email Address: Frankie Covella C GNAL. Con
- 3. Who is applying for and will be signing for this permit (applicant)? Applicant Name: FRANCESCO ROVELLA Applicant Mailing Address: 3535 1392 KENOSUN WI 53144 Applicant Phone Number: 262.818.1618 Applicant Email Address: Frankierovellae BMAIC.COM
- 4. Who is constructing the proposed structures (contractor)? Contractor Name: Francesco Rovella Contractor Mailing Address: 3535 13 Pt K. W 53144 Contractor Phone Number: 262. 818. [618 Contractor Email Address: Frankie Fovella C. GMAL. COM
- 5. What is it you are proposing to construct? You can apply for up to four separate structures on this permit application.

STRUCTURE DESCRIPTION	TYPE OF CONSTRUCTION	SIZE (FENCE) (L' @ H')	SIZE (BLDG.) (L' x W')	AREA (sq. feet)	HEIGHT (feet)	# OF STORIES
Residential Building Addition						

6. If you are proposing to construct a principal building such as a new residence or new commercial/industrial building, an addition thereto, or a detached accessory building greater than 150 sq. ft. in area, it is required that a <u>professional surveyor</u> be hired to complete a foundation survey of the property after the foundation is installed for the permitted building and submit said survey document to this office in order to prove that the proposed building has been constructed in the correct location and meets setback requirements.

This section is not applicable for sheds equal to or less than 150 sq. ft. in area or other accessory structures such as decks, fences and pools.

I anticipate that a foundation survey will be submitted to this office no later than \_\_\_\_

N/A.

(insert date).

We understand this deadline needs to be flexible due to reasons such as weather, construction delays, etc., however a due date later than 18 months from the date of permit issuance will not be accepted. If a foundation survey is not received by the anticipated due date, the property owner will receive an automated letter notifying them of past due status. If a mutually agreed revised due date is not set, and a foundation survey is not submitted, violation and enforcement will proceed.

Does your project involve the placement of any fill material on the subject property such as dirt, gravel, landscape timbers, rock, shoreline protection material, etc...?

If so, what type of material and how much?

- 8. If your property is served by a private onsite wastewater treatment system (POWTS) note that pursuant to Comm 83.25(2)(c), Wisconsin Administrative Code a County shall not issue a zoning permit for the addition to a structure that will modify the design wastewater flow or contaminant load or both to an existing (POWTS) unless the owner of the property:
  - 1. Possess a sanitary permit to either modify the existing POWTS or construct a POWTS to accommodate the modification in wastewater flow or contaminant load or both: or
  - Provides documentation to verify that the existing POWTS is sufficient to accommodate the modification in wastewater flow or contaminant load or both.
  - For the purpose of this ordinance, a modification in wastewater flow or contaminant load or both shall be defined as:
    - a. Commercial Facilities, public building and places of employment when there is a proposed change in occupancy of the structure; or the proposed modification affects either type or number of plumbing appliances, fixtures or devices discharging to the system.
    - b. Dwellings that have an increase or decrease in the number of bedrooms and/or additions, interior modifications, renovations or remodeling or any combination thereof that enlarges or impacts a dwelling's building area and/or floor area by 25% or greater. For purposes of this ordinance and this provision only, a modification in wastewater flow or contaminant load or both may result in; a change in roofline, the conversion of storage area to building area or floor area, re-wiring, re-insulating, re-constructing a foundation, enclosing open porches, decks or patios, replacing drywall, plaster or paneling, removal or construction of interior walls. A modification in wastewater flow or contaminant load or both does not result in the construction of open decks, patios or porches, garages, re-roofing, painting, wiring, re-siding, window replacement or the replacement of equipment or appliances.

If you have questions regarding this requirement, please contact the County Sanitarian at this office at 262-857-1910.


A bedroom is defined as a room used to sleep in, containing a closet for storage of clothing and a doorway with a door for privacy.


- If your project requires improvements or alterations (such as the installation of a driveway apron) within a state highway right-ofway, then you must contact the <u>Wisconsin Department of Transpiration</u> (WISDOT) regarding allowances and permitting requirements for said improvements.
- 10. If your project requires improvements or alterations (such as the installation of a driveway apron) within a county trunk highway right-of-way, then you must contact the <u>Kenosha County Division of Highways</u> regarding allowances and permitting requirements for said improvements.
- 11. If your project requires improvements or alterations (such as the installation of a driveway apron) within a local town/village/city road right-of-way, then you must contact the <u>local municipality</u> regarding allowances and permitting requirements for said improvements.

IF ISSUED, THIS ZONING PERMIT IS ISSUED SUBJECT TO:

- 1. ANY FEDERAL, STATE OR LOCAL RESTRICTIONS AND/OR DEED RESTRICTIONS.
- 2. EACH APPLICANT FOR A ZONING PERMIT IS CHARGED WITH KNOWLEDGE OF THE MUNICIPAL ZONING ORDINANCE. COPIES OF THE TEXT OF THIS OR PORTIONS THEREOF AND COPIES OF THE OFFICIAL ZONING MAPS ARE AVAILABLE FOR SALE, COPYING OR INSPECTION UPON REQUEST. ANY STATEMENT MADE, SITE PLAN SUBMITTED, ASSURANCE GIVEN OR PERMIT ERRONEOUSLY ISSUED CONTRARY TO THIS ORDINANCE IS NULL AND VOID.
- 3. THIS PERMIT SHALL EXPIRE EIGHTEEN (18) MONTHS FROM DATE OF ISSUANCE.
- 4. ANY ADDITIONAL CONDITIONS WRITTEN BY THE ZONING ADMINISTRATOR ISSUING THE ZONING PERMIT.

NOTICE: YOU ARE RESPONSIBLE FOR COMPLYING WITH STATE AND FEDERAL LAWS CONCERNING CONSTRUCTION NEAR OR ON WETLANDS, LAKES, AND STREAMS. WETLANDS THAT ARE NOT ASSOCIATED WITH OPEN WATER CAN BE DIFFICULT TO IDENTIFY. FAILURE TO COMPLY MAY RESULT IN REMOVAL OR MODIFICATION OF CONSTRUCTION THAT VIOLATES THE LAW OR OTHER PENALTIES OR COSTS. FOR MORE INFORMATION, VISIT THE DEPARTMENT OF NATURAL RESOURCES WETLANDS IDENTIFICATION WEB PAGE http://dnr.wi.gov/topic/wetlands/locating.html OR CONTACT A DEPARTMENT OF NATURAL RESOURCES SERVICE CENTER (262) 884-2300.





Proposed building addition field staked. Contractor to verify all dimensions before building by same. Refer to a current title report for easements or restrictions which may affect this site.

J.K.R. SURVEYING, INC. 8121 22ND AVENUE KENOSHA, WI 53143 I hereby this prosurveyed direction plat is presente S-2141 KENOSHA WI Reg. Lan fanuary

I hereby certify that this property was surveyed under my direction and this plat is a true representation thereof. Reg. Land Surveyor January 2, 2024 Plat of Survey of


PREMISES KNOWN AS TAX KEY NO:

45-4-221-033-0200


in SW1/4 Section 3-2-21


TOWN OF PARIS KENOSHA COUNTY, WIS.


> -for-Frankie Rovella














## **BOARD OF ADJUSTMENTS SCHEDULE FOR 2024 PUBLIC HEARINGS**

Third Thursday of each month at 6:00 p.m. Kenosha County Center, 19600 75th Street, Bristol, Wisconsin Conference Room A (unless published otherwise)

This schedule includes all areas under general zoning regulations in the following townships: BRIGHTON, PARIS, RANDALL, SOMERS, WHEATLAND

#### HEARING DATES

JANUARY 18	Filing Date: Published:	December 18 Jan. 3 & Jan. 10	JULY 18	Filing Date: Published:	June 18 July 3 & July 10
FEBRUARY 15	Filing Date: Published	January 15 Jan. 31 & Feb. 7	AUGUST 15	Filing Date: Published:	July 15 July 31 & Aug. 7
MARCH 21	Filing Date: Published:	February 21 Feb. 28 & March 6	<u>SEPTEMBER 19</u>	Filing Date: Published:	August 19 Sept. 4 & Sept. 11
<u>APRIL 18</u>	Filing Date: Published:	March 18 April 3 & April 10	OCTOBER 17	Filing Date: Published:	September 17 Oct. 2 & Oct. 9
<u>MAY 16</u>	Filing Date: Published:	April 16 May 1 & May 8	NOVEMBER 21	Filing Date: Published:	October 21 Nov. 6 & Nov. 13
<u>JUNE 20</u>	Filing Date: Published:	May 20 June 5 & June 12	DECEMBER 19	Filing Date: Published:	November 19 Dec. 4 & Dec. 11

CHAPTER 12, KENOSHA COUNTY GENERAL ZONING AND SHORELAND/FLOODPLAIN ZONING ORDINANCE STATES:

12.06-4 LEGAL NOTICE REQUIREMENTS AND TIME LIMITS: Any petition or other matter requiring the publication of a legal notice must be submitted at least one month prior to the requested hearing date as scheduled by the Planning, Development & Extension Education Committee or Board of Adjustments. For purposes on this section, "one month prior to the requested hearing date" shall be defined to mean not later than 4:30 p.m. on the same calendar date of the month preceding the scheduled hearing, or the last day county offices are open prior to the aforementioned deadline. For purposes of the Open Meetings Law, the Planning and Development Administrator shall be delegated the responsibility of informing the county clerk of both scheduled open and closed meetings so that proper notices may be given.



## VARIANCE PROCEDURES BEFORE THE BOARD OF ADJUSTMENTS

- □ 1. Contact the Department of Planning & Development and schedule a pre-application meeting. Bring the following for your pre-application meeting:
  - **D** Completed variance application.
  - □ If you are in the process of purchasing the property and have yet to close, you need to provide a signed letter of agent status signed by the current property owner authorizing you to apply for the variance on their behalf.
  - □ A to-scale survey of the property with the following information provided.
    - Size and location of all existing structures on the property and their distances from property lines (any street yard setback should be taken from the edge of the road right of way), environmental features such as an ordinary high water mark (lake or stream) or wetland, and any onsite septic tank and associated septic field (if applicable).
    - □ Location and dimensions of the proposed structure(s) and their resulting setback distances from property lines (any street yard setback should be taken from the edge of the road right of way), environmental features such as an ordinary high water mark (lake or stream) or wetland, and any onsite septic tank and associated septic field (if applicable).
  - **Construction plans**
  - □ A filing fee of \$550 (non-refundable) is required at the time of application submittal time to cover the costs agenda preparation, public hearing notification, site visits, etc....
- □ 4. Submit the above information by the filing deadline (see Board of Adjustment Schedule handout) with the Department of Planning and Development. Once Planning & Development staff have confirmed the application is substantially completed, Planning & Development will provide you with a date-stamped copy of your variance application.
- **5.** Submit a copy of your date-stamped variance application to your local Township for placement on the agenda of the Town Planning Commission and/or the Town Board.
- □ 6. Your first meeting will be with the Town Planning Commission, except for the Town of Wheatland. The Town of Somers has a Board of Appeals.

# VARIANCE PROCEDURES & PUBLIC HEARING VARIANCE STANDARDS

**NOTE:** You must attend, or the Commission/Board will not be able to act on your request.

**7.** Your second meeting will be with the Town Board.

**NOTE:** You must attend, or the Board will not be able to act on your request.

**8.** Your third meeting will be with the County Board of Adjustments.

**NOTE:** You must attend, or the Board of Adjustments will not be able to act on your request. At this meeting you will be asked to brief the Board on your request for a variance and state your reasons for hardship (see Public Hearing Variance Standards handout).

**9.** If the Board of Adjustments grants your variance request you may obtain your zoning permit from the Office of Planning and Development. The permit will be issued if all requirements from this office have been addressed, including sanitation and if you are the current owner of the property.

**Expiration**: Variances granted by the Board that require issuance of a zoning permit shall expire within one year of approval unless the zoning permit is issued. Zoning permits issued in accordance with Board of Adjustments approval are valid for 18 months and may not be renewed without Board of Adjustment approval. Variances are approved for specific sizes and dimensions. No additions shall be approved which affect the area for which the variance was granted unless approved by the Board of Adjustments.

No zoning permits issued for work approved by a variance shall be renewed unless "substantial construction" – the value of such work that has commenced equivalent to 25% of the projected cost of the project as noted on the application for the zoning permit, has commenced.

**<u>Appeals</u>**: Any person or persons jointly or severally, aggrieved by any decision of the Board of Adjustment, or any taxpayer, or any officer, department, board or bureau of the municipality, may present to a court of record a petition, duly verified, setting forth that such decision is illegal, in whole or in part, specifying the ground of illegality. Such petition shall be presented to the court within thirty days after the filing of the decision in the office of the Board.

Any work the property owner commences with the window for appeal is at their own risk.

**10.** If the Board of Adjustments denies your variance you have thirty (30) days to file an appeal with circuit court if you so choose.

## VARIANCE PROCEDURES & PUBLIC HEARING VARIANCE STANDARDS

## **IMPORTANT TELEPHONE NUMBERS**

、

Kenosha County Center Department of Planning & Development 19600 - 75 <sup>th</sup> Street, Post Office Box 520 Bristol, Wisconsin 53104-0520	
Division of County Development (including Sanitation & Land Conservation) Facsimile #	857-1895 857-1920
Public Works Division of Highways	857-1870
Administration Building Division of Land Information	
Brighton, Town of Paris, Town of Randall, Town of Somers Town of Wheatland, Town of	878-2218 859-3006 877-2165 859-2822 537-4340
Wisconsin Department of Natural Resources - Sturtevant Office	884-2300 548-8722

## PUBLIC HEARING VARIANCE STANDARDS

□ YOUR PUBLIC HEARING WILL BE BASED ON THE FOLLOWING STANDARDS FROM THE KENOSHA COUNTY GENERAL ZONING AND SHORELAND/FLOODPLAIN ZONING ORDINANCE.

## CHAPTER 12.36-1 INTENT

□ It is the intent of this section of the Ordinance to recognize that under certain conditions and circumstances, it may be necessary to obtain a variance from the terms of this Ordinance so long as said variance will not be contrary to the public interest, and where, owing to special conditions, a literal enforcement of the provisions of the Ordinance will result in unnecessary hardship or practical difficulties and where the granting of such variance will uphold the spirit of this Ordinance and contribute to the justice of the particular case in question. Any variance granted under the terms of this ordinance shall, however, relate only to area requirements and not to use. Furthermore, it is the intent of this section to establish a Board of Adjustments for the purpose of reviewing applications for variances as well as reviewing orders and decisions made by the Office of Planning and Development.

### CHAPTER 12.36-13 STANDARDS AND GUIDELINES

- □ In determining whether a variance is to be granted, the following standards and guidelines must be met in view of the evidence presented and in making its decision, these standards and guidelines shall be addressed by the board of adjustment:
  - 1. The existence of special conditions or exceptional circumstances on the land in question.
  - 2. The experiencing of unnecessary hardships or practical difficulties on the land in question either presently or in the future.
  - 3. That these hardships or difficulties are the result of the aforementioned special conditions existing on the land and are not self-inflicted.
  - 4. That the existence of these special conditions will restrict the use of the land if the Ordinance is applied literally so as to render the land useless.
  - 5. That the limitation on the use of the land does not apply generally to other properties in the district.
  - 6. That limiting the use of the property does not afford compensating gains to the public health, safety and welfare.
  - 7. That the variance(s) requested are the minimum variance(s) needed to alleviate difficulties or hardships.
  - 8. That the use of the parcel in question presently does conform to the ordinance.

- 9. That granting the variance applied for will not affect the public health, safety, morals and welfare of the community and other properties in the area.
- 10. That with respect to those areas located within the floodland districts, a variance would not permit a change in the boundaries of the FPO Floodplain Overlay District; would not permit a lower degree of flood protection in the floodland districts than the floodplain elevation; would not allow any residential, commercial, institutional, or park basement or crawlway to be located below the 100-year recurrence interval flood elevation; would not allow a change or alteration of an historic structure, including its use, which would result in the structure losing its designation as an historic structure; further, that the variance for the proposed action would not require an amendment to the floodplain zoning ordinance; and furthermore, that the variance would not have the effect of granting or increasing a use property which is prohibited in the floodland districts or any action contrary to the provisions of Chapter NR 116 of the Wisconsin Administrative Code.
- 11. In addition to the criteria in subd. (10) above to qualify for a variance under FEMA regulations, the following criteria must be met:
  - a. The variance shall not cause any increase in the regional flood elevation;
  - b. Variances can only be granted for lots that are less than one-half acre and are contiguous to existing structures constructed below the RFE; and
  - c. Variances shall only be granted upon a showing of good and sufficient cause, shall be the minimum relief necessary, shall not cause increased risks to public safety or nuisances, shall not increase costs for rescue and relief efforts and shall not be contrary to the purpose of the ordinance.
- □ Variances may be granted for example for reasons of topography, environmental protection or where permitted by state statute but in no event may a variance be granted where the primary reason for obtaining a variance is to obtain a more profitable use of the property, personal inconvenience, construction errors, economic reasons, self-created hardships, or where the property is presently a non-conforming use. Furthermore, variances may not be granted for the purpose of altering the sanitary requirements of this ordinance except for existing structures.
- □ The Board of Adjustments in considering the propriety of granting a variance shall not consider the number of persons for or against the granting of a variance but shall base their decision solely upon the equities of the situation involved.
- □ Variances may be granted in the form of an area or distance variance, however, use variances shall be specifically prohibited under this Ordinance.
- When a floodplain variance is granted the Board shall notify the applicant in writing that it may increase risks to life and property and flood insurance premiums could increase up to \$25.00 per \$100.00 of coverage. A copy shall be maintained with the variance record.

A variance within any floodland district shall not:

- 1. Damage the rights or property values of other persons in the area;
- 2. Allow actions without the amendments to this ordinance or map(s) required in 12.60.040 Amendments; and
- 3. Allow any alteration of an historic structure, including its use, which would preclude its continued designation as an historic structure.

## **Statutory Standards**

- □ The applicant for a variance must clearly show the Board of Adjustments that three statutory standards that govern granting a variance will be met. These three standards require the existence of an unnecessary hardship, the presence of a unique property limitation, and the protection of the public interest.
- Unnecessary Hardship
  - A situation where, in the absence of a variance, an owner can make no feasible use of a property, or strict conformity is unnecessarily burdensome.
  - The hardship or difficulty must be peculiar to the zoning parcel in question and different from that of other parcels, not one which affects all parcels similarly.
- Unique Property Limitation
  - Unique physical characteristics of the property must prevent the applicant from developing in compliance with the zoning ordinance.
- Protection of the Public Interest
  - Granting of a variance must neither harm the public interest nor undermine the purposes of the ordinance. The public interest includes the interests of the public at large, not just that of nearby property owners.
  - Conditions may be attached to a variance to protect adjoining properties and to preserve the essential character of the neighborhood.
  - A variance should include only the minimum relief necessary to allow reasonable use of a property.

# VARIANCE WORKSHEET

YOUR THREE STATUTORY STANDARDS TO PROVE BEFORE THE BOARD OF ADJUSTMENTS. (BE READY TO DISCUSS AT THE MEETING)

**UNNECESSARY HARDSHIP -**

THE PROPOSED CONSTRUCTION IS NEEDED FOR THE REASONABLE USE OF THE HOME AND IN MAINTAINING A SAFE FROMT ENTRY/EXIT

## **UNIQUE PROPERTY LIMITATION -**

THE EFFECT TO THE COMMUNITY, NEIBUBOR HOOD, AND GENERAL PUBLIC INTEREST WOULD ONLY BE TO COMPLEMENT AREA ARCHITECTORE WITH COURRES FRONT PORCHES

\*- CURRENT STRUCTURE WAS BUILT PRIOR TO CURRENT ORDINANCE LIMITATIONS AND IS NOT CURRENTLY IN COMPLIANCE -

## **PROTECTION OF THE PUBLIC INTEREST -**

THE CURRENT NON COMPUNNT HOME HAS NOT CRUSED ANY HARM TO THE PUBLIC AND THE ADDITIONAL INCURSION INTO THE SETBACK WOULD BE MINIMAL, WHILE ADDING TO THE PUBLIC INTEREST OF IMPROVING THE EXISTING STRUCTURE,

## 12.31.010 A-1 agricultural preservation district.

(a) Primary Purpose and Characteristics.

The Kenosha County Board of Supervisors recognizes that the rapid conversion of farm land to urban use has led to increasing public concern over such conversion. This concern centers on the perceived loss of the local agriculture economic base, loss of agricultural land as a valuable natural resource with the attendant loss of the aesthetic and environmental values associated with that resource, and the loss of the rural lifestyle and the unique cultural heritage which emanates from that lifestyle, and the attendant high costs of providing urban services as well as resolving potential urban-rural conflicts which arise as a result of urban encroachment into rural areas. Therefore, the A-1 Agricultural Preservation District is intended to maintain, enhance, and preserve agricultural lands historically utilized for crop production and the raising of livestock. The preservation of such agricultural lands is intended to conserve energy, prevent urban sprawl, maintain open space, retain natural systems and natural processes, control public cost, preserve the local economic base, promote local self-sufficiency, preserve the rural life-style, and maintain regional, state and national agricultural reserves. The District is further intended to prevent the premature conversion of agricultural land to scattered residential, commercial and industrial uses.

It is recognized that it is neither possible nor practicable to list all of the principal and accessory uses that are compatible with those listed below and therefore, it is intended that the following list of principal and accessory uses only be illustrative. Any individual aggrieved by a failure to list a particular principal or accessory use in this subsection shall have the right to file a petition with the Kenosha County Department of Planning and Development pursuant to section <u>12.55</u> of this ordinance for a determination as to the similarity of the intended use with the principal and accessory uses listed below.

- (b) Principal uses. (8/6/02).
  - 1. Apiculture (Beekeeping)

2. Community living arrangements having a capacity of 8 or fewer persons and which shall be in conformance with all state statutory requirements

- 3. Contract sorting, grading and packaging of fruits and vegetables
- 4. Corn shelling
- 5. Dairy farming and general agriculture
- 6. Essential Services
- 7. One single-family dwelling (9/5/06)

8. General farm buildings including agricultural windmills, barns, silos, sheds and storage bins provided, however, that said structures are located at least 100 feet away from any off-premise neighboring residential buildings (6/2/92)

9. Existing residential dwellings remaining after the consolidation of farms with said dwellings not to be considered a nonconforming use; provided, that the remaining lot shall conform to the yard requirements of this district and the lot area and width requirements for a second single-family farm dwelling as set forth in section 12.40.080(b)(113) of this ordinance

10. Single-family residence on lots of record created prior to the adoption of this ordinance where said existing lot is less than 35 acres, (see section 12.39.050)

11. Floriculture (cultivation of ornamental flowering plants)

12. Forest and game management

13. Foster family homes having less than 4 foster children and not exceeding 8 total occupants and are in conformance with all state statutory requirements

- 14. Grazing or Pasturing
- 15. Greenhouses, not including retail sales of plants and flowers
- 16. Hay baling
- 17. Livestock raising, except commercial feed lot and fur farms
- 18. Orchards
- 19. Paddocks
- 20. Pea viners
- 21. Plant nurseries
- 22. Poultry raising, except commercial egg production and commercial poultry feed lots
- 23. Raising of grain, grass, mint and seed crops
- 24. Raising of tree fruits, nuts and berries
- 25. Riding stables and indoor riding arenas (private)
- 26. Sod farming
- 27. Threshing services
- 28. Vegetable raising
- 29. Viticulture (grape growing)
- (c) *Accessory Uses (8/6/02).*

1. Feed lot (not commercial and only for permitted farm uses)

2. Accessory buildings, such as detached garages, sheds and gazebos, and boathouses (see also section 12.17)

3. Home occupations and professional home offices

4. Roadside stands (one such stand permitted only for selected farm products produced on the premises and not exceeding 300 square feet in floor area)

- 5. Small wind energy system
- 6. Solar energy system

7. Storage, curing, drying, churning and packaging of products and crops produced on the land provided, however, such products are not processed on the land and provided further that such products are not commercially sold as part of a retail business conducted on the land

- 8. Swimming pools and spas (see also section 12.20)
- 9. Fences (see also section 12.19.020)
- 10. Decks and Patios (see also section 12.18.3)
- (d) Conditional Uses. (See also section 12.40.080 of the Municipal Code of Kenosha County.) (8/6/02)
  - 1. Airstrips, landing fields and hangars for personal or agricultural related uses.

2. Community living arrangements having nine but not more than 15 persons and in conformance with all State statutory requirements.

- 3. Concrete and asphalt batch plants temporarily located on a parcel.
- 4. Event barns.
- 5. Gas and electric utility uses not requiring authorization under Wisconsin Statutes, section 196.491(3).
- 6. Housing for farm laborers or caretakers.
- 7. Housing for seasonal or migratory farm workers.
- 8. Kennels (commercial or noncommercial).
- 9. A second single-family farm related residential dwelling.
- 10. Large wind energy systems.
- 11. Solar farms.

- 12. Storage of recreational vehicles, boats or snowmobiles.
- 13. Utility substations.
- 14. Bed and breakfast establishments. (8/9/94)
- 15. Riding stables and indoor riding arenas (public).
- 16. Borrow pits (temporary); stockpiling or filling of clean fill materials.
- (e) Parcel Area and Width.

1. Farm structures hereafter erected, placed, moved or structurally altered and related farm activities shall provide a contiguous area of not less than thirty-five (35) acres and no farm shall have a frontage of less than 600 feet in width.

(f) Building Type, Separation, Number, Height and Area.

1. No structure or improvement may be built on any land in the A-1, Agricultural Preservation District unless said structure or improvement is consistent with agricultural uses.

2. For purposes of farm consolidation, farm residences or structures which existed prior to the adoption of this ordinance may be separated from a larger farm parcel.

3. No farm buildings or parts of farm buildings shall exceed 100 feet in height

4. No residential dwelling or part thereof, shall exceed 35 feet in height

5. A total minimum floor area of a residential dwelling shall be a minimum of 1000 square feet with a minimum first floor area of 1000 square feet. All residential dwellings shall be attached to a permanent foundation, be properly connected to all required utilities, have a building footprint of which the dwelling unit is not less than 24-feet in width for at least fifty (50) percent of the length, have a roof pitch of not less than 5/ 12, and an eave extension of at least twelve (12) inches, except residences with an architectural style defined as Colonial or Greek Revival. (9/5/06)

#### (g) Yards.

1. Street yard - not less than 65 feet from the right-of-way of all Federal, State and County Trunk highways and not less than 40 feet from the right-of-way of all other roads (8/6/02)

- 2. Shore yard not less than 75 feet from the ordinary high water mark of any navigable water (11/5/86)
- 3. Side yard not less than 25 feet in width on each side of all structures
- 4. Rear yard not less than 50 feet
- (h) Authorized Sanitary Sewer System.

- 1. On-site sewage disposal absorption system
- 2. Public sanitary sewer

(i) *Rezoning, Conditional Uses, and Enforcement.* Any rezoning of any parcel of land in the A-1 Agricultural Preservation District shall be in accordance with Wisconsin Statute, section <u>91.48</u>. Furthermore, the Department of Agriculture shall be notified of the approval of any conditional use permits in the A-1 District. Enforcement provisions necessary for the proper administration of the Farmland Preservation Act shall be as specified in Chapter <u>91</u> of the Wisconsin Statutes. [Ord. 6 (2022); Code § 12.20-1.]

#### The Municipal Code of Kenosha County is current through Ordinance 7 (2022), passed December 6, 2022.

Disclaimer: The clerk of the board's office has the official version of the Municipal Code of Kenosha County. Users should contact the clerk of the board's office for ordinances passed subsequent to the ordinance cited above.

County Website: www.kenoshacounty.org

Hosted by Code Publishing Company, A General Code Company.

# **12.39.070** Existing nonconforming structures (8/6/02) (For Floodplain Nonconforming Structures see 12.39.100).

The use of a structure existing at the time of the adoption or amendment of this Ordinance may be continued although the structure's size or location does not conform with the established lot area and width, building setback line along streets and highways, or the yard, height, parking, loading, or access provisions of this Ordinance.

Nonconforming structures which encroach upon the yard requirements of this ordinance, but which met yard requirements of the applicable zoning ordinance at the time of construction, may be structurally enlarged or expanded if the existing structure is located at a minimum of at least fifty (50) percent of the minimum setback requirement of all yard setback requirements and further provided that the alteration does not create a greater degree of encroachment on yard, height, parking, loading, or access requirements. Placement of a new foundation or basement under an existing nonconforming structure shall be allowed as long as no further encroachment is permitted. Nonconforming structures which are located less than fifty (50) percent of the minimum setback requirement from one or more of their yard setback requirements may be structurally enlarged or expanded so long as all four sides of the enlargement or expansion are located at least 50% of the minimum setback requirement. This shall not constitute an allowance to make an existing conforming yard setback nonconforming, make an existing nonconforming yard setback more nonconforming or deviate from a height standard in this ordinance.

When a nonconforming structure is damaged by fire, explosion, violent wind, or other calamity or is intentionally dismantled, to the extent of more than fifty (50) percent of its assessed value as defined in section 12.39.020(a) of this Ordinance, it shall not be restored except so as to comply with all provisions of this Ordinance provided under ss.59. 69(10m).

A nonconforming structure shall not be moved or relocated to any other location on the lot unless such structure is made to conform to all regulations of the district in which it is located. [Code § 12.28-7.]


#### The Municipal Code of Kenosha County is current through Ordinance 7 (2022), passed December 6, 2022.

Disclaimer: The clerk of the board's office has the official version of the Municipal Code of Kenosha County. Users should contact the clerk of the board's office for ordinances passed subsequent to the ordinance cited above.

County Website: www.kenoshacounty.org

Hosted by Code Publishing Company, A General Code Company.

#### KENOSHA COUNTY BOARD OF ADJUSTMENTS



## VARIANCE SITE MAP

## PETITIONER(S):


Francesco M. & Natalie C. Rovella (Owner) Francesco Rovella (Agent)

LOCATION: SW 1/4 of Section 3 Town of Paris

TAX PARCEL(S):45-4-221-033-0200

#### **REQUEST:**

Requesting a variance (Section V. B. 12.28-7: that non-conforming structures which encroach upon the yard requirements of this ordinance, but which met yard requirements of the applicable zoning ordinance at the time of construction, may be structurally enlarged or expanded if the existing structure is located at a minimum of at least fifty (50) percent of the minimum setback requirement of all yard setback requirements and further provided that the alteration does not create a greater degree of encroachment on yard, height, parking, loading, or access requirements) to construct a residential addition onto an existing single-family residence that is located 63.12 feet from the right-of-way of CTI<sup>++</sup> A<sup>+</sup> (7th Street).





Rovella Variance.mxd

Department of Public Works & Developme	nt Services	RECEIVED
TEMPORARY USE		JAN - 8 2024
APPLICATION		Kenosha County Planning and Developmen
Dwner: Stonley & Bernice Jezibr Jt. Je Mailing Address: 8824 - N. Shermer Pel	manay Trust	
Martin Grove IL. 60053-20	7/	
Phone Number(s): _262 - 620-040 C		
Shoreland/Floodplain Zoning Ordinance. The owner	r or assigned agent	seeks approval of a
emporary use permit. Parcel Number: <u>80 - 4 - 222 - 344 - 032 (</u>		
	Zoning Distric	t: <u>B-3</u>
Parcel Number: <u>80 - 4 - 222 - 344 - 032 (</u> Property Address: <u>5940 - 60 <sup>R</sup>5</u> +	Zoning Distric Shoreland:	t: <u>B-3</u> No
Parcel Number: <u>80 - 4 - 222 - 344 - 032</u> Property Address: <u>5940 - 60<sup>4</sup>5</u> +	Zoning Distric Shoreland: Lot(s): Hize Sforctore	t: <u>B-3</u> No
Parcel Number: <u>80 - 4 - 222 - 344 - 032</u> Property Address: <u>5940 - 60<sup>R</sup>st</u> Subdivision: <u>Vacant gravel lot w www.la</u> REQUIRED BY ORD Section: <u>VII. B. 12.36-5(a)5</u> - It shall be unlawful to proceed with the operation, cons alteration of a temporary use, as defined in this ordina the Kenosha County Board of Adjustments in complian and also obtaining any applicable zoning permit or cer of Planning & Development being in conformity with the local, State and Federal requirements.	Zoning Districe     Shoreland:     Lot(s):     Lo	t: <u>B-3</u> <u>Mo</u> Block: Block: Block: enlargement or ning approval from of this ordinance from the Division rdinance, and
Parcel Number: <u>80 - 4 - 222 - 344 - 032</u> Property Address: <u>5940 - 60<sup>R</sup>5t</u> Subdivision: <u>Vacant gracel lot w www la</u> REQUIRED BY ORD Section: <u>VII. B. 12.36-5(a)5</u> - It shall be unlawful to proceed with the operation, cons alteration of a temporary use, as defined in this ordina the Kenosha County Board of Adjustments in complian and also obtaining any applicable zoning permit or cer of Planning & Development being in conformity with th	Zoning Districe     Shoreland:     Lot(s):     Lo	t: <u>B-3</u> <u>Mo</u> Block: Block: Block: enlargement or ning approval from of this ordinance from the Division rdinance, and

#### TEMPORARY USE APPLICATION

The Kenosha County Board of Adjustments is authorized to hear and grant applications for temporary uses, in any district provided that such uses are of a temporary nature, do not involve the erection of a substantial structure, and are compatible with the neighboring uses and the Department of Planning and Development has made a review and recommendation. The permit shall be temporary, revocable, subject to any conditions required by the Board of Adjustment and shall be issued for a period not to exceed twelve (12) months. Compliance with all other provisions of this Ordinance shall be required.

The burden will be on you as property owner to provide information upon which the board may base its decision. At the hearing, any party may appear in person or may be represented by an agent or attorney. You or your agent must convince the Board to make a ruling in your favor. The board must make its decision based only on the evidence submitted to it at the time of the hearing. The Board will not act on your request unless you or your agent is present.

1. Current Use of Property:

2. Proposed temporary use of property:

3. Proposed duration of temporary use:

4. Proposed parking plan

5. Proposed security plan

6. Proposed sanitation plan:

7. What would be the effect on this property, the community or neighborhood and the public interest if the temporary use was granted? How can these impacts be mitigated?

These interests are listed as objectives in the purpose statement of an ordinance and may include drainage, visual impact, parking and fire safety and building code requirements.

The undersigned hereby attests that the above stated information is true and accurate and further gives permission to Planning & Development staff and Board of Adjustment members to view the premises, in relation to the temporary use request made herein, during reasonable daylight hours.

Owner's Signature:	
Agent: Jac Sm. 44	Signature: Je fuit
Agents Address: 7150 - 18h of	
Phone Number(s): <u>263 - 630 -046C</u>	

To whom it may concern:

Joe Smith has our permission to use the North West corner of Greenbay and 60<sup>th</sup> Street from:

January 1<sup>st</sup> thru December 31<sup>st</sup>, 2024.

Owner: X Bernice Jeyiar 12/28/2023

### **BOARD OF ADJUSTMENTS SCHEDULE FOR 2024 PUBLIC HEARINGS**

Third Thursday of each month at 6:00 p.m. Kenosha County Center, 19600 75th Street, Bristol, Wisconsin Conference Room A (unless published otherwise)


This schedule includes all areas under general zoning regulations in the following townships: BRIGHTON, PARIS, RANDALL, SOMERS, WHEATLAND

#### HEARING DATES


JANUARY 18	Filing Date: Published:	December 18 Jan. 3 & Jan. 10	<u>JULY 18</u>	Filing Date: Published:	June 18 July 3 & July 10
FEBRUARY 15	Filing Date: Published	January 15 Jan. 31 & Feb. 7	AUGUST 15	Filing Date: Published:	July 15 July 31 & Aug. 7
MARCH 21	Filing Date: Published:	February 21 Feb. 28 & March 6	<u>SEPTEMBER 19</u>	Filing Date: Published:	August 19 Sept. 4 & Sept. 11
APRIL 18	Filing Date: Published:	March 18 April 3 & April 10	OCTOBER 17	Filing Date: Published:	September 17 Oct. 2 & Oct. 9
<u>MAY 16</u>	Filing Date: Published:	April 16 May 1 & May 8	NOVEMBER 21	Filing Date: Published:	October 21 Nov. 6 & Nov. 13
<u>JUNE 20</u>	Filing Date: Published:	May 20 June 5 & June 12	DECEMBER 19	Filing Date: Published:	November 19 Dec. 4 & Dec. 11

CHAPTER 12, KENOSHA COUNTY GENERAL ZONING AND SHORELAND/FLOODPLAIN ZONING ORDINANCE STATES:

12.06-4 LEGAL NOTICE REQUIREMENTS AND TIME LIMITS: Any petition or other matter requiring the publication of a legal notice must be submitted at least one month prior to the requested hearing date as scheduled by the Planning, Development & Extension Education Committee or Board of Adjustments. For purposes on this section, "one month prior to the requested hearing date" shall be defined to mean not later than 4:30 p.m. on the same calendar date of the month preceding the scheduled hearing, or the last day county offices are open prior to the aforementioned deadline. For purposes of the Open Meetings Law, the Planning and Development Administrator shall be delegated the responsibility of informing the county clerk of both scheduled open and closed meetings so that proper notices may be given.



1"= 5/1'



## **KENOSHA COUNTY BOARD OF ADJUSTMENTS**



## TEMPORARY USE SITE MAP

## PETITIONER(S):

Stanley & Bernice Jezior Jt. Tenancy Trust (Owner) & Joe Smith (Agent)

LOCATION: SE 1/4 of Section 34, Town of Somers

## TAX PARCEL(S): #80-4-222-344-0320

## **REQUEST:**

Requesting approval of a temporary use (Section III. S. 12.18.7-4: which states that It shall be unlawful to proceed with the operation, construction, installation, enlargement or alteration of a temporary use, as defined in this ordinance, without first obtaining approval from the Kenosha County Board of Adjustments) to use a 20' x 24' temporary (seasonal) fruit, vegetable, and Christmas tree stand with two 20' x 30' poly-hoop greenhouses, one 20' x 60' poly-hoop greenhouse, a 40' x 40' shade structure and signage in the B-3 Highway Business Dist.





COUNTY OF KENOSHA	January 2023
Department of Public Works & Development Services	RECEIVED
TEMPORARY USE APPLICATION	FEB - 9 2024
Owner: <u>Timothy &amp; Defanna Delimat - Delimat Properties-</u> Mailing Address: <u>34231</u> High Drive, East Troy, <u>WI</u> 53120	kenosha County Planning and Development
Mailing Address: 54231 High Brive, East Troy, WI 53120	)
Phone Number(s): (414) 349 - 2463	
To the Kenosha County Board of Adjustment: The Kenosha County Board of Adjustments is required to hear and grant tempo language set forth in section 12.36-5(a)5 of the Kenosha County Gene Shoreland/Floodplain Zoning Ordinance. The owner or assigned agent see temporary use permit.	eral Zoning and ks approval of a
Parcel Number: <u>95-4-119-013-0320-0330</u> Zoning District:	
Property Address: 32135 Genera Rd. Shoreland: 4	
Subdivision: River Bend Cando Lot(s): Unit 1-2	Block:
REQUIRED BY ORDINANCE	
Section: <u>VII. B. 12.36-5(a)5</u> - It shall be unlawful to proceed with the operation, construction, installation, enlar alteration of a temporary use, as defined in this ordinance, without first obtaining the Kenosha County Board of Adjustments in compliance with 12.36-5(a)5 of thi and also obtaining any applicable zoning permit or certificate of compliance from of Planning & Development being in conformity with the provisions of this Ordina local, State and Federal requirements.	approval from s ordinance n the Division
(Note: petitioner <u>must</u> attach a <u>separate</u> site plan drawing showing the layout of use (stand(s), trailer(s), tent(s), container(s), signage, building(s), etc)	the intended

## **TEMPORARY USE APPLICATION**

The Kenosha County Board of Adjustments is authorized to hear and grant applications for temporary uses, in any district provided that such uses are of a temporary nature, do not involve the erection of a substantial structure, and are compatible with the neighboring uses and the Department of Planning and Development has made a review and recommendation. The permit shall be temporary, revocable, subject to any conditions required by the Board of Adjustment and shall be issued for a period not to exceed twelve (12) months. Compliance with all other provisions of this Ordinance shall be required.

The burden will be on you as property owner to provide information upon which the board may base its decision. At the hearing, any party may appear in person or may be represented by an agent or attorney. You or your agent must convince the Board to make a ruling in your favor. The board must make its decision based only on the evidence submitted to it at the time of the hearing. The Board will not act on your request unless you or your agent is present.

1. Current Use of Property:

Parking

2. Proposed temporary use of property:

Fireworks Sales Stend

3. Proposed duration of temporary use:

6/1/24 715/24

4. Proposed parking plan

See site map


5. Proposed security plan

6. Proposed sanitation plan:

7. What would be the effect on this property, the community or neighborhood and the public interest if the temporary use was granted? How can these impacts be mitigated?

These interests are listed as objectives in the purpose statement of an ordinance and may include drainage, visual impact, parking and fire safety and building code requirements.

gives permission to Planning & Development s	stated information is true and accurate and further taff and Board of Adjustment members to view the est made herein, during reasonable daylight hours.
Owner's Signature:	AAAA
Agent: <u>()()) Ne(</u>	Signature:
Agents Address:	
Phone Number(s):	· · · · · · · · · · · · · · · · · · ·



## **Black Bull Fireworks**

34231 High Drive East Troy, WI 53120 414-349-2463

February 8<sup>th</sup>, 2024

To Whom It May Concern:


We would like permission to sell novelty fireworks in the Town of Wheatland, at our fireworks store, located at 32135 Geneva Rd. We would like to put a 10x10 tent and two 8x40 steel storage container in the parking lot area. The fireworks tent would be open from June 12th until July 6, 2024. The operation would have hours from 8am to 8 pm. The containers would be on site May 1<sup>st</sup>-July 31<sup>st</sup>.

During open hours the fireworks will be displayed on tables. At night, the fireworks would be stored in a metal mobile mini storage unit.

Sincerely,

Timothy Delimat Owner

## **KENOSHA COUNTY BOARD OF ADJUSTMENTS**



## TEMPORARY USE SITE MAP

PETITIONER(S): Delimat Properties 1 LLC (Owner) DeAnna Delimat (Agent)

## LOCATION: SW 1/4 of Section 1, Town of Wheatland

TAX PARCEL(S): #95-4-119-013-0320 & -0330

## **REQUEST:**

Requesting approval of a temporary use (Section III. S. 12.18.7-4: which states that it shall be unlawful to proceed with the operation, construction, installation, enlargement or alteration of a temporary use, asd defined in this ordinance, without first obtaining approval from the Kenosha County Board of Adjustments) to temporarily locate (1) 10' x 10' sales tent and (2) 8' x 40' steel storage containers to operate a temporary fireworks sales stand in the B-3 Highway Business Dist..





Delimate Properties 1 LLC TempUse.mxd

Department of Public Works & Development Services	January 2023
TEMPORARY USE APPLICATION Dwner: Bedrock LC, LLC	RECEIVED FEB - 9 2024 Kenosha County Planning and Development
Mailing Address: 33703 $59^{\pm}$ St. Burlington, WI 53105 Phone Number(s): (262) 537-2312	
To the Kenosha County Board of Adjustment: The Kenosha County Board of Adjustments is required to hear and gra anguage set forth in section 12.36-5(a)5 of the Kenosha Coun Shoreland/Floodplain Zoning Ordinance. The owner or assigned ag remporary use permit. Parcel Number: $95-4-219-353-0230$ Zoning Di Property Address: $33073$ $594$ St. Shoreland Subdivision: $CSM$ $2531$ Lot(s):	ty General Zoning and ent seeks approval of a strict: $\underline{B-4}$ d: $\underline{No}$
REQUIRED BY ORDINANCE	
Section: <u>VII. B. 12.36-5(a)5</u> - It shall be unlawful to proceed with the operation, construction, installation alteration of a temporary use, as defined in this ordinance, without first of the Kenosha County Board of Adjustments in compliance with 12.36-5(a and also obtaining any applicable zoning permit or certificate of complia of Planning & Development being in conformity with the provisions of the local, State and Federal requirements. Retail sole of fireworks	obtaining approval from a)5 of this ordinance Ince from the Division
(Note: petitioner <u>must</u> attach a <u>separate</u> site plan drawing showing the l use (stand(s), trailer(s), tent(s), container(s), signage, building(s), etc)	ayout of the intended )

## **TEMPORARY USE APPLICATION**

The Kenosha County Board of Adjustments is authorized to hear and grant applications for temporary uses, in any district provided that such uses are of a temporary nature, do not involve the erection of a substantial structure, and are compatible with the neighboring uses and the Department of Planning and Development has made a review and recommendation. The permit shall be temporary, revocable, subject to any conditions required by the Board of Adjustment and shall be issued for a period not to exceed twelve (12) months. Compliance with all other provisions of this Ordinance shall be required.

The burden will be on you as property owner to provide information upon which the board may base its decision. At the hearing, any party may appear in person or may be represented by an agent or attorney. You or your agent must convince the Board to make a ruling in your favor. The board must make its decision based only on the evidence submitted to it at the time of the hearing. The Board will not act on your request unless you or your agent is present.

1. Current Use of Property:

Parking Lot

2. Proposed temporary use of property:

Fireworks Tent

3. Proposed duration of temporary use:

6/12/24-7/5/24

4. Proposed parking plan

See site map

5. Proposed security plan

NA

6. Proposed sanitation plan:

NA

7. What would be the effect on this property, the community or neighborhood and the public interest if the temporary use was granted? How can these impacts be mitigated?

These interests are listed as objectives in the purpose statement of an ordinance and may include drainage, visual impact, parking and fire safety and building code requirements.

The firework tent will increase traffic flow for Wheatland Convenience Center

The undersigned hereby attests that the above stated information is true and accurate and further gives permission to Planning & Development staff and Board of Adjustment members to view the premises, in relation to the temporary use request made herein, during reasonable daylight hours.

Owner's Signature: See Lease A	
Agent: Outon Delimit Signature:	
Agents Address: 34271 High DV Eart Troy Wto	
Phone Number(s): $4/4 - 2463$	-
	nates a

# **Black Bull Fireworks**

34231 High Drive East Troy, WI 53120 414-349-2463

February 8<sup>th</sup>, 2024

To Whom It May Concern:


We would like permission to sell novelty fireworks in the Town of Wheatland, at the Wheatland Convenience Center located at 33703 59<sup>th</sup> Street, Burlington WI 53105. We would like to put a 30x60 tent and 8x40 steel storage container in the parking lot area. We would like two 8x15 ft. banners, one on the tent and the other on the container. We would also like two small 2x4 banners under each of the gas station signs.

The fireworks stand would be open from June 12th until July 6, 2024. The operation would have hours from 8am to 8 pm. The container will be on site June 1<sup>st</sup>- July 5<sup>th</sup>.

During open hours the fireworks will be displayed on tables. At night, the fireworks would be stored in a metal mobile mini storage unit.

Sincerely,

Timothy Delimat Owner



# TEMPORARY USE SITE MAP


KENOSHA COUNTE BOMINDOF ADJUS INIENTS


Bedrock LC LLC (Owner), Timothy & Deanna Delimat, Black Bull Fireworks (Agent)

SW 1/4 of Section 35, Town of Wheatland

TAX PARCEL(S): #95-4-219-353-0230

container and four banners to operate a temporary use an existing parking lot for the placement of a 30' x 60' sales tent, a 8' x 40' steel storage grant an application in any district) to temporarily Requesting approval of a temporary use (Section VII.B.12.36-5(a)(5): which states that all temporary uses require the Board of Adjustments to hear and fireworks sales stand in the B-4 Planned Business District.





## Black Bull Fireworks

34231 High Drive

East Troy, WI 53120

<u>414-349-2463</u>

# 1- YEAR LEASE

This Lease is entered into this date between Bedrock LLC and Timothy and DeAnna Delimat, dba Black Bull Fireworks. Rent will be paid only if the governing municipality grants a permit for the sale of fireworks at below said property.

WHEREAS Landlord leases certain parcels of real property describe as Mobile 33703 59<sup>th</sup> St. Burlington, WI

WHEREAS Tenant desires to lease the Property from Landlord for the term described herein and to erect a tent on said property for the purpose of the retail sale of fireworks and related items. A 40 ft. steel storage container will also be on property.

NOW THEREFORE IT IS AGREED AS FOLLOWS:

<u>Section 1.</u> <u>Term.</u> The original term of this Lease shall commence June 13th, 2024 and shall continue until July 6<sup>, 2024.</sup>

Steel Storage container will be on property a few days earlier/longer. Tent will come and be picked up day before/after date listed.

Section 2. Rent

gross sale with taxes and permits fees removed. Painted and

<u>Section 3.</u> <u>No Partnership.</u> The right of Landlord to receive rent shall not be deemed to give Landlord any interest, control or discretion in said operation. Nothing contained in this Lease shall be construed to be or create a partnership or joint venture between parties.

<u>Section 4.</u> <u>Permitted Use.</u> The Property shall be used for the operation of a retail fireworks and related items store and for no other purposes without the consent of Landlord which consent shall not be unreasonably withheld.

<u>Section 5.</u> <u>Exclusive Use.</u> Landlord agrees that during the term of this Lease he shall not lease any contiguous property owned by him to any other entity in the same or similar business as the tenant's business.

<u>Section 6.</u> <u>Restrictions on Use.</u> In connection with use of the Property, Tenant shall:

- A. Conform to all applicable laws and regulations of any public authority affecting the Property and the use and correct at Tenant's own expense any failure of compliance created through Tenant's fault or by reason of Tenant's use.
- B. Refrain from any use which would be reasonably offensive to or directly interfere with use by other tenants or owners or users of neighboring Property or which would tend to create a nuisance or damage the reputation of the Property.

<u>Section 7.</u> <u>Insurance.</u> Before taking possession of the Property, Tenant shall procure and thereafter during the term of this Lease shall continue to carry the liability insurance of a responsible company with liability limits **of not less than \$1 Million dollars**. Such insurance shall cover all risks arising directly or indirectly out of Tenant's activities on or any condition of the Property, shall protect Tenant against the claims of Landlord on account of the obligations assumed by Tenant under the indemnification provisions of this Lease, and shall protect Landlord and Tenant against claims of third persons. In addition, Tenant shall bear the expense of any insurance, purchased at Tenant's discretion, insuring the property of Tenant.

<u>Section 8.</u> <u>Indemnification.</u> Tenant shall indemnify, defend and hold Landlord harmless from any claim, loss, or liability arising out of or related to any negligent activity of Tenant on the Property or any condition of the Property in the possession or under the control of Tenant. Landlord shall have no liability to Tenant for any loss or damage caused by third parties or by any condition of the Property, unless caused by Landlord's negligence.

<u>Section 9.</u> <u>Landlord Warranty.</u> Landlord warrants that it is the owner of the Property and/or has the right to lease the Property. Landlord warrants Tenant's right to quiet enjoyment of the Property from the lawful claims of all persons during the lease term.

<u>Section 11.</u> <u>Waiver.</u> The waiver by either party of the breach of any provision of this Agreement by the other party shall not operate or be construed as a waiver of any subsequent breach.

Section 12. Law Governing. This Agreement shall be governed by and construed in accordance with the laws of the State of Wisconsin.

<u>Section 13.</u> <u>Entire Agreement.</u> This Agreement contains the entire understanding between and among the parties and supersedes any prior understandings and agreements among them respecting the subject matter of this Agreement.

<u>Section 14.</u> <u>Agreement Binding.</u> This Agreement shall be binding upon the heirs, executors, administrators, successors and assigns of the parties hereto.

<u>Section 15.</u> <u>Good Faith, Cooperation and Due Diligence.</u> The parties hereto covenant, warrant and represent to each other good faith, complete cooperation, due diligence and honesty in fact in the performance of all obligations of the parties pursuant to this Agreement. All promises and covenants are mutual and dependent.

<u>Section 16.</u> <u>Savings Clause.</u> If any provision of this Agreement, or the application of such provision to any person or circumstance, shall be held invalid, the remainder of this Agreement, or the application of such provision to persons or circumstances other than those as to which it is held invalid, shall not be affected thereby.

Dated


**Timothy Delimat** 

Or

**DeAnna Delimat** 

Owner Dated: <u>7-11-2023</u> <u>W/ Joure</u> Ane.

## KENOSHA COUNTY BOARD OF ADJUSTMENTS



## TEMPORARY USE SITE MAP


PETITIONER(S): Bedrock LC LLC (Owner) DeAnna Delimat (Agent)

## LOCATION: SW 1/4 of Section 35, Town of Wheatland

TAX PARCEL(S): #95-4-219-353-0230

## **REQUEST:**

Requesting approval of a temporary use (Section III. S. 12.18.7-4: which states that it shall be unlawful to proceed with the operation, construction, installation, enlargement or alteration of a temporary use, asd defined in this ordinance, without first obtaining approval from the Kenosha County Board of Adjustments) to temporarily use an existing parking lot for the placement of (1) 30' x 60' sales tent, (1) 8' x 40' steel storage container and (2) banners to operate a temporary fireworks sales stand in the B-4 Planned Business Dist.





Bedrock LC LLC TempUse.mxd



# COUNTY OF KENOSHA

# Department of Planning and Development

VARIANCE APPLICATION	RECEIVED	
<sub>Owner:</sub> Janet M. & David E. Banas	FEB - 5 2024	
Mailing Address: 40723 93rd Street	Planning and Development	
Genoa City WI 53128	Sevelopment	
Phone Number(s): 708-254-8648		

To the Kenosha County Board of Adjustment:

Please take notice that the undersigned was refused a Zoning Permit by the Kenosha County Department of Planning and Development for lands described below for the reason that the application failed to comply with the Kenosha County General Zoning and Shoreland/Floodplain Zoning Ordinance. The owner or assigned agent herewith appeals said refusal and seeks a variance.

Parcel Number: <u>60-4-119-192-1200</u>	Zoning District:
Property Address: 40723 93rd Street	Shoreland:
Subdivision: Benedict Subdivision	Lot(s): <u>1</u> Block: <u>-</u>
Current Use: 1947-built single-family residence	e & 2007-built detached
Proposal: To raze the existing residence & de	etached garage and build
a new single-family residence w/ attached Includes land in both Kenosha & Walwort	
REQUIRED BY ORDINANCE	VARIANCE REQUESTED
Section: IV. C. 12.21-5(g)1 - All structures shall be located at least 3	
right-of-way of all other roads.	in the Residence.

Section: IV. C. 12.21-5(g)1 \_\_All structures shall be \_\_located at least 75 feet from the

ordinary high water mark of any navigable waterway.

Section: IV.C. 12.20-2 (f) 4 - Pitch of the Roof to be no less that a 5/12

37 feet for Safety of the Occupants in the Residence

Requesting a 4/12 Pitch as standard for Mission Style Design

Section: III. Q. 12.18.5-5 Patic

Patios within the shoreyard shall not exceed 200 square feet in area

Approx, 991 Sq Ft of outside patio

An Area Variance is authorization by the Kenosha County Board of Adjustments to vary one or more of the dimensional or physical requirements of the applicable zoning law, code or ordinance in connection with some proposed construction.

The burden will be on you as property owner to provide information upon which the board may base its decision. At the hearing, any party may appear in person or may be represented by an agent or attorney. You or your agent must convince the zoning board to make a ruling in your favor. The board must make its decision based only on the evidence submitted to it at the time of the hearing. Unless you or your agent is present, the board may not have sufficient evidence to rule in your favor and must then deny your application.

- (1) Describe alternatives to your proposal such as other locations, designs and construction techniques. Attach a site map showing alternatives you considered in each category below:
  - (A) Alternatives you considered that comply with existing standards. If you find such an alternative, you can move forward with this option with a regular permit. If you reject compliant alternatives, provide the reasons you rejected them.

(B) Alternatives you considered that require a lesser variance. If you reject such alternatives, provide the reasons you rejected them.

(2) Will there be an unnecessary hardship to the property owner to strictly comply with the ordinance?

Unnecessary hardship exists when compliance would unreasonably prevent the owner from using the property for a permitted purpose (leaving the property owner without any use that is permitted for the property) or would render conformity with such restrictions unnecessarily burdensome.

A Hardship Variance is requested due to serious safety concerns for the occupants of the home. The current living quarter's location relative to the curvature of 93<sup>rd</sup> Street when travelling in the westbound direction has in the past caused serious damage to the living quarters and substantial risk of harm to the occupants. On three separate occasions vehicles travelling from east to west on 93rd Street have missed the curve in the road and have struck the residence as summarized below and detailed in this Application.

July 28<sup>th,</sup> 2023 -- Kenosha County Incident Number 23-331792, (Hit and Run) (Report and Photos Attached) (Resulted in Physical Damage to County and Personal Property Vehicle)

March 2007 – An intoxicated driver of a tandem axial truck missed the curve and drove through the kitchen, living room and garage. Fortunately, the occupants of the house arrived 5 minutes after the accident. Damage to the Dwelling was over \$ 100,000. (See Detailed Pictures Attached in this Application ).

August 1989 -- A vehicle missed the curve, hit the garage, and travelled down the hill ending up approx. 40 feet from the lake shore. (Pictures Attached)

3) Do unique physical characteristics of your property prevent compliance with the ordinance? If yes, please explain.

As the location of the existing 1947 house poses Hazardous and Life-Threatening conditions to the Occupants in the Living Quarters of the current home, a request to relocate a planned new home with alternative setbacks is being requested through this Hardship Variance Application. For your reference in considering this Hardship Variance, I believe it is worth noting that several of the current setbacks of this 1947 home are less than the current codes require with a current setback of (15') from the Road Right of Way and an approximate (54') setback from the High-Water Mark on the Lake Side. In addition, the southern edge of the paved shoulder of 93<sup>rd</sup> Street has been remains an abundantly wide shoulder of approx. 8 feet from the edge of the road and approx. 20 feet from the centerline of 93<sup>rd</sup> Street. Therefore, for the placement of the anticipated new residence, I am requesting a further reduced setback from the Right of Way of the Road of 5 feet. This 5 foot setback with be from the Right of Way to the" <u>Non-Living Quarters (The Garage)</u> of the structure. In addition, I am requesting a reduced Setback from the Living Quarter and occupants as depicted in the attached site plan.

Unique physical limitations of the property such as steep slopes or wetlands that are not generally shared by other properties must prevent compliance with the ordinance requirements. The circumstances of an applicant (growing family, need for a larger garage, etc.) are not a factor in deciding variances. Nearby ordinance violations, prior variances, or lack of objections from neighbors do not provide a basis for granting a variance.

(4) What would be the effect on this property, the community or neighborhood and the public interest if the variance was granted? How can these impacts be mitigated.

These interests are listed as objectives in the purpose statement of an ordinance and may include drainage, visual impact, and fire safety and building code requirements.

The main purpose for granting this Variance would be to ensure the safety of the occupants in the living quarters from serious injury or death. The requested relocation of the house will not interfere with the site line view of either property owner on the east or west property lines nor the general community.

The undersigned hereby attests that the above stated information is true and accurate and further gives permission to Planning & Development staff and Board of Adjustment members to view the premises, in relation to the Appeal request made herein, during reasonable daylight hours.

Signature:



<u>County of Kenosh</u>a

Department of Planning & Development

19600 75<sup>th</sup> Street, Suite 185-3 Bristol, WI 53104-9772 Phone: (262) 857-1895 Fax: (262) 857-1920

## ZONING PERMIT APPLICATION

- 1. What is the Property Address (must include house number) or Tax Key Parcel Number? (<u>60-4-119-192-1200</u>)
- Who <u>owns</u> the subject property (property owner)?
   Property Owner Name: Janet M. & David E. Banas
   Property Owner Mailing Address: 40723 93rd Street, Genoa City WI 53128
   Property Owner Phone Number: 708-254-8648
   Property Owner Email Address: dbanas@msc-hobart.com
- Who is applying for and will be signing for this permit (applicant)? Applicant Name: David Banas Applicant Mailing Address: 40723 93rd Street, Genoa City WI 53128 Applicant Phone Number: 708-254-8648 Applicant Email Address: dbanas@msc-hobart.com :
- Who is constructing the proposed structures (contractor)? Contractor Name: Contractor Mailing Address: Contractor Phone Number: Contractor Email Address:
- What is it you are proposing to construct? You can apply for up to four separate structures on this permit application.

STRUCTURE DESCRIPTION	TYPE OF CONSTRUCTION	SIZE (FENCE) (L' @ H')	SIZE (BLDG.) (L' x W')	AREA (sq. feet)	HEIGHT (feet)	# OF STORIES
Residential Single-Family Principal Str						

6. <u>This section is only applicable for properties within the unincorporated townships of Kenosha County (townships of Brighton,</u> Paris, Randall, Somers & Wheatland).

If you are proposing to construct a principal building such as a new residence or new commercial building, an addition thereto, or a detached accessory building >150 sq. ft. in area, it is required that a <u>professional surveyor</u> be hired to complete a foundation survey of the property after the foundation is installed for the permitted building and submit said survey document to this office in order to prove that the proposed building has been constructed in the correct location and meets setback requirements.

This section is not applicable for sheds ≤150 sq. ft. in area or other accessory structures such as decks, fences and pools.

I anticipate that a foundation survey will be submitted to this office no later than

(insert date).

We understand this deadline needs to be flexible due to reasons such as weather, construction delays, etc.., however a due date later than 18 months from the date of permit issuance will not be accepted. If a foundation survey is not received by the anticipated

due date, the property owner will receive an automated letter notifying them of past due status. If a mutually agreed revised due date is not set, and a foundation survey is not submitted, violation and enforcement will proceed.

#### 7. This section is only applicable for properties within the Village of Somers.

If you are proposing to construct a principal building such as a new residence or new commercial building, it is required that a <u>professional surveyor</u> be hired to complete a foundation survey of the property after the foundation is installed for the permitted building and submit said survey document to this office in order to prove that the proposed building has been constructed in the correct location and meets setback requirements.

I anticipate that a foundation survey will be submitted to this office no later than <u>(insert date)</u>.

If you are proposing to construct a residential or commercial building addition or detached accessory building >150 sq. ft. in area you have the <u>option</u> to hire a <u>professional surveyor</u> to complete a foundation survey of the property after the foundation is installed for the permitted building and submit said survey document to this office in order to prove that the proposed building has been constructed in the correct location and meets setback requirements.

<u>Alternatively</u>, the property owner may sign a waiver of liability of foundation survey waiving their obligation to have to hire a professional surveyor at this time, stating that they will build the structure according to code and that if the structure is ever found to violate the code requirements they agree to comply with said ordinance by removal of and relocation of said structure and pay all associated and consequent costs and damages. This waiver document is a legal document that is recorded against the property title in the Register of Deeds. In the future a lending agency (such as a bank) or a prospective buyer of the property may require that said waiver be released prior to commencing with a loan or sale transaction. To do so, a plat of survey will need to be completed by a professional surveyor showing the location of the permitted structure. If said structure is found by this department to be constructed in the correct location and meets setback requirements, then a release of waiver document will be prepared at the cost of 20.00-dollars to the applicant and issued to the property owner or real estate agent so that it can be recorded with the Register of Deeds, thereby effectively releasing the original waiver of liability document.

Choose one of the following options:

I anticipate that a foundation survey will be submitted to this office no later than \_\_\_\_\_ (insert date).

or

I anticipate that the property owner will visit Planning & Development to have their signature notarized (driver's license required) and pay for the recordation of a waiver of liability document in the form of 30.00-dollars cash or check payable to the "Register of Deeds" no later than \_\_\_\_\_\_\_ (insert date).


8. Does your project involve the placement of any fill material on the subject property such as dirt, gravel, landscape timbers, rock, shoreline protection material, etc...?

If so, what type of material and how much?

IF ISSUED, THIS ZONING PERMIT IS ISSUED SUBJECT TO:

- 1. ANY FEDERAL, STATE OR LOCAL RESTRICTIONS AND/OR DEED RESTRICTIONS.
- 2. EACH APPLICANT FOR A ZONING PERMIT IS CHARGED WITH KNOWLEDGE OF THE MUNICIPAL ZONING ORDINANCE. COPIES OF THE TEXT OF THIS OR PORTIONS THEREOF AND COPIES OF THE OFFICIAL ZONING MAPS ARE AVAILABLE FOR SALE, COPYING OR INSPECTION UPON REQUEST. ANY STATEMENT MADE, SITE PLAN SUBMITTED, ASSURANCE GIVEN OR PERMIT ERRONEOUSLY ISSUED CONTRARY TO THIS ORDINANCE IS NULL AND VOID.
- 3. THIS PERMIT SHALL EXPIRE EIGHTEEN (18) MONTHS FROM DATE OF ISSUANCE.
- 4. ANY ADDITIONAL CONDITIONS WRITTEN BY THE ZONING ADMINISTRATOR ISSUING THE ZONING PERMIT.

NOTICE: YOU ARE RESPONSIBLE FOR COMPLYING WITH STATE AND FEDERAL LAWS CONCERNING CONSTRUCTION NEAR OR ON WETLANDS, LAKES, AND STREAMS. WETLANDS THAT ARE NOT ASSOCIATED WITH OPEN WATER CAN BE DIFFICULT TO IDENTIFY. FAILURE TO COMPLY MAY RESULT IN REMOVAL OR MODIFICATIO N OF CONSTRUCTION THAT VIOLATES THE LAW OR OTHER PENALTIES OR COSTS. FOR MORE INFORMATION, VISIT THE DEPARTMENT OF NATURAL RESOURCES WETLANDS IDENTIFICATION WEB PAGE http://dnr.wi.gov/topic/wetlands/locating.html OR CONTACT A DEPARTMENT OF NATURAL RESOURCES SERVICE CENTER (262) 884-2300.



SCHEMATIC SITE PLAN

602 Center Street Valparaiso, IN 46385 p - 219.241.1244

www.wrn-arch.com

BANAS RESIDENCE	40723 93RD ST GENOA CITY, WI 53128
NOT	FOR NUCTION
	D FOR: IEW
REVI	SIONS
# DESCRIPTI	ON DATE
SHALL REMAIN TO WRN ARCHITECT SHALL BE USED ON TO THIS PROJECT BE USED ON ANY	S, SPECIFICATIONS THEREOF ARE AND HE PROPERTY OF TURE, LLC. THEY NLY WITH RESPECT OTHER PROJECT OTHER PROJECT OT PRIOR WRITTEN I FROM WRN TURE, LLC.
SCALE:	AS NOTED
DRAWN BY:	
CHECKED BY:	JSK

Map Scale: J" 75 ft





## Searc h

## Layers

## Air Photos:

0	None	0	2020	0	2015
0	2 0 1 0	0	2005	0	2000
0	1995	0	1990	0	1985
0	1980	0	1975	0	1970
0	1967	0	1963	0	1937

A.

West An

## l'l'Jap Layers:

|±) Address\_Poinfs (±) Bu ild ings (±) Places 1±) Sc hoo!Distr icts |±) Vot ing |±) Geodetic 8 Streets 0 Toggle allLayers 0 Street Center lines 0 Rig ht-o f-Ways 0 Pavement Edges 8 Water\_Features 0 Toggle a ll Layers **0** Water Features 0 \:Valer Feature Text 8 Cadastra l 0 Toggle a ll Layers DTax Pins **O** Property Dimensions Easements 0 Righ t-o f-Ways 0 Parcels 0 Cellified Survey Maps 0 Condominiums Advanc ed Tools Graphics Buffer Legend

Results

Measurement			
Measure Poin	t		
Measure Line		I\ leasurement Resu Its	
Measure Freehand	Line	C lic ked Coord. (Lat):	42.5382
Measure Area		Clicked Coord. (Long):	-88.305
Measure Freehand	<u>Area</u>	Segment Length:	0 Feet
Length Unit: Feet	v	Total Length:	536.79 Feet
Area Unit: Acres	v	Area:	

!\lap Sca le: 1" 100 ft



## Search

## Layers

0 Toggle all Layers D Pleasant Prairie Floodplain D Pleasant Prairie Shoreland 0 Ple asant Pra irie Zon ing 0 Pleasant Prairie Wetlands D Pleasant Prairie Urban Reserves 0 Ple asant Prairie Land Use 0 G City\_Zo ning 0 Toggle all Layers 0 Major Streets D Ailvort Ov erlay Zoning Districts **0** Flood F1inge Overlay D Shoreland Wetland Overlay 0 Harbor Park Overlay Ois tiict D Pike Creek Neighborhood Overlay 0 Planned De, elopment Overlay  $\Box_{z \text{ oning}}$ 

## 

- 0 Togg le all Layers
- $0 \quad \text{Salem Phase 1} (\text{to 2025}) \, \textbf{0}$
- **O** Bristol Phase 1 (to 2015)**O**
- D Bristol Phase II (2015-2025)**0**
- **O** Land Use Plan 2035 **O**

## G Floodplain

- 0 Toggle all Layers
- 0 Dam Flood Shadow Profile
- 0 Special Flood Hazard Area

## $G \; \textbf{Enviromental}$

DToggle all Layers


Advance d Tools

Graphic s

Buffer

Legend

Results



l\lap Scale. 1' J-1.95 ft



## AMBIT LAND SURVEYING

# 2021 PLAT OF SURVEY

8120-312th Avenue Wheatland, WI. 53105-8934 Licensed Professionals in both III inois & Wisconsin

## **PHONE**: 262-537-4874

**FAX:** 262-537-422 1


## OF

EMAIL: ambit @t ds.net

A piece of land lying and being in the Northeast quarter of Section 19, Township I North Range 19 East of the 4th Principal Meridian, particularly described as follows: ca.lENCE at the northwest corner of said Section 19; THENCE east along the north line of said Section 132 feet; THENCE southwesterly to a point on the north shore of Benedict's Lake 65 feet directly east of the west line of Section 19; THENCE westerly along the shore of said lake to the westerly line of Section 19; THENCE north along Section line to the PLACE OF BEGINNING. Said land being in the Town of Randoll, County of Kenosha and State of Wisconsin. ALSO That part of the Southwest Quarter of Section 18, Township 1North, Range 19 East of the 4th Principal Meridian, which is situated on the south side of the Highway which runs in a Northwesterly and Southeasterly direction between Powers Lake and Benedict Lake and across said Quarter Section 44.4 feet to the south line of the road which runs in a Northwesterly and Southeasterly direction between Powers Lake and Benedict Lake and across said Quarter Section; THENCE Southeasterly along the south line of the south line of said rood 89.7 feet to the south tine of said Quarter Section; THENCE West along the south line of said Quarter Section 78.85 feet to the PLACE OF BEGINNING.

A triangular piece of land, containing 9/100 acre, rrore or less, in Section 24, Bloanfield Township, Walworth Courty, Wisconsin, further described as follows: BEGINNING at the northeast corner of Section 24, Township 1 North, Range 18 East of the 4th Principal Meridian, Walworth Courty, Wisconsin; THENCE West 90 feet along the north section line of said section to the shore line of Lake Benedict; THENCE in a southeasterly direction along the shore line of Lake Benedict to the east line of said section; THENCE north along the east line of said section to the POINT OF BEGINNING. ALSO BEGINNING at the southeast corner of Section 13, Township 1 North, Range 18 East of the 4th Principal Meridian, Township of Bloanfield, County of Walworth, State of Wisconsin, THENCE North on the east line of section 13 a distance of 79.70 feet to a point in the center of a public highway; THENCE North 58 degrees 33 minutesWest on the center line of said highway 60.30 feet; THENCE South 24 degrees 45 minutes West 122.65 feet; THENCE South 86 degrees 18 minutes 18 seconds East 106.29 feet to the southeast corner of section 13 and the PLACE OF BEGINNING. Said parcel of land is located in the Southeast Quarter of Section 13, Township 1 North, Range 18 East of the 4th Principal Meridian, County and State aforesaid, and containing .193468 acres of land, rrore or less.

PARCEL IDENTIFICATION NU. eERS: MJ 1300015 tk MJ 2400010




	MAL MORTH COL	$\frac{1}{2} \frac{1}{2} \frac{1}$
N	ORTHOMETRIC HEIGHT {GROUND ELEVATION) IS DETERMINED FROM USING GLOBAL NAVIGATION SATELLITE SYSTEM {GNSS}, THE VERTICAL DATUM BASIS IS NAVD88 AND THE GEOID MODEL IS GEOID12B CONUS THIS SURVEY IS A RETRACEMENT OF SURVEYS BY ROBERT J. WETZEL DATED JULY 12, 2007 & FRANKLIN J. LEHMAN DATED MAY 5, 2000.	March 5, 202 1         Fieldwork carpleted on and dote of certification:         I hereby certify that I hove surveyed the above described property and the above plot is a true representation thereof and shows the size and location of the property, its exterior boundaries, the location and dimensions of all visible structures thereon, boundary fences, apparent easements and roadwaysand visible encroachments, if any.         This survey is made for the exclusive use of the present owners of the property. and also those who purchase, martgoge or guarantee the title thereto within ONE YEAR fran the dote hereof.         Doted at Wheatland, Wisconsin this day of 2021.
	<u>1 inch = 30 feet</u> <b>BY:</b> <u>D. Banas</u> 2 1 0 0 6	Mark A.Bolender Wisconsin Professiona Land Surveyor - 1784

# 2007 Vehicle Damage



# 2007 Vehicle Damage




# 1989 Vehicle Damage











## WISCONSIN MOTOR VEHICLE CRASH REPORT

#### KENOSHA COUNTY SHERIFFS DEPART 1000 55TH STREET KENOSHA, WI 53140 (262) 605-5100

	Document Number Override	e Primary Crash I	Primary Crash Document #				Investigating Officer/Deputy DEPUTY MATTHEW SOUVANNASING		
1	Crash Date 07/28/2023					Time Arrived 09:29 PM	1		
ULLUGUZINI /	Date Notified 07/28/2023	Time Notified 09:13 PM	Time Notified		Total Units 02		Total Kille	ed	
50	On Emergency	Hit and Run	Lane Close	ure	Work Zone	Trailer	or Towed	Reporting Threshold	
2	Government Property	Active So	A stive Cabaal Zana		School Bus Related		Tags		
	Reportable	Crash Type DT4000 (STA	NDARD CRASH	1)		Amend	ed	Secondary Crash	
	Description						Reconstructio	n By	
	40			e # 23-0 28/23	00331792	РД			
	Sr				annasing #381 🛛 📈	⊲(	Photos By		
	alloway -	. 13	NO	TDRAV	VN TO SCALE	¥	Photos By		
	A. B. B.	1.1.2			10 10 10 10 10 10 10 10 10 10 10 10 10 1				
			a Est		1.0		Additional Info	ormation	
	A The Star	9370 3	>	and the second					
		AN AN			1 1 2	in the second			
		and the second	10.		82				
			and	No.	93rd st w/b				
			A MARTIN	There is a second	3rd St				
	80.0	North A	SID.	27	01	- 197			
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		San Line	22	St man				
	1	a st			3. 18 L				
	A BUT			Ye.					
			YN						
			7		for a star				
		1. 18 Jac	Herry El						
	✓ I, a sworn law enfo	orcement officer, agi	ree that I have n	ot adde	ed any CJIS data in th	nis report.			
		UP ON OPPO OF LINIT 1				DAIL ON THE SOL	TH SIDE OF O	200 ST LINIT 1 DEVEDSED	

UNIT 1 WAS TRAVELING W/B ON 93RD ST. UNIT 1 CROSSED THE CENTER LINE AND HIT THE GUARD RAIL ON THE SOUTH SIDE OF 93RD ST. UNIT 1 REVERSED AND HIT UNIT 2 THAT WAS PARKED AT THE DRIVE WAY OF 40723 93RD ST. UNIT 1 DROVE FORWARD, STRIKING THE GUARD RAIL A 2ND TIME AND THEN CONTINUED TRAVELING W/B ON 93RD ST. UNIT 1 WAS NOT ON SCENE WHEN DEPUTIES ARRIVED.

## 0FL0G0ZM17

2023-00331792

## WISCONSIN MOTOR VEHICLE CRASH REPORT

## KENOSHA COUNTY SHERIFFS DEPART 1000 55TH STREET KENOSHA, WI 53140 (262) 605-5100

1	-00	ation 🗖							
- 1	ON S	3RD ST			a distanti da se di s	itude		Longitude	
	97 F					538319139		-88.305015577	
		IIPPERSINK RD	NDALL			coordinate		Y Coordinate	
		ENOSHA COUNT				392836.59375 4710373			
					1000	o STRUCTURE			
(		sh Scene							
- 1	First Harmful Event					t Harmful Event L	ocation		
						ON ROADWAY			
	Manner of Collision 04 - REAR TO REAR				-	ht Condition			
	and the second	Surface Condition(s)	Anna and a state of the second			adway Factor(s)	- 1997		
	WET								
	Envir	onment Factor(s)							
		THER CONDITIO	NS		NC	DNE			
	Weat	ther Condition(s)							
	RAI							in the second	
	Anim	al Type	1111		Concerning and the Concerning of the Concerning	lation To Trafficwa			
	Cras	n Classification - Loca	ation			sh Classification -	Section of the section of the		
		LIC PROPERTY			NC	SPECIAL JUR	RISDICTION	i da san ing katala	
	Triba	ibal Land				Access Control Special Study NO CONTROL			
	\A/ithi	n Interchange Area	Junction Location						
1	NO	in interentinge vireu	NON-JUNCTION			ERSECTION	a that said	Maria Maria Maria	
	Unit	Summary					Unit Type		
	Unit	Status			Vehicle Operating As Classification				
		AND RUN		DCLASS	8			AUTOMOBILE Operating As Endorsements	
01	Vehicle Type				Operating As Endors		As Endorsements		
0		ORT) UTILITY VE	Train/Bus # Recorded	Total # Cit	ations Issued	Total Tra	ilers	Total HazMat Types	
	1 ota	Occs	Trail/Bus # Necolded	1	alloris issued	0		0	
		ance?	Direction Of Travel	Pre	CrashTire	Speed Li	mit	Total Lanes	
		NOWN	UNKNOWN		Mark	35		2	
LIND	Most	Harmful Event: Collis	sion With	Special Fu		1.1.1		y Motor Vehicle Use	
	MO	TOR VEH IN TRAN	NSPORT	UNKNO	V. 03 . cm		UNKNO		
		ic Way		Traffic Control			Traffic Control Inoperative/Missing		
		NOWN		UNKNOV	and the second se	85.0	UNKNOWN Road Grade		
	Surface Type			Road Curv					
	UNKNOWN UNKNOWN Truck Bus or HazMat								
	NO								
	Vehicle				Plate Type St Country of Issuance				
		License Plate Number APR6542 Vehicle Identification Number		Plate Typ				ED STATES	
				Make		Year	Model		
3	5	1GKEV137X7J10		GM		2007	ACADIA		
		Color		Body Styl	le		Bus Use		
		WHI - WHITE			ORT UTILITY	VEHICLE			
	щ	Initial Contact Point		Vehicle D	Damage			7 8 9 10 11	
F	CL	99 - UNKNOWN						6 12	
UNIT	VEHICLE	Extent Of Damage		16 - VE	HICLE NOT A	T AT SCENE 5 4 3		54321	
	VEHICLE NOT AT SCENE						3 4 3 2 1		

This report does not include any CJIS data. 2 of 5

WISCONSIN MOTOR VEHICLE CRASH REPORT

#### KENOSHA COUNTY SHERIFFS DEPART 1000 55TH STREET KENOSHA, WI 53140 (262) 605-5100

		Towed Due To Damage		Vehicle Removed By			
		NOT TOWED		OPERATOR	a		
		What Driver Was Doing	1	Vehicle Factors			
		NEGOTIATING CURVE Driver Prior Action Other		UNKNOWN			
UNIT	VEHICLE	Driver Actions SPEED TOO FAST/CON LANE	D, UNSAFE BACKING, FA	LURE TO CONTROL,	RAN OFF ROAD	WAY, FAILED TO KEEP IN DESIGNATED	
01	01	Owner Name LYNETTE S DELPH (815) 319-9087		Owner Address N6578 FOREST DELAVAN, WI 53			
		Sequence Of Events					
	5	Event MOTOR VEH IN TRANS					
	02	Event CROSS CENTERLINE					
	03	Event GUARDRAIL FACE		c i	5.°		
	04	Event					
		Individual		Rever W. How and			
		Driver		Citations Issued	Sex		
	_			0			
	INDIMDUAL			Date of Birth Race			
UNIT	F			Driver License Number	er		
D	ą						
	=	, ,					
		On Duty Crash		Safety Equipment			
	Sa	afety Equipment		Safety Equipment			
		Row	Seat Position	RESTRAINT USE	UNKNOWN		
		01 - FRONT ROW	07 - LEFT	<			
-		Helmet Use		Helmet Compliance			
		Eye Protection		Tint Compliance			
-	Σ	Injury Severity		Airbag			
0	001	Injury NO A	PPARENT INJURY	NOT APPLICABLE			
		Ejected	Ejection Path			Trapped/Extricated	
		NOT APPLICABLE	NOT EJECTED/NOT AF			NOT APPLICABLE	
		Medical Transport NOT TRANSPORTED		EMS Agency Identifie	r	EMS Run #	
		Hospital		Date of Death	Date of Death Time of Death		
		Distracted By	cted By Source				
		Distracted By Action					
		Non Motorist	g Unit # Location	а., <sup>в</sup> . у			

## WISCONSIN MOTOR VEHICLE CRASH REPORT

#### KENOSHA COUNTY SHERIFFS DEPART 1000 55TH STREET KENOSHA, WI 53140 (262) 605-5100

	and the							
		Action			- - -		5. 	
at the state of th	INDIVIDUAL							
aller to said a		Action Other				n. vj	4	To/From School
		Drug & Alcohol	spected Alcohol	Use	Suspected Drug Use	n.		
		Alcohol Test Given		Alcohol Test T	уре	And the second	Alcohol Tes	st Results
		Drug Test Given TEST NOT GIVEN		Drug Test Type	e	Drug Test Result	ts	and the second
	001	Drug Type						The second
		Individual Condition		in and a second se				
		Violations				and the second		
and the second	5			atute Number 46.675(1)	Description VEHICLE OWNER'S	S LIABILITY FO	R FSA-UNAT	TTENDED VEHICLE
U	5 Jnit	BI4094650 VI			VEHICLE OWNER'S			TTENDED VEHICLE
U	5 Unit	BI4094650         Vi           t Summary         Status			VEHICLE OWNER'S		Unit Type	
	5 Unit LEG	BI4094650 VI t Summary Status SALLY PARKED ICIE Type	01 34		VEHICLE OWNER'S		Unit Type	
	5 Unit LEG Vehic (SPC	BI4094650 VI t Summary Status SALLY PARKED ICIE Type ORT) UTILITY VEHICL	01 34	46.675(1)	VEHICLE OWNER'S		Unit Type AUTOMO Operating A	PBILE
	5 Unit LEG Vehic (SPC	BI4094650 VI t Summary Status SALLY PARKED ICIE Type	01 34	46.675(1)	VEHICLE OWNER'S	ification Total Tra 0	Unit Type AUTOMO Operating A ailers	DBILE As Endorsements Total HazMat Types 0
	S Jnii Unit LEG Vehic (SP Total 0	BI4094650 VI t Summary Status SALLY PARKED ICIE Type ORT) UTILITY VEHICL I Occs rance?	E Train/Bus # F Direction Of 1	A6.675(1) Recorded	Vehicle Operating As Class D CLASS Total # Citations Issued 0 Pre CrashTire	Total Tra 0 Speed L	Unit Type AUTOMO Operating A ailers	DBILE As Endorsements Total HazMat Types
	5 Jnit Unit LEG Vehic (SPO (SPO Total 0 Insur YES Most	BI4094650 VI t Summary Status SALLY PARKED ICIE Type ORT) UTILITY VEHICL II Occs rance? S t Harmful Event: Collision V	E Train/Bus # F Direction Of T NOT ON RO Vith	A6.675(1) Recorded	VEHICLE OWNER'S Vehicle Operating As Class D CLASS Total # Citations Issued 0	ification Total Tra 0 Speed L N/A	Unit Type AUTOMO Operating A ailers imit Emergency	DBILE As Endorsements Total HazMat Types 0 Total Lanes
	5 Jnit Unit LEG Vehic (SPO Total 0 Insur YES Most PAF Traff	BI4094650 VI t Summary Status SALLY PARKED ICICE Type ORT) UTILITY VEHICL I OCCS rance? S t Harmful Event: Collision V RKED MOTOR VEHICL fic Way	E Train/Bus # F Direction Of T NOT ON Re Vith	A6.675(1) Recorded Fravel OADWAY	VEHICLE OWNER'S Vehicle Operating As Class D CLASS Total # Citations Issued 0 Pre CrashTire Mark Special Function	ification Total Tra 0 Speed L N/A	Unit Type AUTOMO Operating A allers imit Emergency NOT APP	DBILE As Endorsements Total HazMat Types 0 Total Lanes 0 y Motor Vehicle Use
	5 Jnit Unit LEG Vehic (SP Total 0 Insur YES Most PAF Traff	BI4094650 VI t Summary Status SALLY PARKED ICICE Type ORT) UTILITY VEHICL II OCCS rance? S t Harmful Event: Collision V RKED MOTOR VEHICL fic Way RKING LOT OR PRIVA face Type	E Train/Bus # F Direction Of T NOT ON RO With E TE PROPERT	A6.675(1) Recorded Fravel OADWAY	VEHICLE OWNER'S Vehicle Operating As Class D CLASS Total # Citations Issued 0 Pre CrashTire Mark Special Function NO SPECIAL FUNCTIO Traffic Control NO CONTROL Road Curvature	ification Total Tra 0 Speed L N/A	Unit Type AUTOMO Operating A ailers imit Emergency NOT APP Traffic Con NO Road Grad	DBILE As Endorsements Total HazMat Types 0 Total Lanes 0 VMotor Vehicle Use PLICABLE htrol Inoperative/Missing
	5 Jnit Unit Unit Unit (SPO Total 0 Insur YES Most Traff PAF Surfa BLA Truc	BI4094650 VI t Summary Status SALLY PARKED ICICE Type ORT) UTILITY VEHICL II OCCS rance? S t Harmful Event: Collision V RKED MOTOR VEHICL fic Way RKING LOT OR PRIVA Tace Type ACKTOP (BITUMINOU ck Bus or HazMat	E Train/Bus # F Direction Of T NOT ON RO With E TE PROPERT	A6.675(1) Recorded Fravel OADWAY	VEHICLE OWNER'S Vehicle Operating As Class D CLASS Total # Citations Issued 0 Pre CrashTire Mark Special Function NO SPECIAL FUNCTIO Traffic Control NO CONTROL	ification Total Tra 0 Speed L N/A	Unit Type AUTOMO Operating A ailers imit Emergency NOT APP Traffic Con NO	DBILE As Endorsements Total HazMat Types 0 Total Lanes 0 VMotor Vehicle Use PLICABLE htrol Inoperative/Missing
	5 Jnit Unit LEG Vehic (SPC Total 0 Insur YES Most PAF Surfa BLA Truc NO	BI4094650 Vi Status SALLY PARKED CIE Type ORT) UTILITY VEHICL II OCCS rance? S t Harmful Event: Collision V RKED MOTOR VEHICL fic Way RKING LOT OR PRIVA face Type ACKTOP (BITUMINOU ck Bus or HazMat	E Train/Bus # F Direction Of T NOT ON RO With E TE PROPERT	A6.675(1) Recorded Fravel OADWAY	VEHICLE OWNER'S Vehicle Operating As Class D CLASS Total # Citations Issued 0 Pre CrashTire Mark Special Function NO SPECIAL FUNCTIO Traffic Control NO CONTROL Road Curvature	ification Total Tra 0 Speed L N/A	Unit Type AUTOMO Operating A ailers imit Emergency NOT APP Traffic Con NO Road Grad	DBILE As Endorsements Total HazMat Types 0 Total Lanes 0 VMotor Vehicle Use PLICABLE htrol Inoperative/Missing
	5 Jnit Unit LEG Vehic (SPC Total 0 Insur YES Most PAF Surfa BLA Truc NO	BI4094650 VI t Summary Status SALLY PARKED ICICE Type ORT) UTILITY VEHICL II OCCS rance? S t Harmful Event: Collision V RKED MOTOR VEHICL fic Way RKING LOT OR PRIVA Tace Type ACKTOP (BITUMINOU ck Bus or HazMat	E Train/Bus # F Direction Of T NOT ON RO With E TE PROPERT	A6.675(1) Recorded Fravel OADWAY	VEHICLE OWNER'S Vehicle Operating As Class D CLASS Total # Citations Issued 0 Pre CrashTire Mark Special Function NO SPECIAL FUNCTIO Traffic Control NO CONTROL Road Curvature	ification Total Tra 0 Speed L N/A	Unit Type AUTOMO Operating A ailers imit Emergency NOT APP Traffic Con NO Road Grad	DBILE As Endorsements Total HazMat Types 0 Total Lanes 0 y Motor Vehicle Use PLICABLE Introl Inoperative/Missing de
	5 Jnit Unit LEG Vehic (SPC Total 0 Insur YES Most PAF Surfa BLA Truc NO	BI4094650 VI Status SALLY PARKED CIE Type ORT) UTILITY VEHICL II OCCS rance? S t Harmful Event: Collision V RKED MOTOR VEHICL fic Way RKING LOT OR PRIVA face Type ACKTOP (BITUMINOU ck Bus or HazMat Vehicle License Plate Number	E Train/Bus # F Direction Of T NOT ON Re Vith E TE PROPERT S)	A6.675(1) Recorded Fravel OADWAY	VEHICLE OWNER'S Vehicle Operating As Class D CLASS Total # Citations Issued 0 Pre CrashTire Mark Special Function NO SPECIAL FUNCTIO Traffic Control NO CONTROL Road Curvature CURVE RIGHT Plate Type	iffcation Total Tra 0 Speed L N/A DN	Unit Type AUTOMO Operating A ailers imit Emergency NOT APP Traffic Con NO Road Grad LEVEL Country of Is UNITED S Model 4RUNNEF	DBILE As Endorsements Total HazMat Types 0 Total Lanes 0 y Motor Vehicle Use PLICABLE Introl Inoperative/Missing de Issuance STATES
	5 Jnii Unit LEG Vehid (SPO Total 0 Insur YES Most PAF Traff BLA Truc NO	BI4094650 VI t Summary Status SALLY PARKED ICIC Type ORT) UTILITY VEHICL II OCCS Trance? S t Harmful Event: Collision V RKED MOTOR VEHICL fic Way RKING LOT OR PRIVA Tace Type ACKTOP (BITUMINOU CK BUS OF HAZMAT Vehicle Identification Nur JTEBU5JR2G539028 Color	E Train/Bus # F Direction Of T NOT ON Re Vith E TE PROPERT S)	A6.675(1) Recorded Fravel OADWAY	VEHICLE OWNER'S Vehicle Operating As Class D CLASS Total # Citations Issued 0 Pre CrashTire Mark Special Function NO SPECIAL FUNCTION Traffic Control NO CONTROL Road Curvature CURVE RIGHT Plate Type AUT - AUTOMOBILE Make	ification Total Tra 0 Speed L N/A DN St WI Year 2016	Unit Type AUTOMO Operating A ailers imit Emergency NOT APP Traffic Con NO Road Grad LEVEL Country of Is UNITED S Model	DBILE As Endorsements Total HazMat Types 0 Total Lanes 0 y Motor Vehicle Use PLICABLE Introl Inoperative/Missing de Issuance STATES
	5 Jnii Unit LEG Vehid (SPO Total 0 Insur YES Most PAF Traff BLA Truc NO	BI4094650 VI Status SALLY PARKED CIE Type ORT) UTILITY VEHICL I OCCS rance? S t Harmful Event: Collision V RKED MOTOR VEHICL fic Way RKING LOT OR PRIVA face Type ACKTOP (BITUMINOU ck Bus or HazMat Vehicle License Plate Number 105ZKF Vehicle Identification Nur JTEBU5JR2G539028	E Train/Bus # F Direction Of T NOT ON Re With E TE PROPERT S)	A6.675(1) Recorded Fravel OADWAY	VEHICLE OWNER'S Vehicle Operating As Class D CLASS Total # Citations Issued 0 Pre CrashTire Mark Special Function NO SPECIAL FUNCTIO Traffic Control NO CONTROL Road Curvature CURVE RIGHT Plate Type AUT - AUTOMOBILE Make TOYOTA Body Style	ification Total Tra 0 Speed L N/A DN St WI Year 2016	Unit Type AUTOMO Operating A ailers imit Emergency NOT APP Traffic Con NO Road Grad LEVEL Country of Is UNITED S Model 4RUNNEF	DBILE As Endorsements Total HazMat Types 0 Total Lanes 0 y Motor Vehicle Use PLICABLE ntrol Inoperative/Missing de Issuance STATES

## WISCONSIN MOTOR VEHICLE CRASH REPORT

#### KENOSHA COUNTY SHERIFFS DEPART 1000 55TH STREET KENOSHA, WI 53140 (262) 605-5100

	and the							
		Action			- - -		54 1	
at the state of th	INDIVIDUAL							
aller to said a		Action Other				n. vj	4	To/From School
		Drug & Alcohol	spected Alcohol	Use	Suspected Drug Use	n.		
		Alcohol Test Given		Alcohol Test T	уре	And the second	Alcohol Tes	st Results
		Drug Test Given TEST NOT GIVEN		Drug Test Type	e	Drug Test Result	ts	
	001	Drug Type						The second
		Individual Condition		in and a second se				
		Violations				and the second		
and the second	5			atute Number 46.675(1)	Description VEHICLE OWNER'S	S LIABILITY FO	R FSA-UNAT	TTENDED VEHICLE
U	5 Jnit	BI4094650 VI			VEHICLE OWNER'S			TTENDED VEHICLE
U	5 Unit	BI4094650         Vi           t Summary         Status			VEHICLE OWNER'S		Unit Type	
	5 Unit LEG	BI4094650 VI t Summary Status SALLY PARKED ICIE Type	01 34		VEHICLE OWNER'S		Unit Type	
	5 Unit LEG Vehic (SPC	BI4094650 VI t Summary Status SALLY PARKED ICIE Type ORT) UTILITY VEHICL	01 34	46.675(1)	VEHICLE OWNER'S		Unit Type AUTOMO Operating A	PBILE
	5 Unit LEG Vehic (SPC	BI4094650 VI t Summary Status SALLY PARKED ICIE Type	01 34	46.675(1)	VEHICLE OWNER'S	ification Total Tra 0	Unit Type AUTOMO Operating A ailers	DBILE As Endorsements Total HazMat Types 0
	S Jnii Unit LEG Vehic (SP Total 0 Insur	BI4094650 VI t Summary Status SALLY PARKED ICIE Type ORT) UTILITY VEHICL I Occs rance?	E Train/Bus # F Direction Of 1	A6.675(1) Recorded	Vehicle Operating As Class D CLASS Total # Citations Issued 0 Pre CrashTire	Total Tra 0 Speed L	Unit Type AUTOMO Operating A ailers	DBILE As Endorsements Total HazMat Types
	5 Jnit Unit LEG Vehic (SPO (SPO Total 0 Insur YES Most	BI4094650 VI t Summary Status SALLY PARKED ICIE Type ORT) UTILITY VEHICL II Occs rance? S t Harmful Event: Collision V	E Train/Bus # F Direction Of T NOT ON RO Vith	A6.675(1) Recorded	VEHICLE OWNER'S Vehicle Operating As Class D CLASS Total # Citations Issued 0	ification Total Tra 0 Speed L N/A	Unit Type AUTOMO Operating A ailers imit Emergency	DBILE As Endorsements Total HazMat Types 0 Total Lanes
	5 Jnit Unit LEG Vehic (SPO Total 0 Insur YES Most PAF Traff	BI4094650 VI t Summary Status SALLY PARKED ICICE Type ORT) UTILITY VEHICL I OCCS rance? S t Harmful Event: Collision V RKED MOTOR VEHICL fic Way	E Train/Bus # F Direction Of T NOT ON Re Vith	A6.675(1) Recorded Fravel OADWAY	VEHICLE OWNER'S Vehicle Operating As Class D CLASS Total # Citations Issued 0 Pre CrashTire Mark Special Function	ification Total Tra 0 Speed L N/A	Unit Type AUTOMO Operating A allers imit Emergency NOT APP	DBILE As Endorsements Total HazMat Types 0 Total Lanes 0 y Motor Vehicle Use
	5 Jnit Unit LEG Vehic (SP Total 0 Insur YES Most PAF Traff	BI4094650 VI t Summary Status SALLY PARKED ICICE Type ORT) UTILITY VEHICL II OCCS rance? S t Harmful Event: Collision V RKED MOTOR VEHICL fic Way RKING LOT OR PRIVA face Type	E Train/Bus # F Direction Of T NOT ON RO With E TE PROPERT	A6.675(1) Recorded Fravel OADWAY	VEHICLE OWNER'S Vehicle Operating As Class D CLASS Total # Citations Issued 0 Pre CrashTire Mark Special Function NO SPECIAL FUNCTIO Traffic Control NO CONTROL Road Curvature	ification Total Tra 0 Speed L N/A	Unit Type AUTOMO Operating A ailers imit Emergency NOT APP Traffic Con NO Road Grad	DBILE As Endorsements Total HazMat Types 0 Total Lanes 0 VMotor Vehicle Use PLICABLE htrol Inoperative/Missing
	5 Jnit Unit Unit Unit (SPO Total 0 Insur YES Most Traff PAF Surfa BLA Truc	BI4094650 VI t Summary Status SALLY PARKED ICICE Type ORT) UTILITY VEHICL II OCCS rance? S t Harmful Event: Collision V RKED MOTOR VEHICL fic Way RKING LOT OR PRIVA face Type ACKTOP (BITUMINOU ck Bus or HazMat	E Train/Bus # F Direction Of T NOT ON RO With E TE PROPERT	A6.675(1) Recorded Fravel OADWAY	VEHICLE OWNER'S Vehicle Operating As Class D CLASS Total # Citations Issued 0 Pre CrashTire Mark Special Function NO SPECIAL FUNCTIO Traffic Control NO CONTROL	ification Total Tra 0 Speed L N/A	Unit Type AUTOMO Operating A ailers imit Emergency NOT APP Traffic Con NO	DBILE As Endorsements Total HazMat Types 0 Total Lanes 0 VMotor Vehicle Use PLICABLE htrol Inoperative/Missing
	5 Jnit Unit LEG Vehic (SPC Total 0 Insur YES Most PAF Surfa BLA Truc NO	BI4094650 Vi Status SALLY PARKED CIE Type ORT) UTILITY VEHICL II OCCS rance? S t Harmful Event: Collision V RKED MOTOR VEHICL fic Way RKING LOT OR PRIVA face Type ACKTOP (BITUMINOU ck Bus or HazMat	E Train/Bus # F Direction Of T NOT ON RO With E TE PROPERT	A6.675(1) Recorded Fravel OADWAY	VEHICLE OWNER'S Vehicle Operating As Class D CLASS Total # Citations Issued 0 Pre CrashTire Mark Special Function NO SPECIAL FUNCTIO Traffic Control NO CONTROL Road Curvature	ification Total Tra 0 Speed L N/A	Unit Type AUTOMO Operating A ailers imit Emergency NOT APP Traffic Con NO Road Grad	DBILE As Endorsements Total HazMat Types 0 Total Lanes 0 VMotor Vehicle Use PLICABLE htrol Inoperative/Missing
	5 Jnit Unit LEG Vehic (SPC Total 0 Insur YES Most PAF Surfa BLA Truc NO	BI4094650 VI t Summary Status SALLY PARKED ICICE Type ORT) UTILITY VEHICL II OCCS rance? S t Harmful Event: Collision V RKED MOTOR VEHICL fic Way RKING LOT OR PRIVA face Type ACKTOP (BITUMINOU ck Bus or HazMat	E Train/Bus # F Direction Of T NOT ON RO With E TE PROPERT	A6.675(1) Recorded Fravel OADWAY	VEHICLE OWNER'S Vehicle Operating As Class D CLASS Total # Citations Issued 0 Pre CrashTire Mark Special Function NO SPECIAL FUNCTIO Traffic Control NO CONTROL Road Curvature	ification Total Tra 0 Speed L N/A	Unit Type AUTOMO Operating A ailers imit Emergency NOT APP Traffic Con NO Road Grad	DBILE As Endorsements Total HazMat Types 0 Total Lanes 0 y Motor Vehicle Use PLICABLE ntrol Inoperative/Missing de
	5 Jnit Unit LEG Vehic (SPC Total 0 Insur YES Most PAF Surfa BLA Truc NO	BI4094650 VI Status SALLY PARKED CIE Type ORT) UTILITY VEHICL II OCCS rance? S t Harmful Event: Collision V RKED MOTOR VEHICL fic Way RKING LOT OR PRIVA face Type ACKTOP (BITUMINOU ck Bus or HazMat Vehicle License Plate Number	E Train/Bus # F Direction Of T NOT ON Re Vith E TE PROPERT S)	A6.675(1) Recorded Fravel OADWAY	VEHICLE OWNER'S Vehicle Operating As Class D CLASS Total # Citations Issued 0 Pre CrashTire Mark Special Function NO SPECIAL FUNCTIO Traffic Control NO CONTROL Road Curvature CURVE RIGHT Plate Type	iffcation Total Tra 0 Speed L N/A DN	Unit Type AUTOMO Operating A ailers imit Emergency NOT APP Traffic Con NO Road Grad LEVEL Country of Is UNITED S Model 4RUNNEF	DBILE As Endorsements Total HazMat Types 0 Total Lanes 0 y Motor Vehicle Use PLICABLE Introl Inoperative/Missing de Issuance STATES
	5 Jnii Unit LEG Vehid (SPO Total 0 Insur YES Most PAF Traff BLA Truc NO	BI4094650 VI t Summary Status SALLY PARKED ICIC Type ORT) UTILITY VEHICL II OCCS Trance? S t Harmful Event: Collision V RKED MOTOR VEHICL fic Way RKING LOT OR PRIVA Tace Type ACKTOP (BITUMINOU CK BUS OF HAZMAT Vehicle Identification Nur JTEBU5JR2G539028 Color	E Train/Bus # F Direction Of T NOT ON Re Vith E TE PROPERT S)	A6.675(1) Recorded Fravel OADWAY	VEHICLE OWNER'S Vehicle Operating As Class D CLASS Total # Citations Issued 0 Pre CrashTire Mark Special Function NO SPECIAL FUNCTION Traffic Control NO CONTROL Road Curvature CURVE RIGHT Plate Type AUT - AUTOMOBILE Make	ification Total Tra 0 Speed L N/A DN St WI Year 2016	Unit Type AUTOMO Operating A ailers imit Emergency NOT APP Traffic Con NO Road Grad LEVEL Country of Is UNITED S Model	DBILE As Endorsements Total HazMat Types 0 Total Lanes 0 y Motor Vehicle Use PLICABLE Introl Inoperative/Missing de Issuance STATES
	5 Jnii Unit LEG Vehid (SPO Total 0 Insur YES Most PAF Traff BLA Truc NO	BI4094650 VI Status SALLY PARKED CIE Type ORT) UTILITY VEHICL I OCCS rance? S t Harmful Event: Collision V RKED MOTOR VEHICL fic Way RKING LOT OR PRIVA face Type ACKTOP (BITUMINOU ck Bus or HazMat Vehicle License Plate Number 105ZKF Vehicle Identification Nur JTEBU5JR2G539028	E Train/Bus # F Direction Of T NOT ON Re With E TE PROPERT S)	A6.675(1) Recorded Fravel OADWAY	VEHICLE OWNER'S Vehicle Operating As Class D CLASS Total # Citations Issued 0 Pre CrashTire Mark Special Function NO SPECIAL FUNCTIO Traffic Control NO CONTROL Road Curvature CURVE RIGHT Plate Type AUT - AUTOMOBILE Make TOYOTA Body Style	ification Total Tra 0 Speed L N/A DN St WI Year 2016	Unit Type AUTOMO Operating A ailers imit Emergency NOT APP Traffic Con NO Road Grad LEVEL Country of Is UNITED S Model 4RUNNEF	DBILE As Endorsements Total HazMat Types 0 Total Lanes 0 y Motor Vehicle Use PLICABLE ntrol Inoperative/Missing de Issuance STATES

## 0FL0G0ZM17

## WISCONSIN MOTOR VEHICLE CRASH REPORT

## KENOSHA COUNTY SHERIFFS DEPART 1000 55TH STREET KENOSHA, WI 53140 (262) 605-5100

2023-00331792

	10 ISB	Towed Due To Damage	Vehicle Removed By
		NOT TOWED	OWNER
		What Driver Was Doing	Vehicle Factors
		LEGALLY PARKED	
		Driver Prior Action Other	NOT APPLICABLE
		Driver Actions	
н	Ë	NO CONTRIBUTING ACTION	
UNIT	VEHICLE		
		Owner Name	Owner Address
	-	ABIGAIL L SEREMEK	40723 93RD ST
02	02	(708) 738-9956	GENOA CITY, WI 53128 , US
		Sequence Of Events	
	0	Event MOTOR VEH IN TRANSPORT	
	03	Event	
	03	Event	
	04	Event	
		Policy Holder	
UNIT	a name	Insurance Company	Individual
		GEICO-ADVANTAGE-INSURANCE-CO	ABIGAIL SEREMEK

## **BOARD OF ADJUSTMENTS SCHEDULE FOR 2022 PUBLIC HEARINGS**

Third Thursday of each month at 6:00 p.m. Kenosha County Center, 19600 75th Street, Bristol, Wisconsin Conference Room A (unless published otherwise)

This schedule includes all areas under general zoning regulations in the following townships: BRIGHTON, PARIS, RANDALL, SOMERS, WHEATLAND

## HEARING DATES

JANUARY 20	Filing Date: Published:	December 20 Jan. 7 & Jan.12	<u>JULY 21</u>	Filing Date: Published:	June 21 July 8 & July 13
FEBRUARY 17	Filing Date: Published	January 17 Feb. 4 & Feb. 9	AUGUST 18	Filing Date: Published:	July 18 Aug. 5 & Aug. 10
<u>MARCH 17</u>	Filing Date: Published:	February 17 March 4 & March 9	SEPTEMBER 15	Filing Date: Published:	August 15 Sept. 2 & Sept. 7
<u>APRIL 21</u>	Filing Date: Published:	March 21 April 8 & April 13	OCTOBER 20	Filing Date: Published:	September 20 Oct. 7 & Oct. 12
<u>MAY 19</u>	Filing Date: Published:	April 19 May 6 & May 11	NOVEMBER 17	Filing Date: Published:	October 17 Nov. 4 & Nov. 9
<u>JUNE 16</u>	Filing Date: Published:	May 16 June 3 & June 8	DECEMBER 15	Filing Date: Published:	November 15 Dec. 2 & Dec. 7

CHAPTER 12, KENOSHA COUNTY GENERAL ZONING AND SHORELAND/FLOODPLAIN ZONING ORDINANCE STATES:

12.06-4 LEGAL NOTICE REQUIREMENTS AND TIME LIMITS: Any petition or other matter requiring the publication of a legal notice must be submitted at least one month prior to the requested hearing date as scheduled by the Planning, Development & Extension Education Committee or Board of Adjustments. For purposes on this section, "one month prior to the requested hearing date" shall be defined to mean not later than 4:30 p.m. on the same calendar date of the month preceding the scheduled hearing, or the last day county offices are open prior to the aforementioned deadline. For purposes of the Open Meetings Law, the Planning and Development Administrator shall be delegated the responsibility of informing the county clerk of both scheduled open and closed meetings so that proper notices may be given.



## VARIANCE PROCEDURES BEFORE THE BOARD OF ADJUSTMENTS

- □ 1. Contact the Department of Planning & Development and set an appointment. Bring the following for your pre-application meeting.
- **2.** Complete a Zoning Permit Application at the Department of Planning & Development.
- **3.** Complete a Variance Application.
  - □ A. A copy of your Tax Bill or a copy of the recorded Deed of Transfer if you have owned the property for less than a month. (This is to provide proof of ownership) If you are in the process of purchasing the property you need to provide a signed and accepted purchase agreement or if you are a realtor or contractor, a letter from the current owner granting you agent status to act on their behalf.
  - **B.** A Survey of the property with the following information provided. **NOTE:** The Board of Adjustments strongly advises that for any new residential construction an area for a detached or attached garage should be shown for present or future construction.
    - □ ❖ Size and location of all existing structures on the property and their distances from property lines -- (street yard setback should be taken from the edge of the road right of way).
    - Location and dimensions of the proposed structure(s) or where the addition is to be placed on an existing structure.

    - Location of the well and on-site waste disposal system -- (septic systems must show both the septic tank size and dimensions of the field).
  - **C.** A filing fee of \$550 (non-refundable) is required at application time to cover the costs of publishing.
- **4.** Submit the above information by the filing deadline (see Board of Adjustment Schedule handout) with the Department of Planning and Development.
- **5.** Submit the above information to your local Township for placement on the agenda of the Town Planning Commission and/or the Town Board.
- □ 6. Your first meeting will be with the Town Planning Commission, except for the Town of Wheatland. The Town of Somers has a Board of Appeals. NOTE: You must attend or the Commission/Board will not be able to act on your request.

- □ 7. Your second meeting will be with the Town Board. NOTE: You must attend or the Board will not be able to act on your request.
- □ 8. Your third meeting will be with the County Board of Adjustments. NOTE: You must attend or the Board of Adjustments will not be able to act on your request. At this meeting you will be asked to brief the Board on your request for a variance and state your reasons for hardship (see Public Hearing Variance Standards handout).
- □ 9. If the Board of Adjustments grants your variance request you may obtain your Zoning Permit from the Office of Planning and Development the day after the meeting. The permit will be issued if all requirements from this office have been addressed, including sanitation, if you are the current owner of the property, and subject to signing the Statement of Appeal Process (see attached handout). If you do not sign the Statement of Appeal Process you will need to wait 30 days from the date of approval before the zoning permit can be issued. PLEASE NOTE, THAT ACCORDING TO SECTION VII.B.12.36-15(c) VARIANCES GRANTED BY THE B.O.A. SHALL EXPIRE WITHIN SIX (6) MONTHS FROM THE DATE OF APPROVAL, UNLESS A ZONING PERMIT HAS BEEN ISSUED AND "SUBSTANTIAL CONSTRUCTION" THE VALUE OF SUCH WORK THAT HAS COMMENDED EQUIVALENT TO 25% OF THE PROJECTED COST OF THE PROJECT AS NOTED ON THE APPLICATION FOR THE ZONING PERMIT, HAS COMMENCED.
- **10.** Follow the Permitting Process for New Construction or for Additions to Existing Structures, Accessory Structures, Decks, Pools, and/or Fences (see handout).
- □ 11. If the Board of Adjustments denies your variance you have thirty (30) days to file an appeal with circuit court (see Statement of Appeal Process handout).

## **IMPORTANT TELEPHONE NUMBERS**

Kenosha County Center	
Department of Planning & Development	
19600 - 75 <sup>th</sup> Street, Post Office Box 520	
Bristol, Wisconsin 53104-0520	
Division of County Development (including Sanitation & Land Conservation)	857-1895
Facsimile #	857-1920
Public Works Division of Highways	
Administration Building	
Division of Land Information	653-2622
Deleter Terry of	070 0040
Brighton, Town of Paris, Town of	
Paris, Town of Randall, Town of	
Salem, Town of Utility District Somers Town of	
Wheatland, Town of	
Wisconsin Department of Natural Resources - Sturtevant Office	
Wisconsin Department of Transportation - Waukesha Office	
wisconsin Department of Transportation - waukesna Onice	

## PUBLIC HEARING VARIANCE STANDARDS

YOUR PUBLIC HEARING WILL BE BASED ON THE FOLLOWING STANDARDS FROM THE KENOSHA COUNTY GENERAL ZONING AND SHORELAND/FLOODPLAIN ZONING ORDINANCE.

## CHAPTER 12.36-1 INTENT

It is the intent of this section of the Ordinance to recognize that under certain conditions and circumstances, it may be necessary to obtain a variance from the terms of this Ordinance so long as said variance will not be contrary to the public interest, and where, owing to special conditions, a literal enforcement of the provisions of the Ordinance will result in unnecessary hardship or practical difficulties and where the granting of such variance will uphold the spirit of this Ordinance and contribute to the justice of the particular case in question. Any variance granted under the terms of this ordinance shall, however, relate only to area requirements and not to use. Furthermore, it is the intent of this section to establish a Board of Adjustments for the purpose of reviewing applications for variances as well as reviewing orders and decisions made by the Office of Planning and Development.

## CHAPTER 12.36-13 STANDARDS AND GUIDELINES

- In determining whether a variance is to be granted, the following standards and guidelines must be met in view of the evidence presented and in making its decision, these standards and guidelines shall be addressed by the board of adjustment:
  - 1. The existence of special conditions or exceptional circumstances on the land in question.
  - 2. The experiencing of unnecessary hardships or practical difficulties on the land in question either presently or in the future.
  - 3. That these hardships or difficulties are the result of the aforementioned special conditions existing on the land and are not self-inflicted.
  - 4. That the existence of these special conditions will restrict the use of the land if the Ordinance is applied literally so as to render the land useless.
  - 5. That the limitation on the use of the land does not apply generally to other properties in the district.
  - 6. That limiting the use of the property does not afford compensating gains to the public health, safety and welfare.
  - 7. That the variance(s) requested are the minimum variance(s) needed to alleviate difficulties or hardships.
  - 8. That the use of the parcel in question presently does conform to the ordinance.

- 9. That granting the variance applied for will not affect the public health, safety, morals and welfare of the community and other properties in the area.
- 10. That with respect to those areas located within the floodland districts, a variance would not permit filling and development contrary to the purpose and intent of the Camp Lake/Center Lake FWO Floodway Overlay District; would not permit a change in the boundaries of the FPO Floodplain Overlay District, FWO Camp Lake/Center Lake Floodway Overlay district or the FFO Camp Lake/Center Lake Floodplain Fringe Overlay District; would not permit a lower degree of flood protection in the floodland districts than the residential, commercial, institutional, or park basement or crawlway to be located below the 100-year recurrence interval flood elevation; would not allow a change or alteration of an historic structure, including its use, which would result in the structure; further, that the variance for the proposed action would not require amendment to the floodplain zoning ordinance' and furthermore, that the variance would not have the effect of granting or increasing a use property which is prohibited in the floodland districts or any action contrary to the provisions of Chapter NR 116 of the Wisconsin Administrative Code.
- □ Variances may be granted for example for reasons of topography, environmental protection or where permitted by state statute but in no event may a variance be granted where the primary reason for obtaining a variance is to obtain a more profitable use of the property, personal inconvenience, construction errors, economic reasons, self-created hardships, or where the property is presently a non-conforming use. Furthermore, variances may not be granted for the purpose of altering the sanitary requirements of this ordinance except for existing structures.
- □ The Board of Adjustments in considering the propriety of granting a variance shall not consider the number of persons for or against the granting of a variance but shall base their decision solely upon the equities of the situation involved.
- Variances may be granted in the form of an area or distance variance, however, use variances shall be specifically prohibited under this Ordinance.

## **Statutory Standards**

□ The applicant for a variance must clearly show the Board of Adjustments that three statutory standards that govern granting a variance will be met. These three standards require the existence of an unnecessary hardship, the presence of a unique property limitation, and the protection of the public interest.

## Unnecessary Hardship

- A situation where, in the absence of a variance, an owner can make no feasible use of a property, or strict conformity is unnecessarily burdensome.
- The hardship or difficulty must be peculiar to the zoning parcel in question and different from that of other parcels, not one which affects all parcels similarly.

- **U** Unique Property Limitation
  - Unique physical characteristics of the property must prevent the applicant from developing in compliance with the zoning ordinance.
- Protection of the Public Interest
  - Granting of a variance must neither harm the public interest nor undermine the purposes of the ordinance. The public interest includes the interests of the public at large, not just that of nearby property owners.
  - Conditions may be attached to a variance to protect adjoining properties and to preserve the essential character of the neighborhood.
  - A variance should include only the minimum relief necessary to allow reasonable use of a property.

# **NOTES**

# VARIANCE WORKSHEET

YOUR THREE STATUTORY STANDARDS TO PROVE BEFORE THE BOARD OF ADJUSTMENTS. (BE READY TO DISCUSS AT THE MEETING)

UNNECESSARY HARDSHIP -

**UNIQUE PROPERTY LIMITATION -**

PROTECTION OF THE PUBLIC INTEREST -

## **KENOSHA COUNTY BOARD OF ADJUSTMENTS**





## VARIANCE SITE MAP

PETITIONER(S): Janet M. & David E. Banas (Owner) David Banas (Agent)

LOCATION: NW 1/4 of Section 2 Town of Randall

TAX PARCEL(S):60-4-119-192-1200

## **REQUEST:**

Requesting a variance (Section IV. C. 12.21-5(g)1: that all structures shall be located at least 30 feet from the right-of-way of all other roads, Section IV. C. 12.21-5(g)2: that all structures shall be located not less than 75 feet from the ordinary high water mark of any navigable water, Section IV. C. 12.20-2 (f)4: that all residential dwellings shall have a roof pitch not less than 5/12 and Section III. Q. 12.18.5-5 that patios within the shoreyard shall not exceed 200 square feet in area to construct a single-family residence to be located 5 feet from the right-of-way of 93rd Street and to be located 37 feet from the ordinary high water mark of Benedict Lake and to have a 4/12 roof pitch on said residence and to construct an appx. 991 sq. ft. patio within the shoreyard.





Banas Variance.mxd